

A CATALOG OF LOW PRICES

In this book Sears have, in many cases, deliberately sacrificed profits to bring building material costs down. Throughout, you will find prices reduced; many of them drastically lower than last fall.

Sears are doing this as their part in the great national Program now under way to renovate, rebuild and modernize the homes of America.

Take advantage of these low material costs—take advantage of **Sears Exceptional Values**, Superior Quality and Prompt Service. These prices may never be duplicated again.

Don't let the lack of ready cash at this time delay your getting the materials you need while our prices remain low.

See our Liberal Easy Time Payment Plan on the Inside Cover.

Build, remodel or repair NOW!

Honor Bill BUILDING MATERIALS




Philadelphia

« **Honor Bill**
BUILDING
MATERIALS USED
THROUGHOUT »

SEARS, ROEBUCK and CO.


Small Down Payment

Brings All Your Building Material Needs !!




Look into this book..

And About Your Home! Discover for yourself how really low in cost are those improvements you have been intending to make. Materials for a new larger porch, or for enclosing your present porch—An added room—A new attractive entrance—Added windows or doors—Step-saving kitchen improvements—Roof repairs. Do any or all of these while labor is plentiful, the weather suitable—And **ENJOY THEM WHILE YOU PAY** our unequalled **Lower Prices on EASY PAYMENTS.**



Most old kitchens are poorly and inconveniently arranged. Usually the kitchen is the first room in the home to get remodeling attention. Much can be accomplished, as was done with this kitchen.

One of the best ways to make a Kitchen more convenient is to utilize its existing wall areas for one or more of the many modern cupboards and cabinets designed by Sears Home Experts.



YOU DON'T NEED ALL THE MONEY NOW to make those repairs or do that modernizing job. Take advantage of our Easy Payment Plan. (The initial payment and the moderate monthly installments that follow are based on the simple table below.) **A Year and a half to pay** on the larger total orders of \$300 and more!

Why Do the Job Piecemeal?

Prices may never again be as low on the materials you need. Buy them here NOW! Our Easy Payment Plan enables you to **SAVE MORE** as well as **DO MORE!**

LOWER PRICES A FACT

Not Mere Sales Talk!

Now or anytime, you rightly expect Bottom Prices and Extra Savings on building materials, millwork, lumber, or whatever you may need, from The World's Largest Building Material Dealers. Selling direct, selling to the millions, owning our own huge plants and mills—**LOWEST PRICES to You MUST RESULT!**

These Prices for Mail Orders Only!

The prices in this catalog are lower than in our retail stores, and are for mail orders only. Our retail store prices are usually higher because of transportation charges, over-the-counter delivery and other additional costs for extra services necessary to retail store methods of selling. Lowest prices always, is what you're sure of getting at Sears.

IMPORTANT INFORMATION Regarding Prices

Should the Federal Government or any State find it necessary to increase by taxes or otherwise the cost or selling price of any of the merchandise described in this Catalog, we reserve the right to add any such taxes or other increases of cost or selling price to the prices of the merchandise as shown in this Catalog.

Easy Payment Terms

The table of terms below applies on any merchandise that is advertised in this catalog. Simply make up your order on the easy payment side of the order blank enclosed and send it to us with the required deposit. Orders under \$20.00 must be accompanied by cash in full.

If Cash Price of Your Order Amounts to:	Add for Easy Payment Plan	Deposit With Order	Monthly Payments
\$20.00 to \$25.00	\$2.50	\$3.00	\$4.00
25.01 to 30.00	3.00	3.00	5.00
30.01 to 35.00	3.50	4.00	5.00
35.01 to 40.00	4.00	4.00	5.00
40.01 to 45.00	4.50	5.00	5.00
45.01 to 50.00	5.00	5.00	5.00
50.01 to 60.00	5.50	5.00	6.00
60.01 to 70.00	6.50	6.00	7.00
70.01 to 80.00	7.50	7.00	7.00
80.01 to 90.00	8.50	8.00	8.00
90.01 to 100.00	9.50	9.00	8.00
100.01 to 125.00	11.00	10.00	9.00
125.01 to 150.00	13.00	12.50	10.00
150.01 to 175.00	15.00	15.00	11.00
175.01 to 200.00	17.50	17.50	12.00
200.01 to 225.00	20.00	20.00	14.00
225.01 to 250.00	22.50	22.50	15.00
250.01 to 275.00	25.00	25.00	16.00
275.01 to 300.00	27.00	27.50	17.00
300.01 to 325.00	29.00	30.00	Purchases Over \$300.00 Payable in 18 Equal Monthly Installments
325.01 to 350.00	32.00	32.50	
350.01 to 375.00	34.00	35.00	
375.01 to 400.00	36.00	37.50	
400.01 to 425.00	38.00	40.00	
425.01 to 450.00	40.00	42.50	
450.01 to 475.00	42.00	45.00	
475.01 to 500.00	44.00	47.50	

Write for Easy Terms on Purchases over \$500.00

We shall be glad to answer any inquiries you may care to make in regard to credit terms. Use the Easy Payment side of Order Blank Enclosed.



INDEX

(Honor Bill
MILLWORK)



	PAGE
Andirons.....	25
Arches, Metal (Plastering).....	33
Ash Dumps.....	25
Ashpit Doors.....	25
Asphalt Felt.....	29
Asphalt Roofing.....	26-27
Asphalt Shingles.....	28
Astragals.....	15
Attic Sash, Glazed.....	18

Back Band.....	14
Balusters, Porch.....	24
Balusters, Stair.....	24
Barn Battens.....	39
Barn Sash.....	18
Base Blocks.....	14
Battens.....	39
Breakfast Alcove.....	23
Brick Molding.....	15
Builders' Hardware.....	34-37
Building Paper.....	29

Cabinets, Kitchen.....	Outside Back Cover
Caps, Eaves Trough.....	31
Cap Molding.....	15
Cardboard (Blue Plaster).....	29
Carpet Strips.....	15
Casement Sash.....	18
Casement Window Frames.....	20
Cedar Closet Lining.....	22
Ceiling, Metal.....	32
Cellar Sash, Glazed.....	19
Cellar Sash Frames.....	20
China Cases, Corner.....	23
China Closet Sash.....	22
Coal Chutes.....	18
Colonial.....	
Columns.....	24
Newels.....	24
Shutters.....	21
Combination Doors (Storm and Screen).....	5
Concrete Block Machinery, 3rd Cover.....	
Concrete Mixers.....	3rd Cover
Conductor Pipe and Fittings.....	31
Corner Beads.....	15
Corner Beads (Metal).....	33
Corner China Cases.....	23
Cornerite Reinforcement.....	33
Cornice Molding.....	15
Corrugated Ridge Roll.....	30
Cupboards, Kitchen.....	Outside Back Cover
Cupboard Doors.....	13
Cupboard Drawers.....	22
Cupboard Hardware.....	36, 37
Cypress Siding, Flooring, Ceiling, Shingles, Lath, Etc.....	38-40
Write for Prices.....	

Deadening Felt.....	29
Diamond Mesh Metal Lath.....	33
Doors, Combination.....	5
Doors, Cupboard.....	22
Doors, Entrance.....	8-10
Doors, French.....	11
Doors, Garage.....	11
Doors, Interior.....	12-13

Doors, Mirror.....	11
Doors, Panel.....	12-13
Doors, Sash.....	8-10
Doors, Screen.....	7
Doors, Storm.....	5
Door Frames.....	14, 21
Door Hardware.....	34-37
Door Jambs.....	14
Door Sets, Entrance.....	8-10
Door Sets, Interior.....	12-13
Door Stops.....	14
Door Trim in Sets.....	8-13
Drain Boards, Oak.....	22
Drawers, Sets and Single.....	22
Drawer Hardware.....	37
Dressed and Matched Lumber.....	38-39
Dressers, Kitchen.....	Outside Back Cover

Eaves Troughs and Fittings.....	31
End Caps.....	31
Entrance Doors.....	8, 9, 10

Felt, Deadening.....	29
Felt, Tarred.....	29
Fireplace Furnishings.....	25
Flashing.....	30
Flooring, Oak and Maple.....	40
Flooring, Other.....	38, 39
Frames.....	20-21
Freight Rates.....	Inside Back Cover
French Doors and Windows.....	11, 18
Front Doors.....	8-10

Galvanized Bead (Corner).....	33-
Garage Doors.....	11
Garage Door Hardware.....	34
Glass, Hotbed.....	19
Grates, Fireplace.....	25
Glass—All kinds Send list for price.....	

Hand Rail and Brackets.....	24
Hangers, Eaves Trough.....	31
Hardware.....	34-37
Hotbed Sash.....	19

Insulating Materials.....	29
Interior Doors.....	12-13
Inside Door Frames.....	21
Interior Trim.....	14-15
Ironing Board Outfits.....	23

Jambs.....	14
------------	----

Kitchen Cabinets.....	Outside Back Cover
Kitchen Dresser.....	22

Lath, Metal (Diamond).....	33
Lath (Wood).....	Write for Prices
Lap Joint Fasteners.....	27
Lining (Red Cedar).....	22
Locks.....	34, 36-37
Lumber.....	38-39

Medicine Cabinets.....	23
Metal Ceiling.....	32
Mesh Metal Lath.....	33
Metal Plastering Arches.....	33
Mirror Doors.....	11
Mirrors.....	11
Miter, Eaves Trough.....	30
Moldings, Interior.....	15
Moldings, Outside.....	15
Moldings, Screen.....	15
Molding, Stucco Frame.....	15

Nails, Roofing.....	28, 30
Newels, Porch.....	24
Newels, Stair, Built-Up.....	24
Niches, Telephone.....	23
Nosing (Return).....	24

Outlet Tubes, Eaves Trough.....	31
---------------------------------	----

Panel Doors.....	10, 12-13
Panel Strips.....	29
Paper (Red Rosin).....	29
Paper (Waterproof Crepe).....	29
Paper (Waterproof Reinforced).....	29
Plastering Arches (Metal).....	33
Plywood (Fir Panel).....	22
Picture Molding.....	15
Plaster Cardboard.....	29
Plaster Molding.....	24
Porch Balusters.....	24
Porch Columns.....	24
Porch Enclosure Sash.....	19
Porch Rails.....	24
Push Plates.....	36

Quarter Round Moldings.....	15
-----------------------------	----

Rain Pipe.....	31
Ridge Roll, Corrugated.....	30
Roof Gutters.....	31
Roofing, Asphalt Roll.....	26
Roofing, Composition.....	27
Roofing, Felt.....	29
Roofing Nails.....	28, 30
Roofing Shingles.....	28
Roofing, Steel.....	31
Rosin Paper (Red).....	29

Sash, Attic.....	18
Sash, Barn.....	18
Sash, Casement.....	18
Sash, Cellar.....	19
Sash, China Closet.....	22
Sash, Hotbed.....	19
Sash, Porch Enclosure.....	19
Sash, Stall.....	18
Sash, Steel.....	19
Sash, Storm.....	6
Sash Cord.....	37
Sash Fasteners.....	36
Sash Frames.....	21

Sash Lifts.....	36
Sash Pulleys.....	36
Sash Weights.....	16
Screens, Fireplace.....	25
Screens, Window.....	7
Screen and Storm Door Combinations.....	5
Screen Doors.....	7
Screen Doors, Combination.....	5
Screen Molding.....	15
Sheathing Paper Felt.....	29
Sheet Steel.....	30
Sheet Zinc.....	30
Shingles, Slate Surfaced.....	28
Shingles (Wood).....	40
Shingle Roll Roofing.....	26
Shutters, Colonial.....	21
Side Lights.....	10
Sidelight Frames.....	21
Siding, Steel.....	31
Slate Surfaced Roofing.....	26-27
Spark Guards.....	25
Stair Balusters.....	24
Stair Brackets.....	24
Stair Newels.....	24
Stair Rail.....	24
Stair Risers.....	24
Stair Treads.....	24
Stall Sash.....	18
Steel Ceiling.....	32
Steel Roofing.....	30
Steel Sheet.....	30
Steel Siding.....	30
Steel Valley, Galvanized.....	30
Steel Ventilators.....	31
Steel Windows, Basement.....	19
Storm Doors.....	5
Storm Doors, Combination.....	5
Storm Sash.....	5
String Boards.....	24

Tape (Gummed Joint).....	29
Telephone Niche.....	23
Thresholds.....	15
Tile, Send Your List for Prices.....	
Tin Flashing Shingles.....	30
Trim Sets.....	14
Tubes, Outlet.....	31

Valley, Asphalt.....	28
Valley, Galvanized Steel.....	30
Venetian Medicine Case.....	23
Ventilators, Steel.....	31

Wallboard (Fiber).....	29
Wallboard (Fir Panel).....	22
Wallboard Panel Strips.....	29
Wall Rosettes.....	24
Wall Tile, Write for Prices.....	
Walltile Insulating Board.....	29
Waterproof Paper (Crepe).....	29
Windows, Plain Rail.....	16-17
Windows, French.....	18
Windows, Check Rail.....	16-17
Window Apron.....	15
Window and Sash Frames.....	20
Window Hardware.....	36-37
Window Screens.....	7
Window Sets.....	16-17
Window Stool.....	15
Window Stops.....	15
Window Trim.....	14

... THE WORLD'S LARGEST

Enormous Factory Facilities . . . Rendering

LOWEST Factory-to-You Prices

BUY your lumber and millwork direct from our big factories at lowest prices. Get the benefit of our tremendous manufacturing and buying power and the elimination of excessive manufacturing cost and distribution expense. Return the saving to your own pocket.

These low prices are for highest quality lumber and millwork. You'll be amazed at the remarkable superiority of our lumber and millwork over that obtainable elsewhere. The enthusiastic expressions of building contractors of long experience proves that the quality of our "Honor Bilt" Lumber and Millwork is high and our prices extremely low. Our customers tell us they cannot find words strong enough to express their satisfaction.

Sears Building Material Factories are equipped with the most modern and up-to-date labor saving machinery with which to speed up production, cut costs and increase savings.

In addition, our Newark Plant has dockage facilities for ocean going vessels. These vessels lay down at our wharf the finest lumber from the Pacific Coast, at the very minimum of transportation cost, bringing it through the Panama Canal. We pass along to you this enormous saving in transportation and handling costs.

Immense plants like these shown here readily explain how we can give superior service and unusual values at such low prices.

IMPORTANT NOTICE—The "PINE" Lumber from which items listed in this catalog are described as made of "WESTERN Ponderosa PINE" comprises the species botanically known as *Pinus Ponderosa*.

"WESTERN Ponderosa PINE" (*Pinus Ponderosa*) is soft-light-even texture, straight-close uniform grain, easily worked by hand or machine tools. Naturally suited to the manufacture of Doors, Sash, Frames and Millwork, and is the same species of wood that has been used for years, but in the past called by different trade names.

QUALITY GUARANTEED—That's what you expect and get from Sears, regardless of our low money saving prices.

Sizes and Grades

All our Building Material is guaranteed to be exactly as represented. The sizes listed in this catalog are standard sizes. They are the same sizes handled by all of the leading manufacturers in the country. Unless otherwise stated, all items are shipped in the white, without paint or varnish.

A Few Testimonials from Our Satisfied Customers

"Millwork First Class" Says Carpenter

I take great pleasure in stating that the millwork I received from you last fall was first class in every respect.

I would recommend it to all. I am a carpenter myself, therefore I know.

Charles A. Lyon,
Lester Park and Lester Ave.
Mamaroneck, N. Y.

"Never Saw Nicer Floor" Says Carpenter

In regards to material, I don't think you can get its equal around here. The carpenter who did my finish work said he never saw a nicer floor than mine—and he is a man who has had 30 years of building experience.

Andrew Horne,
521 Hendrickson Blvd.,
Clawson, Mich.

Saved \$2,000.00

I saved at least \$2,000. My builder did not have the slightest trouble, and he remarked that in all his career he had never handled such wonderful lumber.

Frank R. Rynex
Walter Heights, Va.

STANDARD OIL COMPANY INDIANA

Coal Mining Dept.

The 200 houses you supplied for us at Carlinville, Wood River and Schoper, Illinois, are now completed and entirely satisfactory in every detail. The quality of the material is exceptionally good.

We are able to offer these houses to our workmen at very low prices.

Standard Oil Company
of Indiana

We Guarantee

- **TO SAVE YOU MONEY**
- **To deliver all merchandise safely**
- **To satisfy you perfectly**


We Guarantee that every article in this catalog is honestly described and illustrated.

We Guarantee that any article purchased from us will give you the service you have a right to expect.

If for any reason whatever you are not satisfied with any article purchased from us, we want you to return it to us at our expense. We will then exchange it for exactly what you want, or will return your money, including any transportation charges you have paid.

SEARS, ROEBUCK and Co.

BELOW.—View of the interior of one of the mammoth Lumber drying sheds. This shed is large enough to accommodate a dirigible like the "Los Angeles."



In oval AT RIGHT.—Our 40-acre plant at Cairo, Illinois, on river and railroad.

BUILDING MATERIAL DEALERS


Complete . . . Prompt . . . Satisfactory Service !!

FAST COMPLETE SERVICE

Our huge Millwork, Lumber and Building Material Factories and Warehouses have every facility for serving our customers promptly. No matter how large or small your Building Material needs may be, we are equipped to serve you at once. Enormous stocks are always on hand to effect prompt shipment. It isn't necessary to pay top prices or dicker with several different concerns to get a complete selection of your needs. No where else can you find a greater or more complete service than ours.

WHERE WE SHIP FROM

All millwork and lumber in this catalog, unless otherwise stated, will be shipped from our own factory in Port Newark, N. J. The material is shipped promptly upon receipt of your order. All prices shown in this catalog on Lumber and Millwork are F. O. B. Port Newark, N. J. Transportation charges are not included.



Enormous savings are effected at Sears factories. Here at Port Newark, ocean vessels bringing lumber from the Pacific Coast unload direct at the factory docks.

THE BEST POSSIBLE SERVICE

at the very lowest cost to you. Fast railroad freight cars and motor trucks go direct from our warehouses daily—making shipments near and far. No matter where you live, we can deliver or forward your needs quickly.

We maintain direct trackage connections between our warehouses and all railroad terminals from which our shipments are quickly sent to their destination.

We maintain a special service for getting Building Materials to you promptly. Our central location, trackage connections with railroad terminals and truck facilities mean the best possible service to you.

FREIGHT RATES ON MILLWORK

Freight rates on building material are low to almost every section of the country. (See "Freight Rates on Millwork" in the back of this book.) You can figure from information on the Freight Rate sheet just how little you will have to pay on any bill of material and therefore how much our net savings to you will be. Prices in this book do not include transportation charges. Prices delivered to your station will be quoted on request.

HOW TO ORDER


Write out your order on the Special Millwork Order Blank enclosed in this catalog or on a plain sheet of paper. Be sure to give the numbers shown in the catalog, also sizes and quantity required. Always give width first.

CARE IN PACKING

All our millwork products are fresh, clean and bright. Every shipment is carefully protected to insure its reaching you in perfect condition. A tough grade of paper is used to cover our doors,

balusters, newels, etc. Interior trim is shipped in heavy sealed cartons. All exposed parts are carefully protected by sound ½-inch crating lumber.

BELOW—One of Sears, Roebuck and Co.'s building material factories. Only 8 miles from New York City, located at Port Newark, N. J., adjacent to the airport. This factory covers fifty acres—the largest of its kind in the world.



AT LEFT: Our 17-acre factory at Norwood, Ohio, with an annual manufacturing capacity of unlimited quantities of millwork such as doors, windows, etc.



HOME OWNERS!


Let Sears Save You Money on All Building Materials to Beautify and Make Your Home Attractive

Sears can furnish everything you need in Building Materials to completely modernize or make alterations in your Home from cellar to roof. These stocks are carried in our enormous factories and warehouses and are ready for immediate shipment. A few wisely spent dollars add hundreds of dollars to the value of

your home, but it isn't necessary to pay top prices or dicker with several different concerns to get a complete selection of your needs. These extra profits and commissions are costly and add nothing to the quality. Furthermore, direct buying from our factories means direct savings to you.



Above is an interior view of a home showing Sears Material throughout.



Above is an example of what can be done by converting your porch into a Sunny Living Room with Sears Material.

SPEND FOR THE HOME Put Your House in Order


Our prices on building materials are less than one-half of the prices we asked twelve years ago.

These low prices combined with improved quality and service, mean greater savings and values if you buy at Sears.

Study these pages, select your needs at money saving prices.

This New Book is Packed With Remarkable Values and Savings

It contains a complete assortment of items that will show you how you can have those needed repairs and alterations at a much lower cost than you could possibly get elsewhere, considering our quality, service, and low prices—and you do not require a large outlay of cash at the start. Order right from this book.



Here Are Some SUGGESTIONS Which May Help You

Beautify your kitchen, living room and bedroom. Make them more comfortable and convenient to live in.

Add French doors.

Add a room.

Repair your roof.

Convert your porch into a sunny living room.

Install a new stairway.

Add a new interior or entrance door.

Build a new porch.

Add storm windows, screens, sash, combination storm and screen doors, kitchen alcoves, cabinet units, ironing board, mirrored cabinets.

Our Guarantee, Backed by Over \$200,000,000, Protects You

IMPORTANT NOTICE—The "PINE" Lumber from which items listed in this catalog are described as made of "WESTERN Ponderosa PINE" comprises the species botanically known as *Pinus Ponderosa*. "WESTERN Ponderosa PINE" (*Pinus Ponderosa*) is soft-light-even texture, straight-close uniform grain, easily worked by hand or machine tools. Naturally suited to the manufacture of Doors, Sash, Frames and Millwork, and is the same species of wood that has been used for years, but in the past called by different trade names.

QUALITY GUARANTEED—That's what you expect and get from Sears, regardless of our low money saving prices.

IMPROVE YOUR HOME

The Following Outlines the Service We Are Equipped to Give

We can furnish an accurate price quotation on the building materials you need to completely build, remodel or make alterations on your home, barn or any building which you may have prepared plans for.

Send us an itemized list of your needs and we will gladly quote you our low delivered-to-your-station price and save you money.

Select the materials you need direct from this book. It contains a complete assortment of the items that from years of experience in filling home builder needs have proved to be in popular demand. In addition to the items listed, we carry in stock hundreds of items used in buildings which space does not permit showing here. Any item of building material you may need, we, the World's Largest Building Material Dealers, can furnish you at a substantial saving.

Give us as much information as possible when sending in your list as it will make it

easier for us to give you better service. . . .

Our customers' complete satisfaction is our aim, and that policy has made Sears the World's Largest Building Material Dealers. All our materials are guaranteed for your protection to be of the highest quality in the grades stated, and our guarantee means you must be absolutely satisfied or we will gladly refund your money. We furnish the grades stated or better and use standard grading practices for your safety, adjusted upward to meet the most discriminating requirements.

You can depend upon quality materials from Sears, good service and a guarantee backed by our resources of over 200 million dollars. Prompt service in handling all orders and over 100 factories at advantageous points with everything in stock ready for immediate shipment assure you the best shipping service without delay. Send in your list while prices are low.

LIBERAL EASY PAYMENT PLAN

Don't let the lack of ready cash at this time stop you from making needed repairs or alterations on your home from cellar to roof.

Our convenient Easy Payment Plan (see inside front cover) will help you get started without delay. You can make one easy down payment and, on larger purchases, take 18 months to pay, if you desire. However, we would suggest your making a maximum down payment which will automatically reduce the balance and make it easier for you to complete your payments.

A great many repairs or alterations can be easily made by any handy man. You, yourself, can do this work and save the additional expense on labor while realizing a saving on Building Materials also.

COMBINATION STORM AND SCREEN DOORS

Big Savings on "All Year 'Round" Doors

Only One Fitting—One Set of Hardware


POPULAR demand proves the economical service this door gives. They completely fill a real need better than any other arrangement.

As a storm door in winter, they keep out the cold and save fuel.

As a screen door in summer, they keep out flies and conserve health.

THE combination door is no more trouble to install than a simple screen door, for it requires only one fitting—one set of hardware and only one expense, yet you have years of both screen and storm door service. No rehanging each Spring and Fall. The interchangeable panels fit perfectly. No planing or fitting required.

See Storm Door Hardware on Pages 35 and 36.
Storm Doors require 3-inch Butts.



8-LIGHT Design

**Every Price Slashed
Buy Now and Save**

6-LIGHT Design


\$5²⁵
AND UP

The 8-Light Design Door with full screen panel is used for the front or side entrance though it is equally popular in other openings.


The 6-Light Two-Panel Design Door is popular for back or rear entrances, but commonly used for all general purposes.

\$4⁹⁵
AND UP

**New
Low
Prices**



**Every
Price
Cut**



OUR COMBINATION DOORS are made in one of the largest manufacturing mills for combination doors in the world, where they specialize in this field. The enormous quantity we use to supply our customers' requirements, enables us to offer them to you at unselfishly low prices.

Made of First Quality WESTERN (PONDOSA) PINE, 1 1/4 inches thick. Glazed with clear glass and wired with the best quality screen wire cloth as described in the price table below. Not painted or varnished. Carefully crated. Shipped from our factory in Port Newark, N. J.

Write for price on special sizes.

NON-RATTLING—Adjustable Glazed Sash and Wired Screen Panels

An important feature of our combination storm and screen doors is the panel fastener. The method of fastening the screen and storm panels is unique and we consider superior to any on the market as it overcomes rattling. The metal lock is adjustable. Each half turn of screw operating lock increases its pressure and holds the panel firmly, thereby eliminating the rattle of the removable panels.


Panels are simple and easy to change.

Size, 1½ In. Thick				Shpg. Wt., Lbs.	8 Light Design				6 Light Design			
Width		Height			With 16 Mesh Galvanized Wire Screen Panel 63 PM 2410K	With 16 Mesh Bronze Wire Screen Panel 63 PM 2412K	With 16 Mesh Galvanized Wire Screen Panel 63 PM 2406K	With 16 Mesh Bronze Wire Screen Panel 63 PM 2407K				
Ft.	In.	Ft.	In.									
2	6¼	6	7		52	\$5.25	\$5.60	\$4.95	\$5.36			
2	6¾	6	9	55	\$5.31	\$5.64	\$5.05	\$5.39				
2	8¼	6	9	58	\$5.35	\$5.70	\$5.10	\$5.45				
2	8¾	7	1	61	\$5.39	\$5.74	\$5.14	\$5.49				
2	10¼	6	11	63	\$5.42	\$5.77	\$5.17	\$5.52				
2	10¾	7	1	64	\$5.46	\$5.81	\$5.21	\$5.56				
2	11¼	7	1	64	\$5.46	\$5.81	\$5.21	\$5.56				
3	0¼	6	9	64	\$5.80	\$6.15	\$5.55	\$5.90				
3	0¾	7	1	65	\$5.89	\$6.25	\$5.60	\$5.98				

Circle Head Combination Storm and Screen Doors

Now the extra advantages and extra savings of the "Combination" door are available to those homes with the new and quaintly attractive Circle Head Entrance door. Best of all, your Sears combination screen and storm door retains the same beauty and charm of lines as the entrance door itself—unusual for weather doors of such design. Naturally we keep the price down to its lowest, despite the luxury appeal which makes these doors so desirable. Shipped from our own factory in Port Newark, N. J.

Sizes [1 1/4 Inches Thick]	63PM 2890K 16-Mesh Galv. Wire	63PM 2892K 16-Mesh Bronze Wire	Shpg. Wt., Lbs.
3 ft. 1/4 in. x 6 ft. 9 in.	\$15.85	\$16.10	64
3 ft. 1/4 in. x 7 ft. 1 in.	15.95	16.25	65




**NOW
ONLY \$3¹⁹**
AND UP

STANDARD STORM DOOR

When we speak of "standard Storm Doors" we mean of course those which are not of the combination type. These doors meet every standard of quality and satisfaction you have the right to expect. And yet Sears do not quote "standard" prices on these doors, but money-saving bottom prices which only our methods of direct, quantity buying and selling for the millions can make possible. A storm door will pay for itself the first year in protecting health and preventing fuel-consuming drafts. Also ideal for door to enclosed porches, garages, and the like.

Carefully made of Clear Soft Wood. Perfectly machined and sanded. Shipped in the white, suitable either for paint or natural finish.

Glazed with good grade clear glass.
Shipped from our own factory at Port Newark, N. J.



SIZES 1½ In. Thick				63 PM 6808K	Shpg. Wt., Lbs.
Width		Height			
Ft.	In.	Ft.	In.		
2	6	6	7	\$3.19	49
2	6	6	9	3.27	50
2	8	6	9	3.39	51
2	10	6	11	3.79	52
3	0	7	1	3.99	53

NOW ONLY
\$1.09
Each And Up

How Sears Storm Sash Saves Fuel

63 PM 7292K

Storm sash creates a dead air space between the sash and window. The thin glass of an unprotected window quickly transmits the outside cold to the air inside your home. The dead air space between sash and window effectively retards the passage of heat and cold and less fuel is required to heat your home.

When your home is equipped with storm sash all around you get a definite dollars-and-cents return each year on your investment. Storm sash is a proven fuel-saver, and if your home is not so equipped, you are throwing away money in wasted heat.

At Sears, the cost of a complete installation of storm sash is probably much lower than you think. That is because we make these sash right in our own big mills—giving you the benefit of (1) tremendous quantity production and (2) one-profit distribution. Sears easy terms of payment (see inside front cover) enable you to pay for your storm sash over a period of several months. Your fuel savings during this period will reduce your expenditure still further.

2-Light Storm (One Piece) Sash

1½ inches thick, well glazed with clear glass. Ventilators shown are not included unless ordered at 15c each, extra. Storm sash hardware is illustrated and described on page 35.

Outside Measurement of Sash				63 PM 7292K Glazed Clear Glass	Actual Wt. Lbs.	Outside Measurement of Sash				63 PM 7292K Glazed Clear Glass	Actual Wt. Lbs.
Width	Height	Width	Height			Width	Height	Width	Height		
Ft.	In.	Ft.	In.			Ft.	In.	Ft.	In.		
1	4	3	11½	\$1.09	11	2	4	5	3½	\$1.88	23
1	4	4	7½	1.22	13	2	4	5	7½	2.02	25
1	4	4	11½	1.28	13	2	4	5	11½	2.31	26
1	4	5	3½	1.33	13	2	4	6	7½	2.63	28
1	6	3	11½	1.17	12	2	6	3	1½	1.57	15
1	6	4	7½	1.30	13	2	6	3	7½	1.84	17
1	6	5	3½	1.35	16	2	6	3	11½	1.65	19
1	8	3	11½	1.25	12	2	6	4	1½	1.78	20
1	8	4	7½	1.39	13	2	6	4	3½	1.79	21
1	8	4	11½	1.57	15	2	6	4	7½	1.80	23
1	8	5	3½	1.64	16	2	6	4	11½	2.06	26
1	10	3	11½	1.33	13	2	6	5	3½	2.22	26
1	10	4	7½	1.46	16	2	6	5	7½	2.45	27
1	10	4	11½	1.65	17	2	7	3	7½	1.76	18
1	10	5	3½	1.72	18	2	7	3	11½	1.93	22
1	10	5	7½	1.85	19	2	7	4	7½	2.06	23
2	0	3	1½	1.20	12	2	7	5	3½	2.22	25
2	0	3	7½	1.29	13	2	7	5	7½	2.45	26
2	0	3	11½	1.40	15	2	7	5	11½	2.68	28
2	0	4	3½	1.45	16	2	8	3	1½	1.81	21
2	0	4	7½	1.58	17	2	8	3	7½	1.93	23
2	0	4	11½	1.77	19	2	8	4	1½	2.04	24
2	0	4	3½	1.83	21	2	8	4	7½	2.27	27
2	0	4	7½	1.96	22	2	8	4	11½	2.50	29
2	0	5	3½	2.10	23	2	8	5	3½	2.73	31
2	0	5	7½	2.10	23	2	8	5	7½	2.96	33
2	2	3	11½	1.53	16	2	10	4	7½	2.02	25
2	2	4	3½	1.68	18	2	10	4	11½	2.25	27
2	2	4	7½	1.87	20	2	10	4	3½	2.48	29
2	2	4	11½	2.06	22	2	10	5	7½	2.71	31
2	2	5	3½	2.20	24	2	10	5	11½	2.94	33
2	2	5	7½	2.39	26	2	11	4	7½	2.14	24
2	4	3	11½	1.53	17	2	11	4	11½	2.37	27
2	4	4	3½	1.68	19	2	11	5	3½	2.60	29
2	4	4	7½	1.87	21	2	11	5	7½	2.83	31
2	4	4	11½	2.06	23						

Sears GLAZED STORM SASH

Reduced 15 to 25%

SNUG COMFORT PLUS A BIG SAVING IN FUEL BILLS. For real effective home insulation and heating efficiency, it is far more important, in fact a real necessity, to insulate windows and doors with storm sash and storm doors.

Prove this to your own satisfaction by this simple test. Place your hand on any inside part of an outer wall of your home, then place your hand on any one of the windows. The difference in temperature is very noticeable even though the wall is not insulated. You can now understand how storm sash, the ideal window insulating feature will effect a big saving in the fuel required to keep your rooms at the even temperature you desire.

Government Statistics (U. S. Dept. of Commerce—Letter No. 227; also Illinois University Bulletin No. 223) show a definite saving up to

30% in fuel when storm sash and storm doors are used throughout, regardless of any other type of insulation.

Building and Heating Engineers everywhere advocate the use of storm sash and doors throughout for utmost efficiency in heating your home. Home Gas Heating Engineers strongly recommend the use of storm sash and doors. When used, they declare there is a substantial saving in fuel. It is remarkable how much your fuel bills are cut down by using storm sash and doors regardless of the type of heating you may have or how well the walls of your home may be insulated.

At Sears low prices, you can have storm sash and door protection and comfort for about the savings in one season's fuel bill. Quickly and easily installed and carried in stock in all standard popular sizes ready for immediate shipment.

COMPARE THESE TWO LETTERS

received from our customers—judge for yourself



With Storm Sash
—\$60.00 for Coal

Sears, Roebuck and Co.
We only consumed 5 tons of Joliet Coke to heat our "Honor Bilt" Vallerona home last winter. This cost us \$120.00 per ton (\$60.00). We have storm sash and doors on all windows and doors.

Yours very truly,
ALBERT W. RADLOFF
863 Schuler St., Elgin, Ill.



No Storm Sash
—\$90.00 for Coal

Sears, Roebuck and Co.
In heating our "Honor Bilt" Vallerona home last winter, we used 10 tons of Franklin County coal. This costs us \$90.00 per ton (\$90.00). We have storm sash and doors on all windows.

Yours very truly,
HENRY HOPP
159 Orchard St., Elgin, Ill.

Glazed Storm (One Piece) Sash

SPECIFICATIONS

Made of First Quality "WESTERN (PONDOSA) PINE"—1½ inches thick (before sanding). Well glazed with clear glass. Well puttied and glass is secured with plenty of "points." All joints mortised and tenoned and securely nailed. All sash are made with a trimming allowance to insure a snug fit. We can make any size to order. Send us your list for prices delivered to your station.

SHIPPING POINTS

All Storm Sash on this page shipped from our own factory in Port Newark, N. J.

HOW TO ORDER

Give Catalog Number and Size of Sash. Measure the space into which you will fit the sash. Then order the proper Stock Size listed below—which will fit or can be trimmed to fit the opening. Be sure to give width (horizontal dimension) first. Then give length (or height). Remember, in case you require smaller sash, you can trim storm sash to fit smaller openings as much as ½ inch in width or 1½ inches in length.

SHIPPING WEIGHTS

Weights shown are actual weights of sash not packed. For shipping weight add 25 lbs. for crating for every bundle of 6 sash or less.



63 PM 7295K

1½ inches thick, well glazed with clear glass. Ventilators shown are not included unless ordered at 15 cents each, extra.

In ordering be sure to give width first, and state whether ventilators are wanted.

Storm sash hardware is illustrated and described on page 35.

4-Light Storm (One Piece) Sash

Outside Measurement of Sash				63 PM 7295K Glazed Clear Glass	Actual Wt. Lbs.
Width	Height	Width	Height		
Ft.	In.	Ft.	In.		
2	1	4	11½	\$1.53	16
2	1	4	7½	1.61	17
2	1	4	11½	1.78	18
2	1	5	3½	1.79	19
2	1	5	7½	2.00	20
2	2	5	3½	2.27	23
2	2	5	7½	2.47	25
2	2	5	11½	2.71	27
2	2	6	3½	2.04	24
2	2	6	7½	2.28	25
2	2	6	11½	2.51	27
2	2	7	3½	2.74	29
2	2	7	7½	2.97	31
2	2	7	11½	3.20	33
2	2	8	3½	2.14	24
2	2	8	7½	2.37	27
2	2	8	11½	2.60	29
2	2	9	3½	2.83	31
2	2	9	7½	3.06	33
2	2	9	11½	3.29	35
2	2	10	3½	2.14	24
2	2	10	7½	2.37	27
2	2	10	11½	2.60	29
2	2	11	3½	2.83	31
2	2	11	7½	3.06	33
2	2	11	11½	3.29	35

For Other Sizes
Send List for Prices



63 PM 7300K

1½ inches thick, well glazed with clear glass. Ventilators shown are not included unless ordered at 15 cents each, extra.



63 PM 7305K

See page 35 for storm sash hardware.

8-Light Storm (One Piece) Sash

Outside Measurement of Sash				63 PM 7300K Glazed Clear Glass	Actual Wt. Lbs.
Width	Height	Width	Height		
Ft.	In.	Ft.	In.		
1	11	4	7½	\$1.50	17
1	11	5	3½	1.64	18
2	1	4	7½	1.51	18
2	1	5	3½	1.72	19
2	1	5	7½	2.01	22
2	2	5	3½	1.90	23
2	2	5	7½	2.21	24
2	2	5	11½	2.40	27
2	2	6	3½	2.41	28
2	2	6	7½	2.58	31
2	2	6	11½	2.83	35

12-Light Storm (One Piece) Sash

Outside Measurement of Sash				63 PM 7305K Glazed Clear Glass	Actual Wt. Lbs.
Width	Height	Width	Height		
Ft.	In.	Ft.	In.		
2	4½	3	11½	\$1.57	19
2	4½	4	7½	1.75	20
2	7½	4	7½	1.86	22
2	7½	5	3½	2.10	24
2	10½	4	7½	1.93	23
2	10½	5	3½	2.14	26
2	10½	5	11½	2.41	29



**FINEST
QUALITY
LOW
PRICES**

**SPECIAL
NOTE**

HERE is proof of the complete satisfaction in Quality, Price and Service that Sears Guarantee. If space permitted, we could print many thousands of similar letters from people from every state in the Union who are highly pleased with our quality, service and the savings by buying from Sears, Roebuck and Co.

You'll Wonder Too

AT THESE SCREEN VALUES—

Sears, Roebuck & Co.

Read This Letter

Gentlemen: We have received in prime condition our order for 23 window screens and 2 door screens. How can you afford to make such splendid screens at such low prices? We thank you for services.

Yours most truly,
John Donaldson
Rensselaer, Ind.

**FLIES AND MOSQUITOES
SPREAD FILTH AND DISEASE**

SCREEN EARLY, KEEP THAT FIRST FLY OUT

Full Length Screens for Windows and Porches

Made of First Quality Western (Pondosa) Pine—1½ inches Thick

Permits a freer use of either upper or lower sash. Take advantage of the comfort in fresh clean ventilation and protection that full length window screens give from bothersome flies, mosquitoes and other unhealthy insects. It is important that screens for every opening should be included when ordering. Make your home comfortable and protect your family's health all summer. Prompt service and complete satisfaction guaranteed.

We offer exceptional value in screens. These screens are made of the best materials by the best workmen in the best way to give outstanding service. The wood frame is of weather resisting First Quality Western (Pondosa) Pine 1½ in. thick before sanding to which is smoothly and evenly fastened rust resisting 16-mesh galvanized or 16-mesh bronze wire cloth. Carefully crated to reach you in good condition.

The screen illustrated can be made to fit any opening and 1½ in. thickness is standard. If the size you need is not listed, write for price. We can also furnish porch screens. Send your list today. Delay saves no money with prices heading higher.

Order For Less Here—Now

Porch Screens

All the pleasures of outdoors, with none of the inconveniences, are provided in a screen enclosed porch. Summer evenings can be fully enjoyed, free from troublesome insects. Sears very modest price of quality screens brings this comfort within reach of everyone. Let us tell you how little it will cost to completely enclose your porch. Just send us a list of the screens you need accompanied with a sketch of the porch showing complete measurements. Write for our free estimate now.

"How to Order"

Measure the space into which the screen is to be hung. Then order the proper size in the price table below. Be sure to give WIDTH, or horizontal dimension FIRST, then the HEIGHT. If you have storm sash measure them and order window screens same size.

If you require sizes slightly smaller in width or length than those listed here, order next larger listed stock size. You may trim our standard stock sizes to fit. They can be trimmed as much as 1 inch in width and 1½ inches in height. If you cannot use stock sizes as listed here even by trimming, send list of sizes you need and we will quote you prices delivered to your station.

Hardware not included.


Shipping Points

All full length window screens are shipped in the sizes shown from our own factory in Port Newark, N. J. Various regions, due to sizes of windows and frame construction, require various "layouts" of screens.

Prompt service and complete satisfaction guaranteed. Average shipping weight 15 lbs. each. Shipped direct to you from our own factory in Port Newark, N. J.


**Pay Less
For Full Length
Window Screens**

Size of Screen				16-Mesh Galvanized Wire	16-Mesh Bronze Wire
Width		Height		63PM28K	63PM30K
Ft.	In.	Ft.	In.		
1	4½	4	11½	\$0.94	\$1.05
1	6½	4	7½	.94	1.07
1	6½	4	11½	.99	1.13
1	6½	5	3½	1.02	1.17
1	8½	3	11½	.89	1.03
1	8½	4	11½	1.04	1.20
1	9	3	11½	.94	1.10
1	10½	3	7½	.91	1.03
1	10½	3	11½	.94	1.10
1	10½	4	7½	1.04	1.21
1	10½	4	11½	1.07	1.21
1	10½	5	3½	1.12	1.34
2	½	3	1½	.89	1.01
2	½	3	7½	.95	1.09
2	½	4	1½	1.04	1.22
2	½	4	11½	.99	1.16
2	½	4	3½	1.04	1.21
2	½	4	7½	1.07	1.26
2	½	5	3½	1.18	1.41
2	½	5	7½	1.23	1.49
2	1	4	7½	1.11	1.31
2	1	5	3½	1.21	1.46
2	2½	3	11½	1.02	1.23
2	2½	4	3½	1.08	1.30
2	2½	4	7½	1.13	1.34
2	2½	4	11½	1.18	1.41
2	2½	5	3½	1.23	1.51
2	2½	5	7½	1.28	1.59
2	4½	3	3½	1.06	1.14
2	4½	3	11½	1.18	1.44
2	4½	4	11½	1.23	1.51
2	4½	5	3½	1.33	1.67
2	4½	5	11½	1.38	1.74
2	5	3	3½	.97	1.17
2	5	3	7½	1.02	1.26
2	5	3	11½	1.09	1.33



63PM28K—63PM30K

Full length window screens to cover the entire window on the outside. May be used as stationary screen.



May be used as swinging screen hinged to side of window; or hanging screen hinged to top of window.

Size of Screen				16-Mesh Galvanized Wire	16-Mesh Bronze Wire
Width		Height		63PM28K	63PM30K
Ft.	In.	Ft.	In.		
2	5	4	7½	\$1.19	\$1.49
2	5	4	11½	1.24	1.57
2	5	5	3½	1.30	1.64
2	5	5	7½	1.36	1.71
2	5	5	11½	1.42	1.80
2	6½	3	1½	.99	1.19
2	6½	3	7½	1.06	1.27
2	6½	3	11½	1.11	1.34
2	6½	4	1½	1.16	1.43
2	6½	4	3½	1.16	1.43
2	6½	4	7½	1.21	1.52
2	6½	4	11½	1.26	1.59
2	6½	5	3½	1.33	1.67
2	6½	5	7½	1.38	1.74
2	7½	3	7½	1.09	1.33
2	7½	4	7½	1.26	1.59
2	7½	4	11½	1.31	1.67
2	7½	5	3½	1.38	1.76
2	7½	5	7½	1.43	1.84
2	7½	5	11½	1.50	1.93
2	8½	3	11½	1.14	1.51
2	8½	4	1½	1.14	1.49
2	8½	4	7½	1.26	1.59
2	8½	4	11½	1.31	1.67
2	8½	5	3½	1.38	1.76
2	8½	5	7½	1.43	1.84
2	8½	5	11½	1.50	1.93
2	9	4	7½	1.28	1.63
2	9	5	3½	1.37	1.71
2	9	5	7½	1.42	1.81
2	10½	4	7½	1.31	1.64
2	10½	4	11½	1.36	1.73
2	10½	5	3½	1.43	1.83
2	10½	5	7½	1.48	1.92
2	10½	5	11½	1.55	2.02
3	½	4	7½	1.35	1.73
3	½	4	11½	1.41	1.82
3	½	5	3½	1.52	1.91
3	½	5	7½	1.53	2.01
3	4½	4	7½	1.45	1.89
3	4½	4	11½	1.59	2.00
3	4½	5	3½	1.62	2.10
3	8½	5	3½	1.70	2.27

All SCREEN DOOR Prices Reduced

- ★ Made of First Quality Western (Pondosa) Pine, 1½ Inches Thick.
- ★ Wired with Rust-Resisting 16-Mesh Galvanized or 16-Mesh Bronze Screen Wire Cloth, Smoothly and Securely Fastened.

You Can't Afford to be Without Screens!

You can't afford to take a chance against the dangers and discomfort even a single fly may cost. BUT YOU CAN AFFORD A SEARS SCREEN DOOR—front and back. Quality that gives years of protection can be bought for much less here!

Good Health often depends on GOOD SCREENS! This is especially true where there are young children. A real need three seasons of the year—Spring, Summer, Fall! Renters expect good screens and rightly. You can expect good quality at an extra saving, below even present day economies, if you fill your screen requirements through our giant building material organization. Best materials and best construction guaranteed. Not the flimsy makeshifts sometimes offered to trap inexperienced buyers in rush season. We recommend bronze mesh for longest life, particularly where likely to be subject to the action of salt sea air. Average shipping weight, 35 lbs. Shipped from our own factory in Port Newark, N. J.

Screen Door
Nos. 63PM16K—63PM17K
1½ inches thick. Well built at a low price.

Screen Door
Nos. 63PM19K—63PM20K
1½ inches thick. Our strongest door.

Screen Door
Nos. 63PM22K—63PM23K
1½ inches thick. Bottom panel 8 inches high.

STATE SIZE				63PM16K	63PM17K	63PM19K	63PM20K	63PM22K	63PM23K
Width		Height		16-Mesh Galvanized Wire	16-Mesh Bronze Wire	16-Mesh Galvanized Wire	16-Mesh Bronze Wire	16-Mesh Galvanized Wire	16-Mesh Bronze Wire
Ft.	In.	Ft.	In.						
2	6½	6	7	\$1.98	\$2.60				
2	6½	6	9	2.15	2.75				
2	8½	6	9	2.15	2.75	\$2.75	\$3.25	\$2.59	\$3.15
2	8½	7	1	2.20	2.85	2.80	3.39	2.78	3.32
2	10½	6	11	2.25	2.95	2.90	3.38	2.75	3.30
2	10½	7	1	2.30	3.00	2.95	3.45	2.80	3.38
3	½	7	1	2.40	3.15	3.00	3.55	2.85	3.45

Quality Entrance

(Honor Bill) TO SAVE
(MILLWORK)

Complete Entrance Door Sets

Include 1 glazed entrance door—1 door frame—1 set of interior trim—1 set of good quality dull brass bit key lockset and hinges. And, we mortise the door for the lockset when you order a complete door set—at no further charge.

TAKE ADVANTAGE of the convenience and saving by ordering complete entrance door sets. They come complete ready to install—nothing more to buy. The same high quality materials listed separately on other pages are used to make complete entrance door sets. Complete information about items included in complete door set is listed separately on these pages under the heading of specifications of complete door set.

Entrance Doors

MADE OF FIRST QUALITY FIR 1 1/4" OR 1 1/2" THICK for Front, Side or Rear Entrances that suit your taste and purse—Resist weather, warping, and shrinking. These doors meet every requirement of a neat hospitable appearance with good service assured and savings plainly shown. Quality without extravagance, economy without skimping, that is what you want and get in a Sears Entrance Door.


BEST TYPES INCLUDED HERE—Perhaps you are enlarging your porch, then you will want a larger, more impressive entrance to complete the pleasing effect of the improvement.

BEAUTIFUL GLAZING EFFECTS—We make them cost no more. A greater variety of designs is but one achievement. Unusually dark halls get their full share of sunshine and cheer with doors like these. All doors on these pages are properly glazed with bright, glistening, Clear quality glass exclusively; a quality worthy of the rest of the door.

Why not choose from these pages—and save?

About Mortising for Lock

All doors can be mortised to receive any of our standard lock sets, for 35c extra when you order the door only—State catalog number of lock (See Pages 36 and 37) for which door is to be mortised. Be sure to state if hinges are to be on left or right hand side as you face door from outside. **When you order the "complete door set" —we include the mortising without further charge.**



Specifications of Complete Door Set No. 63 PM 9570K Illustrated at Left

63 PM 9860K—Entrance Door—Made of First Quality Fir. Glazed with Clear Glass. Mortised for lock. (Not mortised when sold separately unless so ordered. See note below at right.)


63 PM 9949K—Drip Cap Design Door Frame—Made of high grade materials. Illustrated and described fully on page 21.

63 PM 9902K—Backband Design Door Trim—Made of First Quality Fir. Illustrated and described fully on page 14.



Hardware—Lock set is the Chicago Design Bit Key type in high grade Dull Brass Finish as illustrated and described fully on page 36. Hinges are wrought steel butts finished in dull brass, illustrated and described fully on page 36. We also include necessary screws.


Complete Door Set				Door Only (Not Mortised)				SIZES				Glass, Size in Inches
63 PM 9570K With First Quality Fir Door		Shpg. Wt. Lbs.		63 PM 9860K First Quality Fir		Shpg. Wt. Lbs.						
1 1/4 In. Thick	1 1/2 In. Thick	1 1/4 In.	1 1/2 In.	1 1/4 In. Thick	1 1/2 In. Thick	1 1/4 In.	1 1/2 In.	Width Ft. In.		Height Ft. In.		
\$ 8.93	\$10.05	120	128	\$3.65	\$4.69	56	64	2	6	6	6	
9.30	11.39	130	139	3.89	4.89	63	72	2	8	6	8	
9.95	11.00	132	144	4.37	5.37	65	76	2	10	6	10	
9.81	10.95	131	142	4.37	5.37	64	75	2	8	7	0	
10.34	11.40	133	146	4.68	5.65	66	80	3	0	7	0	




63 PM 190K



63 PM 301K



63 PM 1091K



63 PM 188K

63 PM 190K				63 PM 301K				63 PM 1091K				63 PM 188K			
First Quality Fir Glazed (1 Light) Clear Glass				First Quality Fir Glazed (6 Lights) Clear Glass				First Quality Fir Glazed (9 Lights) Clear Glass, as Illustrated				First Quality Fir Glazed Clear Glass			
1 1/4" In. Thick	1 1/2" In. Thick	Width Ft. In.	Height Ft. In.	1 1/4" In. Thick	1 1/2" In. Thick	Width Ft. In.	Height Ft. In.	1 1/4" In. Thick	1 1/2" In. Thick	Width Ft. In.	Height Ft. In.	1 1/4" In. Thick	1 1/2" In. Thick	Width Ft. In.	Height Ft. In.
\$3.85	\$5.10	2	6	\$4.89	\$6.29	2	8	\$7.79	\$8.50	2	8	\$7.95	\$8.25	2	8
4.10	5.30	3	0	5.19	6.65	3	0			3	0	8.25	8.75	3	0
4.65	6.10			5.60	7.25										

Doors Now Reduced YOU 25%

Complete Entrance Door Sets

SAVE BY ORDERING COMPLETE DOOR SETS—
No sorting or hunting for various parts. Every bundle plainly marked. Only the simplest cutting and fitting is left for you. Here are a few of the savings you make by ordering complete entrance door sets.

- 1—Time and Trouble in Ordering Separate Parts.
- 2—Errors in Quantity of Materials.
- 3—Waste in Cutting Materials.
- 4—Several Hours Work for Each Opening.
- 5—No Chance of Ruining a Door with a Bad Mortise.

Reduce your carpenter bill and get a better job. Every piece of trim is cut to an approximate size—no waste, no loss, no shortage.

Entrance Doors and Sidelights

MADE OF FIRST QUALITY "A" FIR, 1 1/2 IN. OR 1 3/4 IN. THICK AS NOTED, IN PRICE TABLE. Weather resisting—they won't warp or crack if properly cared for. Sanded smooth, they will take a perfect stain or varnish. Glazed with selected clear glass.

In ordering your door, you should understand that the term "First Quality" means as free from knots and similar defects as it is possible for first pick lumber to be. This means that our doors are of the highest grade we could choose for the purpose. Such quality makes our prices all the more a bargain value, an opportunity not likely to duplicate itself in years. That's why we say "Save most by doing the job now."

Sidelights

Beautify your entrance door with these attractive practical, well made Sidelights. Sidelight entrance frame is illustrated and described fully on page 21.

These doors, and those with their companion side lights, easily make a most pleasing and dignified entrance for any home, large or small. Very effective for apartment and "duplex" entrances or large reception halls.

About Hardware

To assist you in ordering hardware for these doors, pages 8, 9 and 10, please note the following:

Doors—No. 63 PM 1091K, 63 PM 885K, 63 PM 300K, 63 PM 386K, 63 PM 391K, and 63 PM 38K have wide stiles (side rails) and can be mortised for either a cylinder or bit key type lock set.

All other doors on these pages, 8, 9 and 10 have slightly narrower Stiles (side rails) and can be mortised for bit key type lock set only.

Doors 1 1/2 in. thick require 3 1/2 in. butts. Doors 1 3/4 in. thick require 4-inch butts.

Door hardware illustrated and described fully on pages 36 and 37.



Specifications of Complete Door Set No. 63 PM 154H Illustrated at Right

63 PM 755K—Entrance Door—
Made of Second or "B" Quality Fir. Glazed with Clear Glass. Mortised for lock.

63 PM 9949K—Drip Cap Design Door Frame—Made of high grade materials. Illustrated and described fully on page 21.

63 PM 9902K—Backband Design Door Trim—Made of First Quality Fir illustrated and described fully on page 14.

Hardware—Lock-set is the Chicago Design Bit Key type in high grade Dull Brass Finish, as illustrated and described fully on page 36. Hinges are wrought steel butts finished in dull brass metal, illustrated and described fully on page 36.

We also include necessary screws.



Shipping Points

All doors and sidelights shipped from factory in Newark, N. J.

Door Shipping Weights					
Ft. In.		Ft. In.		1 1/2 in. thick	1 3/4 in. thick
2	8	6	8	55 lbs.	66 lbs.
2	8	7	0	57 lbs.	68 lbs.
2	10	6	10	59 lbs.	70 lbs.
3	0	7	0	61 lbs.	71 lbs.

Size 1 1/2 Inch Thick Door		Door Only, Not Mortised 63 PM 755K Second or "B" Quality Fir—Glazed Clear Glass 1 1/2 in. Thick	Shpg. Wt., Lbs.	Approx. Total Glass Size in Inches	Complete Door Set 63PM154K Including No. 755 Second or "B" Quality Fir Door—Glazed Clear Glass 1 1/2 in. Thick	Shpg. Wt., Lbs.
Width	Height					
Ft. In.	Ft. In.					
2	8	6	56	21 1/2 x 24	\$8.50	120
2	8	7	58	23 1/2 x 26	8.94	122
2	10	6	60	25 1/2 x 28	9.54	125
2	8	7	60	23 1/2 x 30	9.41	125
3	0	7	62	27 1/2 x 30	9.96	128




63 PM 386K
10-Lt. Front Door



63 PM 6680K
5 Lt. Sidelight




63 PM 9846K
1 Lt. Sidelight



63 PM 391K
1-Lt. Front Door



63 PM 387K
9-Marginal Lt. Front Door



63 PM 9737K
Sidelight

SIZES				Ap- prox. Glass Size in Inches	63 PM 386K "A" Quality Fir Glazed Clear Glass	
Width		Height			1 1/2 in. thick	1 3/4 in. thick
Ft.	In.	Ft.	In.			
2	8	6	8	22x57	\$6.35	\$6.85
2	8	7	0	22x61	7.15	7.65
2	10	6	10	24x59	7.20	7.45
3	0	7	0	26x61	8.80	9.45

SIZES				Total Glass Size in Inches	SIDELIGHTS "A" Quality Fir Glazed Clear Glass	
1 3/4 Inches Thick					63PM6680K	63PM9846K
Width		Height				
Ft.	In.	Ft.	In.			
1	2	6	8	10x56	\$2.98	\$2.55
1	2	7	0	10x60	3.18	2.65

SIZES				Total Glass Size in Inches	63 PM 391K "A" Quality Fir Glazed Clear Glass	
Width		Height			1 1/2 In. Thick	1 3/4 In. Thick
Ft.	In.	Ft.	In.			
2	8	6	8	22x56	\$4.55	\$5.95
2	8	7	0	22x60	5.00	6.40
2	10	6	10	24x58	5.05	6.50
3	0	7	0	26x60	5.29	6.85

SIZES				Total Glass Size in Inches	63 PM 387K First Quality "A" Fir	
Width	Height	Ft. In.			1 1/2 in. Thick	1 3/4 in. Thick
Ft.	In.	Ft.	In.			
2	8	6	8	22x57	\$5.35	\$6.85
2	8	7	0	22x61	5.69	7.35
2	10	6	10	24x59	5.85	7.50
3	0	7	0	26x61	6.15	7.75

Front Door				63PM9737K Sidelight	
SIDELIGHT					
SIZES 1 1/4 Inches Thick				Total Glass Size in Inches	63PM9737K "A" Quality Fir Glazed Clear Glass
Width		Height			
Ft.	In.	Ft.	In.		
0	11 1/4	6	8	7 1/4 x 41 1/2	\$2.98
0	11 1/4	7	0	7 1/4 x 45 1/2	3.10

POPULAR . . BIG VALUE SMART ENTRANCE DOORS

Substantial, Attractive, Inviting

Appropriate to the rest of the entrance and the architectural plan of the house. Quality without extravagance. Economy without skimping. That's what you want and get in a **Sears** door.

ENTRANCE doors that suit your taste and purse alike—Weather resisting, non-warping, non-shrinking, they meet every requirement of the small home or cottage seeking neat, hospitable appearance, with good service assured and savings plainly shown. Sanded smooth, they take a perfect stain or varnish.

Doors Shown on This Page are Made of First Quality

Western [Pondosa] Pine or Fir—1¾ in. Thick as noted

In ordering your door, you should understand that our doors are strictly First Quality, the highest grade we could choose for the purpose. Such quality makes our prices all the more a bargain value, an opportunity not likely to duplicate itself in years. That's why we say "Save most by doing the job now."

BEAUTIFUL GLAZING EFFECTS—All doors on this page are properly glazed with bright, glistening, Clear quality Glass exclusively; a quality worthy of the rest of the door. Why not choose from this page—and save?

Important Notice

Doors can be Mortised to receive any lock set shown on pages 36 and 37 for 35c extra. State catalog number of lock for which door is to be mortised. Be sure to state if hinges are to be on right hand or left hand side as you face door from outside.

To assist you in ordering hardware for these doors, please note the following:

All Doors—listed on this page have wide stiles (side rails) and can be mortised for either a cylinder or bit key type lock set.

Doors 1¾ in. thick require 4-inch butts.

DISTINCTIVE V-JOINT DESIGN ENTRANCE DOORS illustrated below. We offer the leading design at really worthwhile lower prices. Yet, no sacrifice is made of quality or workmanship to give you these extra savings. Made of First Quality Fir—1¾ in. thick. State size and whether you want the glass to be at left side or right as you face the door from outside. Strap Iron Hinge Trim is strictly ornamental and not included in price. Hardware illustrated and described on Page 36.

Door hardware not included. See pages 36 and 37.



63 PM 885 K Western Pondosa Pine

SIZES, 1¾ Inches Thick				Approx. Glass Size in Inches	63 PM 885 K Glazed Clear Glass, as Illustrated	Shpg. Weight, Pounds
Width Ft.	In.	Height Ft.	In.			
2	8	6	8	22x18	\$6.95	66
3	0	7	0	26x18	7.95	71



63 PM 886 K Western Pondosa Pine

SIZES 1¾ Inches Thick				Approx. Glass Size in Inches	63 PM 886 K Glazed Clear Glass (as illustrated)	Shpg. Weight Pounds
Width Ft.	In.	Height Ft.	In.			
2	8	6	8	22x64	\$6.89	77
3	0	7	0	26x68	7.49	96

All Sears
Entrance
Doors now
Cost Less.

IMPORTANT NOTICE

All doors can be mortised to receive lock set for 35c extra. State catalog number of lock (See pages 36 and 37) for which door is to be mortised. Be sure to state if hinges are to be on left or right hand side as you face door from outside.



63 PM 310 K First Quality Fir

SIZES 1¾ In. Thick				63 PM 310 K Without Light	Shpg. Wt. Lbs.
Width Ft.	In.	Height Ft.	In.		
3	0	6	8	\$11.15	80
3	0	7	0	11.45	85

Hardware On Above Door Not Included

GUARANTEE

Our usual strong Guarantee of Quality applies to everything in this Book. You get absolute satisfaction or we refund your Money!

SERVICE

Fast Service direct from our Mills and Factories on all Shipments. No Delays or extra handling.



63 PM 300 K First Quality Fir

SIZES 1¾ In. Thick				63 PM 300 K Glazed Clear Glass as Illustrated	Shpg. Wt., Lbs.
Width Ft.	In.	Height Ft.	In.		
3	0	6	8	\$16.25	80
3	0	7	0	16.60	85

Hardware On Above Door Not Included

All Doors on This Page Shipped from Our Own Factory in Port Newark, N. J.

French Door Prices NOW CUT As Much As 30%



10-Light Style

Put New Zest
In That Old

"Double Doorway"

Shipping Points

All French Doors, Frames, Jambs, Trim shipped from our own factory in Port Newark, N. J.

Other Sizes and Designs

We can make up any size or design of French doors—send us your list for price.

- First Quality Fir
- 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$ inches Thick

French Doors are interior windows. Ideal when installed between the living and adjoining rooms. They afford privacy without darkening the interior. They are, in themselves, very decorative. Do not require draping unless preferred.

They are almost indispensable for sun rooms. Narrow side and top rails and small dividing bars add grace to the design.

These French Doors are made of First Quality Fir furnished both 1 $\frac{3}{8}$ and 1 $\frac{3}{4}$ inches thick. Sandpapered and smoothed ready for finish.

Glazed with high quality clear glass. A "T" astragal is furnished for the joint where doors come together in the center. Prices are per pair including "Astragal."

\$8.45
Per Pair
And Up

- Unpainted—in the White
- Glazed With Clear Glass

**Exterior Door Frames—
63 PM 9949K**

For exterior use are of the same specifications as regular door frame with Cypress sill illustrated and described fully on page 21. For Oak Sill Frames see page 21.

Interior Door Jambs—63 PM 9678K

(Including stops) Clear Fir. For interior use are of the same specifications as regular door jambs illustrated and described fully on page 14.

Interior Door Trim—See Page 14

Hardware is not included with French doors—See "French Window" Lock sets on pages 36 and 37. 1 $\frac{3}{8}$ -inch doors require 3 $\frac{1}{2}$ -inch butts and 1 $\frac{3}{4}$ -inch doors require 4-inch butts (see page 36). "Half round surface bolts" are usually used to hold one of the pair of doors stationary if desired—see page 36. A single French Window lock is all you need for a pair of French doors.



15-Light Style

Modernize Your Home
With

New French Doors

Single French Doors

are also very popular for interiors—often used for inside vestibule door and in doors at end of hallways. We can furnish single French doors $\frac{1}{4}$ inch narrower than half the size of a pair for one-half the pair price.

FRENCH DOORS

Size of Pair		Number of lights in each door		Price Per Pair		Weight Per Pair, Lbs.		Exterior Door Frames 63 PM 9949K	Interior Door Jambs With Stops 63 PM 9678K
Width	Height			1 $\frac{3}{8}$ -inch Thick 63 PM 9698K	1 $\frac{3}{4}$ -inch Thick 63 PM 9859K	1 $\frac{3}{8}$ -in.	1 $\frac{3}{4}$ -in.		
Feet	In.	Feet	In.						
4	0	6	8	10		90	95	\$3.85	\$1.15
4	0	7	0	10		95	100	4.00	1.15
5	0	6	8	15		105	115	4.25	1.15
5	0	7	0	15		110	120	4.50	1.15
				\$8.45	\$10.45				
				9.10	10.95				
				11.15	12.35				
				11.90	12.95				

Be sure to state catalog number—thickness and size of pair—if wanted mortised for any of our French door locks add 35 cents per pair of doors—and state number of lock you will want to fit.

MIRROR DOORS

A "Dress-Up" Gift Every Home Needs

A Mirror Door is useful as well as ornamental. A necessity for every home.

Used for closet doors, or in reception halls, bedrooms, and sewing rooms.

Glazed with finest quality, thick, polished, plate glass mirror. We do not use cheap "shock" sheet glass in any of our mirror doors. The doors are First Quality Fir. Sub-Frame Design specially constructed to hold the mirrors, which are set flush with the face of the door. This type of construction prevents breakage and presents the finest appearance. For prices see table below. These doors can be mortised for our locks for 35c extra—state number of locks to be used.

See Pages 36 and 37 for hardware. Mirror doors require 3 $\frac{1}{2}$ -inch butts.

Following Mirror Doors are 1 $\frac{3}{8}$ inches thick. Hardware Not included. State size.



Width		Height		63 PM 9045K One-Panel Sub-Frame Design Door	Shipping Weight
Ft.	In.	Ft.	In.		
2	0	6	6	\$14.29	84 pounds
2	0	6	8	14.59	85 pounds
2	4	6	8	17.75	95 pounds

Shipped from our own factory in Port Newark, N. J.

Add a Mirror Door to Your Home

Make your own mirror door. Add one of these mirrors listed below to one of your own doors in your sewing room, bathroom, dressing closet, reception hall or bedroom. Real Plate Glass—not a cheap substitute.

We furnish a complete plain plate mirror with wood mouldings and screws to attach the mirror to your door. Mouldings not painted or stained.

Measure your door and select the proper size mirror from the table below. At these low prices, you need no longer do without the convenience of a mirror door. Shipped from our own factory in Port Newark, N. J. Be sure to state size mirror wanted.

Mirror Outfit—63 PM 4120K

Mirror Size	Price	Shipping Weight	Mirror Size	Price	Shipping Weight
16x68 inches	\$10.65	110 lbs.	22x66 inches	\$15.25	143 lbs.
16x72 inches	11.29	112 lbs.	22x68 inches	15.65	145 lbs.
20x68 inches	13.25	130 lbs.	22x72 inches	16.59	150 lbs.
20x72 inches	13.98	137 lbs.			

Intermediate sizes take price of next larger size listed above. Write for prices on other sizes.

GARAGE DOORS

\$13.60
8x7 Ft.
Per Pair
Double Doors

Latest Designs Sensationally Priced

Naturally you want to obtain the very best quality garage doors possible for the money you spend.

These sturdy Good Quality Fir garage doors will meet your requirement as to quality of materials, weather resistance, wearing qualities, service, workmanship, design and price.

We believe that nowhere will you get these same high quality doors at

\$14.40
8x7 Ft.
Per Set
Triple Doors

these remarkably low, money saving prices.

Both door designs are made of Good Quality Fir throughout—1 $\frac{3}{4}$ inches thick—with flat panels—and glazed with clear glass. Hardware not included. Unpainted.

Shipped from our own factory in Port Newark, N. J.

Double Doors

One width—Three Heights Price per Pair—(2 single doors).

For Half Pairs use one-half the price below plus 25 cents.

Catalog Number	Size Pair (Feet)	Price Pair	Wt. Lbs.
63 PM 9797K	8x7	\$13.60	198
63 PM 9718K	8x7 $\frac{1}{2}$	13.70	210
63 PM 9709K	8x8	13.80	222

Triple Doors

Price covers a set of 3 single doors—one width—3 heights.

For "Single" doors take one-third the price below plus 25 cents.

Catalog Number	Size Set, Feet	Price Set	Wt. Lbs.
63 PM 9800K	8x7	\$14.40	188
63 PM 9741K	8x7 $\frac{1}{2}$	14.50	198
63 PM 9710K	8x8	14.60	208

For Garage
Door Hardware
See Page 34

INTERIOR PANEL



COMPLETE INTERIOR DOOR SETS—Including door (Mortised for lock), door jamb with stops, 2 sides of interior trim—I set of good quality dull brass, bit key, inside door type lock set and hinges, and all necessary screws. (Thresholds not included. See page 15.)

TAKE ADVANTAGE of the convenience and saving by ordering complete door sets. They come complete, ready to install—nothing more to buy. The same high quality materials listed separately on other pages are used to make complete entrance door sets.

Full information on items included in complete door set is listed separately on this page under the illustration of complete door set.

Interior Doors

In your need for doors, as in any other important commodity, you seek the greatest value per dollar invested. On this and the opposite page is shown our complete line of Interior Doors and they represent the maximum value obtainable anywhere for your door dollar.

Every design is very popular—having been especially selected and adopted as standard after long experience in satisfying the needs of home builders and owners.

They are furnished in First Quality "A" or Second Quality "B" Fir as listed in the table on each page and are those which fill the popular demand in different sections of the country and result in lower cost. Each door is made of carefully selected materials properly sandpapered, giving them a fine smooth surface. Ideal for any kind of finish treatment.

How to Order Doors

State catalog number and size clearly, being sure to give width first, height second and then thickness. If the door jamb or frame is already in place take your size from that. For new openings first make rough opening 3 inches larger each way than the finished door itself. This extra space allows for setting door jamb (see page 14), its supporting blocks and finished floor at bottom. Door trim sets (see page 14) will cover the rough edge between outside edge of jamb and plaster. If door is wanted mortised, give catalog number of lock to be used and include price (35c extra) for mortising. Doors, if purchased separately, are only mortised when so ordered.

Shipping Points

All doors, and all complete door sets on this page shipped from factory in Port Newark, N. J.

Hardware

See Pages 36 and 37

Doors ordered separately can be mortised to receive any inside door lock set shown on pages 36 and 37 for 35c extra. State catalog number of lock if door is to be mortised.—To assist you in ordering hardware for doors on this page please note the following:—Door styles (side rails) will allow use of all styles of inside door lock sets. Doors 1 1/2 inches thick require 3 1/2-inch butts. Doors 1 3/4 inches thick require 4-inch butts.

Doors Only

63 PM 388K—1 1/4 in. thick for outside use. This makes a fine Colonial Front or Side Entrance Door.

63 PM 673K—1 1/4 in. thick for inside use. This is most popular for Colonial homes. Both 6 Panel Colonial Doors made of First Quality Fir. Not mortised unless ordered as part of complete door set. If you want doors only we can mortise them for any of our standard locks for an extra charge of 35c per door.

Colonial Design Trim. No. 63 PM 4114K made of First Quality Fir, illustrated and described fully on page 14.

Jamba with Stops. 63 PM 9678K made of First Quality Fir, illustrated and described fully on page 14.

Hardware. Lock set is the Chicago design bit key inside door type in high grade dull brass finish. Hinges are wrought steel butts in dull brass finish, illustrated and described fully on page 36.

PRICE OF DOORS ONLY

All First Quality Fir

(Not Mortised)

Size		1-Panel Design 1 1/4 In. Thick		6-Panel Design		Insert Panel Sub-Frame Design 1 1/4 In. Thick	Shpg. Wt. Lbs.
				1 1/4 In. Thick	1 1/4 In. Thick		
Width	Height	63PM191K		63PM673K	63PM388K	63PM181K	1 1/4 In.
Ft.	In.	Ft.	In.				In.
2	0	6	0	\$2.70	\$3.49	30
2	0	6	6	2.85	\$3.23	3.63	32
2	4	6	6	3.15	3.55	3.91	35
2	6	6	6	3.29	3.75	4.06	38
2	0	6	8	2.89	3.27	3.67	34
2	4	6	8	3.20	3.65	3.98	38
2	6	6	8	3.35	3.79	4.11	39
2	8	6	8	3.49	3.95	\$5.19	42
3	0	6	8	5.65	58
2	0	7	0	3.13	3.91	38
2	4	7	0	3.45	4.22	40
2	6	7	0	3.60	4.37	42
2	8	7	0	3.74	4.53	44
3	0	7	0	6.10	60

PRICE OF COMPLETE DOOR SETS

With First Quality Fir Doors

With Door SIZE 1 3/4 in. thick				Including 1-Panel Design Door 1 1/4 In. Thick	Including 6-Panel Design Door 1 1/4 In. Thick	Including Insert Panel Sub- Frame Design Door	Shpg. Wt. of Comple- te Door Set Lbs.
Width		Height					
Ft.	In.	Ft.	In.	63PM9567K	63PM9556K	63PM9793K	85
2	0	6	0	\$6.39	\$7.08	85
2	0	6	6	6.44	\$6.82	7.22	87
2	4	6	6	6.74	7.14	7.50	90
2	6	6	6	6.88	7.34	7.65	93
2	0	6	8	6.48	6.86	7.26	89
2	4	6	8	6.79	7.24	7.57	93
2	6	6	8	7.18	7.33	7.70	94
2	8	6	8	6.72	7.54	7.85	96
2	0	7	0	6.97	7.75	93
2	4	7	0	7.29	8.06	96
2	6	7	0	7.44	8.21	97
2	8	7	0	7.60	8.37	99

Complete Door Set

Insert Panel Sub-frame Design

Door Only—63 PM 181K

Complete Door Set
—63 PM 9793K

Complete door set with insert panel sub-frame design door under catalog numbers listed above includes the following:

Door. Made of First Quality FIR is 1 1/4 in. thick as described in price table at left. Mortised to receive lock set, when ordered as part of "complete door set." Otherwise this mortising is not done unless so ordered at an extra charge of 35c.

Backband Design Trim. No. 63 PM 9902K made of First Quality FIR, illustrated and described fully on page 14.

Jamba with Stops. 63 PM 9678K made of First Quality FIR, illustrated and described fully on page 14.

Hardware. Lock set is the Chicago design bit key inside door type in high grade dull brass finish, as illustrated and described fully on page 36. Hinges are wrought steel butt in dull brass finish, illustrated and described fully on page 36.

Door Shipping Weights

Weights shown are average shipping weights based on an average size order and include weight of all necessary crating and packing materials.

DOORS REDUCED

SAVE BY ORDERING COMPLETE DOOR SETS—

No sorting or hunting for various parts. Every bundle plainly marked. Only the simplest cutting and fitting is left for you. Here are a few of the savings you make by ordering complete entrance door sets.

- 1—Time and Trouble in Ordering Separate Parts.
- 2—Errors in Quantity of Materials.
- 3—Waste in Cutting Materials.
- 4—Several Hours Work for Each Opening.
- 5—No Chance of Ruining a Door with a Bad Mortise.

Reduce your carpenter bill and get a better job. Every piece of trim is cut to an approximate size—no waste, no loss, no shortage.

DOOR
ONLY
63 PM 192K
\$2⁶⁵
EACH
And Up



Cut Your Costs

Our Assortment of interior doors is made of the choicest materials. All that is visible on the surface is the beauty of its design, but under the surface is through and through quality value. You may choose either the First Quality—selected for light stain or varnish finish—or you may prefer the extra savings in using the Second Quality—which are ideal for dark stain or paint finish. We guarantee these doors to be of dependable construction, of selected quality materials, and to stand up under hard wear.

Packing. Our doors are carefully wrapped in tough paper and securely crated for shipping. They will reach you bright and clean.

Trim to match these doors is illustrated, priced and described separately on page 14. Trim illustrated on 5-panel door above at right is 63 PM 9673K while trim on 2-panel door is 63 PM 9902K. On first quality 5 Cross Panel Complete Door sets we furnish trim 63 PM 9902K—(Back-band design).

Interior Door Jambs to match these doors are illustrated, described and priced separately on page 14.

How to Order Doors Only

State catalog number and size clearly, being sure to give width first, height second and then thickness. If the door jamb or frame is already in place take your size from that—For new openings first make rough opening 3 in. larger each way than the finished door itself. This extra space allows for setting door jamb (see page 14), its supporting blocks and finished floor at bottom. Door trim sets (see page 14) will cover the rough edge between outside edge of jamb and plaster.—If door is wanted mortised give catalog number of lock to be used and include price (35c extra).

Shipping Points

All doors and complete door sets on this page shipped from our own factory in Port Newark, N. J.

PRICE OF DOORS ONLY (Not Mortised) DOUGLAS FIR

SIZE 1½ In. Thick		Regular Two Panel Design First Quality	Five-Cross Panel Design First Quality	Five-Cross Panel Design Second Quality	Shpg. Wt., Lbs.
Width	Height	63 PM 193K	63 PM 192K	63 PM 204K	
2 0	6 0	\$2.68	\$2.65	\$2.56	33
2 0	6 6	2.82	2.78	2.69	35
2 4	6 6	3.10	3.07	2.96	37
2 6	6 6	3.26	3.22	3.11	41
2 0	6 8	2.86	2.83	2.73	37
2 4	6 8	3.17	3.13	3.02	40
2 6	6 8	3.30	3.26	3.15	43
2 8	6 8	3.45	3.41	3.30	46
2 0	7 0	3.10	3.06	2.96	41
2 6	7 0	3.56	3.52	3.40	46
2 8	7 0	3.72	3.67	3.55	48

PRICE OF COMPLETE DOOR SETS First Quality FIR

SIZE 1½ In. Thick		Including Two Panel-Design First Quality Door and Backband Trim	Including Five-Cross Panel Design First Quality Door and Backband Trim	Including Five-Cross Panel Design Second Quality Door and Plain Trim	Shpg. Wt. of Complete Door Set, Lbs.
Width	Height	63 PM 9807K	63 PM 9565K	63 PM 205K	
2 0	6 0	\$6.27	\$6.24	\$5.49	85
2 0	6 6	6.41	6.38	5.76	87
2 4	6 6	6.69	6.66	6.03	91
2 6	6 6	6.85	6.81	6.18	93
2 0	6 8	6.45	6.42	5.80	89
2 4	6 8	6.76	6.73	6.09	93
2 6	6 8	6.89	6.85	6.22	94
2 8	6 8	7.04	7.00	6.37	96
2 0	7 0	8.26	8.22	6.16	93
2 6	7 0	8.72	8.68	6.60	97
2 8	7 0	8.88	8.83	6.75	99



Complete Door Set 2 Panel Design

Door Only—63 PM 193K
Complete Door Set—63 PM 9807K

Complete Door Set with 2-Panel Design under Catalog Number listed above includes the following:

Door. Made of First Quality FIR, as described in price table. Mortised to receive lock set when ordered as part of "complete door set." Otherwise we mortise door only when so ordered at an extra charge of 35c.

Backband Design Trim. No. 63 PM 9902K made of First Quality FIR, illustrated and described fully on page 14.

Jambs with Stops. 63 PM 9678K made of First Quality Fir, illustrated and described fully on page 14.

Hardware. Lock set is the Chicago design bit key "inside door" type in high grade dull brass finish, as illustrated on page 36.

Hinges are wrought steel butts in dull finish, illustrated and described fully on page 36. Sufficient nails and screws are included.

HARDWARE

See Pages 36 and 37

Doors ordered separately can be mortised to receive any inside door lock set shown on pages 36 and 37 for 35c extra. (This feature is included in price of "complete door set.") State catalog number of lock if door is to be mortised.—To assist you in ordering hardware for doors on this page please note the following:—Door stiles (side rails) will allow use of all styles of inside door lock sets.—Doors 1½ inches thick require 3½-inch butts. Doors 1½ inches thick require 4-inch butts.



Complete Door Set

5-Cross Panel Design

Door Only—63 PM 192K

Complete Door Set—63 PM 9565K
and 63 PM 205K

Complete Door Set with 5-Cross Panel Design Door under Catalog Numbers listed above includes the following:

Door. Choice of First or Second Quality FIR, is 1½ in. thick as described in price table below. Mortised to receive lock set when ordered as part of "complete door set." Otherwise we mortise door only when so ordered at an extra charge of 35c.

Round Edge Design Trim. No. 63 PM 9673K made of First Quality FIR, furnished with second quality complete door set and Back-Band Design Trim—furnished with first quality complete door set. Illustrated and described fully on page 14.

Jambs with Stops. 63 PM 9678K made of First Quality FIR, illustrated and described fully on page 14.

Hardware. Lock set is the Chicago design bit key inside door type in high grade dull brass finish, as illustrated and described fully on page 36. Hinges are wrought steel butts in dull brass finish, illustrated and described on page 36. We include necessary nails and screws.

CUPBOARD DOORS



97c — Made of First Quality FIR.

EACH And Up — 1½ inch Thick.

—3-Ply Fir Veneer Panels.

High quality cupboard doors to fit all needs in linen closets, and kitchen dressers; convenient for many other uses.

Cupboard door hardware is shown on pages 36 and 37. 1½ in. doors require 2½ in. butts.

Shipped from our own factory in Port Newark, N. J.

Width		Height		1½ In. Thick 63 PM 9886K	Shpg. Wt.
Ft.	In.	Ft.	In.		
1	6	2	6	\$0.97	10 lbs.
1	8	2	6	1.01	12 lbs.
1	6	4	0	1.32	13 lbs.
1	8	4	0	1.39	14 lbs.

Door Shipping Weights

Weights shown are average shipping weights based on an average size order and include weight of all necessary crating and packing materials.

BIG SAVINGS ON HIGH QUALITY MILLWORK

PLAIN JAMBS

Made of First Quality Fir. The side jambs are dadoed for head jambs which fit into this dado perfectly. All jambs are surfaced and sanded ready for finishing. Plain jambs—not rabbeted— $\frac{1}{4}$ in. x $5\frac{1}{2}$ in. Priced with and without stops. Average shpg. wt., per set, 21 lbs.

Size up to and including				Plain Jambs— $\frac{1}{4}$ x $5\frac{1}{2}$ inches	
Width		Height		No Stops	With Stops
Ft.	In.	Ft.	In.	63 PM 9943K	63 PM 9678K
2	8	6	8	79c	\$0.98
3	0	7	0	83c	1.01
5	0	7	0	95c	1.15
For jambs over 5 $\frac{1}{2}$ in. wide add to price of set for each extra 2 inches or part thereof.				25c	.25

For Outside door frames see page 21.

RABBETED JAMBS

Rabbeted Jambs of First Quality Fir. The side jambs are dadoed for head jambs which fit into this dado perfectly. Furnished rabbeted either single or double rabbet for $\frac{1}{4}$ or $1\frac{1}{4}$ in. doors. Specify which size rabbet is wanted. Rabbeted jambs, $1\frac{1}{2}$ in. x $5\frac{1}{2}$ in. Av. shpg. wt. per set, 28 lbs.

Size up to and including				RABBETED JAMBS— $1\frac{1}{2}$ x $5\frac{1}{2}$ inches	
Width		Height		Single Rabbeted	Double Rabbeted
Ft.	In.	Ft.	In.	63 PM 2762K	63 PM 2764K
2	8	6	8	\$1.68	\$1.68
3	0	7	0	1.77	1.77
5	0	7	0	1.98	1.98
For jambs over 5 $\frac{1}{2}$ in. wide add to price of set for each extra 2 inches or part thereof.				.50	.50

For Outside door frames see page 21.

NEW REDUCTIONS on DOOR and WINDOW TRIM



Plain Back Band Design Trim Sets

Made of First Quality Fir. Standard size Moldings illustrated below.

Particularly desirable where trim not elaborately ornamented is preferred. Our long experience in meeting customers' demands has proved this to be the most popular design. All members are cut to convenient lengths with a liberal allowance for trimming.


Backband Design Trim Sets consist of trim for one side of opening of moldings of the sizes and patterns shown below.

Back band design trim sets are shipped carefully bundled. If wanted wrapped in paper add 5c per set extra.

Average Shpg. Wt. about 18 lbs. per set.

Door Trim Sets				Window Trim Sets			
Trim for Any Size Door up to and Incl.				Trim for Any Size Window up to and Incl.			
Width		Height		Width		Height	
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.
2	8	6	8	2	8	6	8
3	0	7	0	2	8	6	8
5	0	7	0	2	8	6	8
63 PM 9902K				63 PM 9901K			
\$0.87				\$0.95			
.98				1.09			
1.05				1.15			

Note illustrations below show the pattern and sizes of all members used in making Back Band trim sets.



Colonial Design Trim Sets



Consists of trim for one side of moldings as illustrated below.

Door Trim Sets				Window Trim Sets			
Trim for Any Size Door up to and Incl.				Trim for Any Size Window up to and Incl.			
Width		Height		Width		Height	
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.
2	0	6	6	2	0	3	10
2	8	6	8	2	4	4	6
3	0	7	0	2	6	4	10
5	0	7	0	2	8	5	2
63 PM 4114K				63 PM 4115K			
\$1.05				\$1.20			
1.10				1.35			
1.15				1.45			
1.20				1.50			
1.30							



Plain Round Edge Design Trim Sets


Made of First Quality Fir. Standard size moldings illustrated below. A conventional low priced pattern where plain casing is desirable. Easy to put on as there are no mitres to cut. Simply butt the side casings against the head casing. A big bargain at these prices.

Shipped carefully bundled, one set to the bundle. If wanted wrapped in paper with all ends and corners protected, add 5c per side of trim extra. Average shpg. wt., about 15 lbs. per set.

ROUND EDGE DESIGN TRIM SETS. Consist of trim for one side of opening of moldings illustrated below.

DOOR TRIM SETS				WINDOW TRIM SETS			
Trim for Any Size Door up to and Incl.				Trim for Any Size Window up to and Incl.			
Width		Height		Width		Height	
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.
2	0	6	6	2	0	3	10
2	8	6	8	2	4	4	6
3	0	7	0	2	6	4	10
5	0	7	0	2	8	5	2
63 PM 9673K				63 PM 9674K			
54c				63c			
61c				72c			
66c				76c			
72c				83c			

Note illustrations below show the pattern and sizes of all members used in making Plain Round Edge trim sets.



Shipping Points

All Jambs and Trim Sets on this page shipped from our own factory in Newark, N. J.

QUALITY INTERIOR MOULDINGS at a SAVING

Round Edge Casing

		Size Inches	Weight Lbs.	Per 100 Lineal Ft.
63 PM 8308K	PM 8308K	$\frac{3}{4} \times 3\frac{1}{2}$	65	\$2.20
63 PM 8309K	PM 8309K	$\frac{3}{4} \times 4\frac{1}{2}$	85	3.10
63 PM 8310K	PM 8310K	$\frac{3}{4} \times 4\frac{3}{4}$	90	3.45
63 PM 5590K	PM 5590K	$\frac{3}{4} \times 5\frac{1}{2}$	100	3.45

Round Edge Back-Band

63 PM 8378K—Size $1\frac{1}{2} \times 1\frac{1}{2}$ in. Wt., 26 lbs. Per 100 lineal ft.	\$1.60
Square Edge Casing only (without back-band)	
63 PM 8641K—Size, $\frac{3}{4} \times 3\frac{3}{4}$ in. Wt., 65 lbs. Per 100 lineal ft.	\$2.20

Round Edge Window Stool	
Window Stool Only [Without Apron]	
63 PM 8669K—Size $\frac{3}{4} \times 3\frac{3}{4}$ inches. Wt., 70 lbs. Per 100 lin. ft.	\$2.35
Window Apron Only [Without Stool]	
63 PM 8641K—Size, $\frac{3}{4} \times 3\frac{3}{4}$ inches. Wt., 65 lbs. Per 100 lin. ft.	\$2.20

Colonial Back-Band	
63 PM 8368K—Size $1\frac{1}{2} \times 1\frac{1}{2}$ in. Wt., 29 lbs. Per 100 lineal ft.	\$2.25
Colonial Casing only (without back-band).	
63 PM 8712K—Size, $\frac{3}{4} \times 3\frac{3}{4}$ in. Wt., 65 lbs. Per 100 lineal ft.	\$2.20

63 PM 4079K—Size Mullion $\frac{3}{4} \times 5\frac{1}{2}$ inches. Wt., 100 lbs. Per 100 lineal ft.	\$3.45
Colonial Window Stool	
Window Stool Only [Without Apron]	
63 PM 5591K—Size $1\frac{1}{2} \times 3\frac{1}{4}$ inches. Wt., 90 lbs. Per 100 lin. ft.	\$4.10
Window Apron Only [Without Stool]	
63 PM 8642K—Size, $\frac{3}{4} \times 3\frac{3}{4}$ inches. Wt., 65 lbs. Per 100 lin. ft.	\$2.20

Standard Designs and Universal Sizes in Interior Mouldings

Highest grade mouldings made of First Quality Fir. Moulded smooth—free from blemishes—by high speed modern machines. The best quality mouldings money can buy. Sold in any quantity in random (mostly long) lengths. Prices are for 100 lineal feet in random lengths (Except Astragals and Thresholds). For specified lengths, add 10% to price quoted for random lengths. In ordering give number wanted. All interior mouldings shipped from our own factory in Port Newark, N. J. For mouldings in chestnut, poplar, gum, birch, oak, etc., send us your list for price. We can furnish mouldings in any of these woods at proportionate money saving prices. Prices are per 100 lineal feet but you may order any quantity from one foot up. Weights shown are pounds per 100 lineal feet.

Round Edge Chair Rail 63 PM 5592K—Size, $\frac{5}{8} \times 3\frac{1}{4}$ in. Wt., 60 lbs. Per 100 lineal feet.	\$2.10	Round Edge Chair Rail 63 PM 8627K—Size $\frac{5}{8} \times 2\frac{1}{2}$ inches. Wt., 40 lbs. Per 100 lineal ft.	\$1.75	Colonial Chair Rail 63 PM 8635K—Size $\frac{5}{8} \times 2\frac{1}{2}$ in. Weight, 40 lbs. Per 100 lineal feet.	\$1.75	Colonial Chair Rail 63 PM 8636K—Size $\frac{5}{8} \times 3\frac{1}{2}$ in. Weight, 63 lbs. Per 100 lineal feet.	\$2.10	Ceiling Cornice 3 Pieces sold separately.	
Quarter Round Moulding 63 PM 8065K—Size $\frac{3}{4} \times \frac{3}{4}$ inch. Wt., 18 lbs. Per 100 lineal feet.	69c	Picture Mould 63 PM 8263K—Size $\frac{3}{4} \times 1\frac{3}{4}$ inches. Wt., 30 lbs. Per 100 lineal feet.	\$1.35	O. G. Style Door and Window Stops 63 PM 8083K—Size $\frac{3}{4} \times 1\frac{1}{2}$ in. Wt., 10 lbs. Per 100 lin. ft.	69c	Cove Mould 63 PM 8029K—Size $\frac{3}{4} \times 3\frac{1}{4}$ inches. Weight, 70 lbs. Per 100 lineal feet.	\$2.60	Ceiling or Wall Mould 63 PM 8091K—Size $\frac{1}{2} \times 1\frac{1}{2}$ in. Weight, 20 lbs. Per 100 lineal feet.	\$1.50
Cove Moulding 63 PM 8060K—Size $\frac{3}{4} \times \frac{7}{8}$ inch. Wt., 20 lbs. Per 100 lin. ft.	69c	Round Edge Corner Bead 63 PM 8238K—Size $1\frac{1}{2} \times 1\frac{1}{2}$ in. Wt., 40 lbs. Per 100 lineal feet.	\$2.65	Astragals 63 PM 7977K—7 ft. long. For $1\frac{1}{2}$ inch doors—Size, $1\frac{1}{2} \times 2\frac{1}{2}$ in. Wt., 6 lbs. Price Each.	75c	Thresholds 63 PM 8278K—Threshold. 33 or 37 inches long—State size. Wt., 3 lbs. each. Size $\frac{3}{4} \times 3\frac{3}{4}$ inches. Oak—Price Each.	25c		
Panel Mold 63 PM 8161K—Size $\frac{3}{4} \times 1$ inch. Weight 16 lbs. Per 100 lineal feet.	85c								

Panel Strip 63 PM 5587K—Size $\frac{3}{4} \times 2\frac{1}{4}$ inches. Wt., 20 lbs. Per 100 lin. ft.	\$1.25	Round Edge Base 63 PM 8828K—Round edge base only (without carpet strip). 63 PM 8828K—Size $\frac{3}{4} \times 7\frac{1}{4}$ in. Weight, 120 lbs. Per 100 lineal feet.	\$4.80	O. G. Base 63 PM 8386K—O. G. moulded top base only (without carpet strip). 63 PM 8386K—Size $\frac{3}{4} \times 7\frac{1}{4}$ in. Weight, 120 lbs. Per 100 lineal feet.	\$4.80	Colonial Base Mould Only 63 PM 8420K—Without base. Size $\frac{3}{4} \times 2\frac{1}{4}$ in. Weight, 45 lbs. Per 100 lineal feet.	\$1.85	Moulded Base 63 PM 8741K—Size $\frac{3}{4} \times 5\frac{1}{2}$ in. Weight, 100 lbs. Per 100 lineal feet.	\$3.45	Moulded Base 63 PM 8426K—Moulded Top Base only (without carpet strip). 63 PM 8426K—Size $\frac{3}{4} \times 7\frac{1}{4}$ in. Weight, 120 lbs. Per 100 lineal feet.	\$4.80
Colonial Base Mold 63 PM 8619K—Size, $\frac{1}{2} \times 3\frac{1}{4}$ in. Weight, 16 lbs. Per 100 lineal feet.	69c	Carpet Strip 63 PM 8422K—Size, $\frac{1}{2} \times 3\frac{1}{4}$ in. Weight, 16 lbs. Per 100 lineal feet.	69c	Carpet Strip Not included with base. Order separately. Illustrated, described and priced at left.		Carpet Strip Not included with base. Order separately. Illustrated, described and priced at left.		Carpet Strip Not included with base. Order separately. Illustrated, described and priced at left.		Carpet Strip Not included with base. Order separately. Illustrated, described and priced at left.	

EXTERIOR MOULDINGS—for EVERY NEED

Exterior mouldings must resist weather. But why pay excessive prices for such resistance? Our exterior mouldings weather well, take paint well, are uniformly shaped, and made of First Grade Cypress, the most practical and economical wood

for the purpose. Shipped from our own factory in Port Newark, N. J. Prices below are per 100 lineal feet in random lengths but you may order any quantity from one foot up. Add 10% if you want certain specified lengths.

Crown Moulding 63 PM 8010K—Size $\frac{3}{4} \times 2\frac{3}{4}$ in. Shpg. wt., 36 lbs. Per 100 lineal feet.	\$2.30	Cove Moulding 63 PM 860K—Size, $\frac{3}{4} \times \frac{1}{2}$ in. Shpg. wt., 12 lbs. Per 100 lineal feet.	75c	Bed Moulding 63 PM 8032K—Size, $\frac{3}{4} \times 2$ in. Shpg. wt., 27 lbs. Per 100 lineal feet.	\$1.65	Drip Cap Moulding 63 PM 8283K—Size, $1\frac{1}{2} \times 1\frac{1}{2}$ in. Weight, 30 pounds.	\$2.55	Lattice and Battens 63 PM 8280K—Size, $\frac{3}{4} \times 1\frac{1}{2}$ in. Shpg. wt., 7 lbs. Per 100 lin. ft.	65c
63 PM 8014K—Size $\frac{3}{4} \times 3\frac{1}{4}$ in. Weight, 42 lbs.	\$2.70	Nosing 63 PM 8124K—Size, $1\frac{1}{2} \times 2$ in. Shpg. wt., 36 lbs. Per 100 lineal feet.	\$2.90	Screen Moulding 63 PM 8139K—Size, $\frac{3}{4} \times 2$ in. Shpg. wt., 6 lbs. Per 100 lineal feet.	59c	63 PM 8284K—Size, $1\frac{1}{2} \times 2\frac{1}{2}$ in. Weight, 30 pounds.	\$2.90	63 PM 8281K—Size, $\frac{3}{4} \times 1\frac{1}{2}$ in. Shpg. wt., 8 lbs. Per 100 lin. ft.	75c
63 PM 8009K—Size $\frac{3}{4} \times 3\frac{1}{2}$ in. Weight, 48 lbs.	3.10	Sprung Cove 63 PM 8026K—Size, $\frac{3}{4} \times 2\frac{1}{4}$ in. Shpg. wt., 36 lbs. Per 100 lineal feet.	\$2.30	63 PM 8285K—Size, $1\frac{1}{2} \times 2\frac{1}{2}$ in. Weight, 44 pounds.	\$3.50	63 PM 8286K—Size, $1\frac{1}{2} \times 3$ in. Wt., 52 lbs.	\$4.15	63 PM 8282K—Size, $\frac{3}{4} \times 1\frac{1}{2}$ in. Shpg. wt., 11 lbs. Per 100 lin. ft.	\$1.05
63 PM 8012K—Size $\frac{3}{4} \times 4\frac{1}{4}$ in. Weight, 54 lbs.	3.70			Plaster Moulding 63 PM 7324K—Size, $\frac{3}{4} \times 2$ in. Shpg. wt., 27 lbs. Per 100 lin. ft.	\$1.65			Brick Mould 63 PM 8441K—Shpg. wt., 30 lbs. Per 100 lin. ft.	\$2.90
63 PM 8013K—Size $\frac{3}{4} \times 4\frac{3}{4}$ in. Weight, 58 lbs.	4.25								
Quarter Round 63 PM 806K—Size $\frac{3}{4} \times \frac{3}{4}$ in. Shpg. wt., 12 lbs. Per 100 lineal feet.	75c								

COMPLETE Window Sets

REDUCED AS MUCH AS

The Easy Way to Light and Air—Is there any excuse for delaying the installation of that new window or two or more when a complete window costs so little?

Complete Window Sets include—1 "Check Rail" Window made of First Quality Western *Pondosa* Pine with clear glass. Described below. Top and bottom sash plowed and bored for sash cord—1 Drip Cap Design Window Frame 63 PM9944K made with First Quality Louisiana Cypress outside casings, moldings and sills. Outside casings 1½ in. thick. Pulleys included. Fully described on page 20—1 set of Backband Design Trim

New Savings on Sears Glazed "Double Hung" Windows

On this and the opposite page, we list "double hung" (two piece) windows. The panes of glass are called lights. There are two types of "double hung" windows—"check rail" and "plain rail." The "check rail" type (see illustration and description on opposite page), has a wide check or meeting rail to form a wind break where the two sashes join and this joint keeps the window firmly in place preventing rattling. The "plain rail" type (see illustration and description on opposite page), has no projection where the sashes meet.

63 PM 9901K. Made of First Quality Fir. Fully described on page 14—4 Cast Iron Sash Weights—2 Dull Brass Finish Lifts and one Fastener—Enough sashcord and screws to provide for the entire opening.

Take advantage of the convenience and saving by ordering Complete Window Sets. They come complete ready to install. Simply nail up the various parts and do a little fitting of sash and trim to the frame and put on the hardware. Nothing more to buy. Same high quality materials we list separately on this and other pages are used to make complete Window Sets.

SPECIFICATIONS OF WINDOWS

Windows are made of First Quality Western *Pondosa* Pine. Check rail type windows are 1½ in. thick. Plain rail type windows are 1½ in. thick. Glazed with clear window glass. Set with plenty of points and sealed with high grade putty. Every joint mortised and tenoned for permanent rigidity—not merely nailed. Both sash of "Check Rail" windows are plowed and bored for sash cord. Carefully machined and sanded ready to finish, as you desire.



Outside View of Complete Window Set No. 63 PM 1210K

Two-light design "Check Rail" windows, because of their general use are in most popular demand. Price of each complete Window Set includes Window, Window Frame, Inside Trim, Sash Weights, Sash Cord, Locks and Lifts and Screws.

Price of window only includes glazed top and bottom sash. Top sash plowed and bored for sash cord. No outside frame, inside trim, hardware, etc.

How to Order

A standard "double hung" window is composed of two sash—one top and one bottom. Thus a 2-light window means two sash, each having 1 light of glass. A 4-light window means two sash each having 2 lights of glass, etc.


Always give number of lights wanted. When ordering glazed windows, remember the following: If you are going to use pulleys and weights, order check rail window. If you are not going to use pulleys and weights, but spring bolts instead, order plain rail windows.

Be sure to:

- 1—Give catalog number.
- 2—Give full width in feet and inches.
- 3—Give full height in feet and inches.

Opening size of a window is the inside measurement of the frame in which the window hangs. The sizes listed on this and the following pages are standard and cover practically every requirement. In addition to these sizes, we can make any other size you may need. But by confining your selection to those listed, you will receive better service and a lower price. However, if the size you require is not listed here, write for prices.

Hardware



If you order complete Window Sets, of course, all hardware required is included. To assist you in ordering hardware for windows ordered separately, the following is required: 4 Sash Weights. See Page 17; 1 Sash Lock, 2 Sash Lifts, about 20 Ft. of Sash Cord, all of which are illustrated and described fully on pages 36 and 37.

Shipping Points

All items on this page are shipped from our own building material factory in Newark, N. J.

Shipping Weights

All items of "windows only" shown on this page and page 17 are actual weights to enable you to order the casing sash weights in the event you do not order complete window sets. If you order "windows only," figure 15 lbs. crating to the average bundle. Windows are crated as many as 6 to a bundle.

6-Light Design



63 PM 7102K


TOP DIVIDED

6-Light Design "Check Rail" Windows

This is a very modern design window which harmonizes with any style of architecture. Especially popular for "Modern Colonial Type" Homes. Glazed with clear glass.

3-Light Design

See description above. Sears guarantee quality, satisfaction and saving.



63 PM 7102K

\$169

And Up (Window Only)

63 PM 7172K

\$157

And Up (Window Only)

63 PM 7172K

TOP DIVIDED

3-Light Design "Check Rail" Windows

This particular design makes a fine design for bungalows. Also there are no cross bars, so it is easy to wash. It is suitable for practically any style of house.

Size of Window 1½ in. Thick		GLAZED WINDOW ONLY				COMPLETE WINDOW SET			
		2-Lt. Design Window Only	Top Divided 6-Lt. Design Window Only	Top Divided 3-Lt. Design Window Only	Act. Wt. of Window Only Lbs.	Including-Window-Frame-Inside Trim-Hardware-Weights and Cord	With 2-Lt. Design Window	Top Divided 6-Lt. Design Window	Top Divided 3-Lt. Design Window
Width	Height								
Ft. In.	Ft. In.								
1 4	3 10	\$1.05			11	\$4.65			78
1 4	4 6	1.21			13	4.93			80
1 4	5 2	1.32			13	5.30			82
1 6	3 2	1.05			10	4.47			78
1 6	3 10	1.15			12	4.73			80
1 6	4 6	1.29			13	5.01			83
1 6	5 2	1.51			16	5.57			86
1 8	3 10	1.26			12	4.92			82
1 8	4 6	1.42			14	5.15			84
1 10	3 10	1.32			13	5.02			83
1 10	4 6	1.54			16	5.66			86
1 10	5 2	1.69			18	5.88			89
2 0	3 10	1.38	\$1.69	\$1.57	15	\$5.54	\$5.24	\$5.42	84
2 0	4 6	1.53	1.84	1.72	16	5.80	5.49	5.68	86
2 0	5 2	1.62	1.95	1.81	17	6.15	5.78	5.97	88
2 2	3 10	1.54	1.84	1.72	19	6.15	5.80	6.00	92
2 2	4 6	1.62	1.95	1.81	21	6.28	5.93	6.16	94
2 2	5 2	1.86	2.19	2.04	22	6.32	6.05	6.28	96
2 4	3 10	1.50			16	5.38			84
2 4	4 6	1.65			18	5.85			86
2 4	5 2	1.83	1.95	1.83	19	6.03			90
2 6	3 10	1.73			20	6.03	6.15	6.03	92
2 6	4 6	1.88			21	6.26			94
2 6	5 2	2.03			22	6.46			96
3 4	2 10	1.27			13	4.84			82
3 4	3 2	1.28			14	5.05			87
Size of Window 1½ in. Thick		GLAZED WINDOW ONLY				COMPLETE WINDOW SET			
		2-Lt. Design Window Only	Top Divided 6-Lt. Design Window Only	Top Divided 3-Lt. Design Window Only	Act. Wt. of Window Only Lbs.	Including-Window-Frame-Inside Trim-Hardware-Weights and Cord	With 2-Lt. Design Window	Top Divided 6-Lt. Design Window	Top Divided 3-Lt. Design Window
Width	Height								
Ft. In.	Ft. In.								
2 4	3 10	\$1.50	\$1.81	\$1.69	17	\$5.59	\$5.29	\$5.48	92
2 4	4 6	1.65	2.00	1.89	19	5.89	5.59	5.78	96
2 4	5 2	1.71	2.00	1.91	20	5.94	5.64	5.83	98
2 4	6 2	1.73	2.03	1.91	21	6.22	5.92	6.10	100
2 4	6 8	1.84	2.13	2.02	23	6.45	6.15	6.33	102
2 4	7 2	1.93	2.22	2.11	25	6.70	6.40	6.58	104
2 4	8 0	2.27	2.57	2.46	26	7.02	6.72	6.90	106
2 6	4 6	1.76	2.06	1.94	21	6.20	5.90	6.08	100
2 6	5 2	1.84	2.13	2.02	23	6.40	6.10	6.28	102
2 6	6 2	2.02	2.30	2.18	24	6.69	6.39	6.57	104
2 6	7 2	2.19	2.46	2.34	26	6.95	6.65	6.83	108
2 8	2 10	1.60			14	5.65			86
2 8	3 2	1.61			16	5.65			90
2 8	4 6	1.80	2.18	2.07	23	6.49	6.19	6.37	102
2 8	5 2	1.92	2.30	2.18	24	6.69	6.39	6.57	106
2 8	6 2	2.02	2.40	2.28	28	6.90	6.60	6.78	110
2 8	7 2	2.19	2.46	2.34	30	7.09	6.79	6.97	114
2 8	8 0	2.64			31	7.64			116
2 10	4 6	1.98	2.26	2.14	27	6.69	6.39	6.57	118
2 10	5 2	2.09	2.46	2.34	29	6.97	6.67	6.85	122
2 10	6 2	2.29	2.74	2.62	32	7.49	7.19	7.37	126
2 10	7 2	2.49			34	7.84			130
3 0	5 6	2.75			34	7.75			136
3 4	4 6	2.72			34	7.68			137
3 4	5 2	2.92			35	7.99			140

SIMPLIFY ORDERING

25% IN PRICE!

You save by ordering windows from Sears and your saving is even greater by ordering complete Window Sets. No sorting or hunting for various parts. Every bundle plainly marked. Only the simplest cutting and fitting is left for you. Here are a few of the savings you make by ordering complete Window Sets.

- 1—Time and trouble in ordering separate parts.
- 2—Errors in quantity of materials.
- 3—Waste in cutting material.
- 4—Several hours' work for each opening.

Reduce your carpenter bill and get a better job. Every piece of trim is cut to an approximate size. No waste, no loss, no shortage.

Glazed "Double Hung" Windows

Why worry along with an old, rotted, warped or rattling window? Sears make the price of a new "extra well made" dependable window cost less than the bother and annoyance of an ancient makeshift. Ideal for new installation, too, of course.

Windows render two important services—admit light and provide ventilation. Design is another important feature. Here are designs or styles that due

to years of experience in meeting home builders' needs, have proved to be in most popular demand.

Economy in windows also should be given utmost consideration. Sears being the world's largest building material dealers, guarantee you windows, of the highest quality at low prices. These are really values. Big savings, satisfaction and safe delivery guaranteed. When ordering, be sure to give width first.


4, 8 and 12-Light Design Windows



63 PM 7176K
\$139
And Up



63 PM 7180K
\$148
And Up



63 PM 7178K
\$118
And Up

4-Light Design Window

63 PM 7189K and 63 PM 7176K—4-light design windows are used wherever inexpensive but well made windows are wanted. Depended upon for durability. For prices see table below.

8-Light Design Window

63 PM 7192K and 63 PM 7178K—8-light design windows are in excellent tall narrow proportion, especially desirable for grouping. Give an effect similar to casements. Often used as side units. Safe delivery guaranteed. For prices see table below.

12-Light Design Window

63 PM 7195K and 63 PM 7180K—12-light design windows appeal due to their small panes, giving a smart effect. Small lights carry out the other lines of the building. Very popular, especially for Colonial work. For prices see table below.



Inside View of Complete Window Set No. 63 PM 1210 K

Two-light design "Check Rail" windows, because of their general use, are in the most popular demand.

Price of each complete Window Set includes Window, Window Frame, Inside Trim, Sash Weights, Sash Cord, Locks and Lifts, and Screws.

Price of window only includes glazed top and bottom sash plowed and bored for sash cord but no outside frame, inside trim, hardware, weights, cord, or screws.


Cast Iron Sash Weights



A window requires 4 weights, each ¼ the weight of the entire window. Standard diameter and length from 3 to 8½ lbs. by half lbs. and from 9 to 26 lbs. by lbs. Shipped from factory in New Jersey, Maryland, New York or Massachusetts. State weight in pounds.

63 PM 7200K—Per Lb. 2¼¢

"Check Rail" Windows



NOTE—"Check Rail Type"
Windows are distinguished by the check rail feature in the meeting rail where the upper and lower sash come together (see cross section detail at left). The sash have extended beveled meeting rails, making a tighter joint. Stops rattle and prevents penetration. Makes them rain, snow, wind and dust-proof. Check Rail Windows are 1½ in. thick.

"Plain Rail" Windows



"Plain Rail Type" Windows have no projection where the upper and lower sash meet. The meeting rail at the point where the upper and lower sash come together is plain. See cross section detail at right. No sash weights required. Use spring bolts listed on page 37. Plain Rail Windows are 1½ in. thick. Where economy or plain utility is wanted, use a plain rail window. Well made—by skilled workmen.

Plain Rail Windows are not plowed nor bored for sash cord.

BIG SAVINGS ON 4-LIGHT CHECK RAIL WINDOWS

Size of Window 1½ in. Thick				Window Only		Complete Window Sets	
Width		Height		Glazed Clear Glass	Actual Wt. of Window Only Lbs.	Including Window—Frame Trim—Hardware Weights and Cord	Shpg. Wt. Lbs.
Ft.	In.	Ft.	In.	63 PM 7189K	63 PM 1228K	63 PM 1228K	
2	1	3	10	\$1.49	16	\$5.37	84
2	1	4	6	1.53	17	5.55	86
2	1	4	6	1.59	18	5.65	90
2	1	5	2	1.77	20	6.13	92
2	5	3	10	1.50	18	5.51	86
2	5	4	2	1.68	19	5.80	87
2	5	4	6	1.69	20	5.88	90
2	5	4	6	1.80	21	6.23	91
2	5	5	2	1.87	22	6.37	92
2	5	5	6	2.21	24	6.81	96
2	9	3	10	1.79	20	6.10	92
2	9	4	2	1.94	22	6.37	93
2	9	4	6	1.95	23	6.43	94
2	9	4	10	2.02	24	6.62	95
2	9	5	2	2.26	25	6.94	96
2	9	5	6	2.43	27	7.23	100
2	11	4	6	2.58	29	7.59	104
2	11	4	6	2.12	24	6.69	96

12-LIGHT CHECK RAIL WINDOWS

Size of Check Rail Window 1½ in. Thick				Window Only		Complete Window Sets	
Width		Height		Glazed Clear Glass	Act. Wt. of Window Only Lbs.	Including Window—Frame Trim—Hardware Weights & Cord	Shpg. Wt. Lbs.
Ft.	In.	Ft.	In.	63 PM 7195K	63 PM 1236K	63 PM 1236K	
2	4½	3	10	\$1.64	19	\$5.70	92
2	4½	4	6	1.83	20	6.02	96
2	7½	4	6	1.94	22	6.38	102
2	7½	5	2	2.19	24	6.81	108
2	10½	4	6	2.02	23	6.59	116
2	10½	5	2	2.23	26	6.99	122
2	10½	5	10	2.72	29	7.77	134

8-LIGHT CHECK RAIL WINDOWS

Size of Check Rail Window 1½ in. Thick				Window Only		Complete Window Sets	
Width		Height		Glazed Clear Glass	Act. Wt. of Window Only Lbs.	Including Window—Frame Trim—Hardware Weights & Cord	Shpg. Wt. Lbs.
Ft.	In.	Ft.	In.	63 PM 7192K	63 PM 1229K	63 PM 1229K	
1	11	4	6	\$1.58	17	\$5.55	88
2	1	4	6	1.59	18	5.65	90
2	1	5	2	1.80	19	6.16	94
2	5	5	2	1.98	23	6.52	104
2	5	5	10	2.30	24	7.04	112

4-LT. PLAIN RAIL WINDOWS

Size of Plain Rail Window 1½ in. Thick				Window Only		Complete Window Sets	
Width		Height		Glazed Clear Glass	Act. Wt. of Window Only Lbs.	Including Window—Frame Trim—Hardware Weights & Cord	Shpg. Wt. Lbs.
Ft.	In.	Ft.	In.	63 PM 7176K	63 PM 1210K	63 PM 1210K	
2	4	3	10	\$1.39	16	\$4.96	84
2	4	4	6	1.57	18	5.38	90

8-LT. PLAIN RAIL WINDOWS

Size of Plain Rail Window 1½ in. Thick				Window Only		Complete Window Sets	
Width		Height		Glazed Clear Glass	Act. Wt. of Window Only Lbs.	Including Window—Frame Trim—Hardware Weights & Cord	Shpg. Wt. Lbs.
Ft.	In.	Ft.	In.	63 PM 7178K	63 PM 1218K	63 PM 1218K	
1	8½	3	10	\$1.18	15	\$4.48	80
1	10½	4	6	1.36	19	5.12	90
2	0½	4	6	1.43	20	5.28	92
2	4½	5	2	1.84	24	6.52	104

12-LT. PLAIN RAIL WINDOWS

Size of Plain Rail Window 1½ in. Thick				Window Only		Complete Window Sets	
Width		Height		Glazed Clear Glass	Act. Wt. of Window Only Lbs.	Including Window—Frame Trim—Hardware Weights & Cord	Shpg. Wt. Lbs.
Ft.	In.	Ft.	In.	63 PM 7180K	63 PM 1210K	63 PM 1210K	
2	4	3	10	\$1.48	17	\$5.08	84
2	7	4	6	1.75	20	5.92	94
2	7	5	2	2.08	21	6.72	96
2	10	4	6	1.83	27	6.28	112

GLAZED BARN AND CASEMENT SASH

First Quality—Fine Construction—Wide Assortment—Rock Bottom Prices

Here is a complete line of quality glazed sash, including Barn Sash, Casement Sash and French Windows. Our large stocks enable us to give you "stock" prices on many sash, thus avoiding the cost of making sash to order.

Ideal for many miscellaneous uses, such as Houses, Barns, Garages, Milk and Poultry Houses, stair landings, attics, at the side of fire-places, etc.

SPECIFICATIONS:—They are carefully constructed, in the same way, of the same high quality material as our Glazed Windows listed on pages 16 and 17.

All sash are made of First Quality **WESTERN (Pondosa) PINE**—1 1/8 or 1 3/8 inches thick—as listed. Expertly finished by modern methods. Smoothly sanded—unpainted. All mortise and tenon joints securely pinned. Glazed with Clear Window Glass. We use only the best grade putty and the glass is secured with plenty of sash "points."

SHIPPING POINTS:—All sash unless otherwise noted are shipped from our own factory in Port Newark, N. J.

SASH FRAMES:—Frames for these sash are illustrated and described fully on Page 20. If you order "swing-in" type frames with these sash, we will rabbet the sash where necessary, at the bottom rail for 20 cents extra per sash. If you do not order frames, but want to have the sash bottom rails rabbeted swing in to fit the frame you have, add 20 cents for each such rabbet and mark your order "Bot. Rail Rabbeted to Swing In." Sash which swing out do not usually need to be rabbeted. If you want to order sash and frames together and are uncertain as to what size to choose see "Directions for Ordering Frames" on Page 20.

HARDWARE Barn Sash, Basement Sash, and French Window Hardware Illustrated and Fully Described on Pages 36 and 37.




Four-Light Barn or Casement Sash

Our most popular sash. Fills a wide range of needs. For houses, barns, garages, sheds and many other buildings.

Four-Light Barn or Casement Sash

Size of Sash				1½ In. Thick 63 PM 7261K	1¾ In. Thick 63PM5082K	Shpg. Wt.
Width		Height				
Ft.	In.	Ft.	In.			
1	8	2	1	63c	69c	10
1	10	2	5	72c	81c	12
1	10	2	9	79c	91c	14
2	0	2	5	75c	82c	15
2	0	2	9	82c	91c	16

Can also be furnished in many other sizes. Send list for price.



Six-Light Barn or Casement Sash

A sash that is very popular for homes and garages. Also makes an ideal attic or cellar sash where plenty of light is needed. Strong and sturdy, 1 1/8 or 1 3/8 inches thick. Not a makeshift despite our bargain price made possible by heavy sales of this type.

Six-Light Barn or Casement Sash							
Size of Sash			1 1/8 In. Thick		1 3/8 In. Thick		Shpg. Wt., Lbs.
Width		Height	63PM		63PM		
Ft.	In.	Ft.	In.	5054K	5076K		
2	4	2	1	\$0.82	\$0.92	12	
2	7	2	5	1.08	1.08	14	
2	10	2	5	1.00	1.09	15	
2	10	2	9	1.20	1.29	16	
2	10	3	1	1.40	1.51	18	


Write for price on other sizes.



One-Light Sash

A fine sash for use in houses having 2-light windows. Also for barns, stalls, etc. Quality at a low price.


Size of Sash				low price.		Shpg Wt., Lbs.
Width		Height		1 1/8 in. thick 63 PM 7256K		
Ft.	In.	Ft.	In.			
1	0	1	3	46c		5
1	4	1	9	55c		10
1 1/8 in. thick 63 PM 7211K						
1	8	2	1	\$0.63		11
1	8	2	5	.70		12
1	10	2	1	.70		13
1	10	2	5	.78		14
2	0	2	1	.71		13
2	0	2	5	.78		14
2	4	2	1	.87		17
2	4	2	5	.87		17
2	4	2	9	.98		19
2	4	2	11	1.05		20



Glazed Cupboard or China Closet Sash

Used as doors in upper section of kitchen dressers or china closet. Made of First Quality Fir, 1 1/8 inches thick, in sizes listed below. Glazed with good quality clear glass. FOR HARDWARE SEE PAGES 36 and 37. 1 1/2 in. thick Sash require 2 1/2-in. Butts.

Shipped from factory in Port Newark, N. J.

				Glazed 1-Light Clear Glass	
SIZE					
Width		Height		63PM9995K	Shpg. Weight Pounds
Ft.	In.	Ft.	In.		
1	6	4	0	\$1.55	25
1	8	4	0	1.68	28



Nine-Light Barn or Casement Sash

A sash that is used often in dormers, in attics, or as a casement sash over stair landings. Low enough in price for any building use.

Look around now before you start your job. You are sure to find at least one place where this nine-light sash will serve your purpose better.


Nine-Light Barn or Casement Sash					
Width		Size of Sash Height		1½ In. Thick 63 PM 5081K	Shipping Weight
Ft.	In.	Ft.	In.		
2	7	3	5	\$1.46	24

Six-Light Barn or Casement Sash


One of our most popular sashes. Commonly used as a casement sash.

The six-light type combines plenty of light and strength with the economy of a narrow casement and smaller units for glass replacement. Two or three of these properly placed make a big difference. There's a real difference in cost too—if you buy at Sears.

Six-Light Barn or Casement Sash



63 PM 5080K
1 1/8-In. Thick



Eight-Light Casement Sash

Why be satisfied with plain ordinary windows when these for a very slight addition in cost add so much to the appearance both inside and out? Replacement of broken panes usually costs much less too, since only a square or two will be all that requires attention. Compare with plain casements similarly priced.

This style casement sash in pairs is very popular as it harmonizes with any style double hung window.

French Windows



63 PM 7015K No. 63 PM 7015K windows in size 2 ft. 10 in. x 3 ft. 4 in. are made 3 light high—6 lights to each sash—12 lights to the pair. Sizes are per pair. Other sizes are known as a favorite because of their decidedly different arrangement of the panes. Long gracefully slender glass unobstructed by cross bars, except for decoration at top and bottom.

These French windows are known for their divided different arrangement of the panes. Long gracefully slender glass unobstructed by cross bars, except for decoration at top and bottom.						
Size per pair		Height		1 1/8 in. Thick		Shpg. Wt. Per Pair
Width				63 PM 7015K Per Pair	63 PM 7016K Per Pair	
Ft.	In.	Ft.	In.			
2	10	3	4	\$2.75		30
2	10	4	10	3.75	\$4.35	34
2	10	5	2	4.00	4.40	36
2	10	5	6	4.20	4.60	37
3	8	5	2	4.80	4.80	48

Size of Sash				1½ In. Thick 63 PM 5080K	Shipping Wt.
Width		Height			
Ft.	In.	Ft.	In.		
1	8	2	5	\$1.08	13
1	8	3	5	1.09	17
1	8	3	11	1.39	19
1	10	3	5	1.22	21

This sash is fine used in sets of 2-3 or 4 for a kitchen window over a sink or work table.

Ten and Twelve-Light Casement Sash



63 PM 7017K

A casement sash that is often called a "p" still gives plenty of light, being extra wide.

Size of Sash 1 1/8 in. Thick				Ten and Twelve-Light Casement Sash 63 PM 7017	
Width		Height		10-Light Sash	12-Light Sash
Ft.	In.	Ft.	In.		
2	4	2	1
2	8	2	1
3	8	2	1	\$1.85
4	2	2	3	\$2.25


Be sure to state size.

Be sure to state size.

Eight-Light Casement Sash

Size of Sash				1½ In. Thick 63 PM 7018 K	Shpg. Weight
Width		Height			
Ft.	In.	Ft.	In.		
1	8¼	3	9¾	\$1.37	17
1	10¼	4	5¾	1.54	19

Three, Five and Six-Light Casement Sash



63 PM 7009K

Three, Five and Six-Light Casement Sash 63 PM 7009K				Shpg. Wt.
3-Light Sash	5-Light Sash	6-Light Sash		
\$1.09	14	
1.25	15	
.....	\$1.59	21	
.....	\$1.95	23	

Sears CUT BUILDING COSTS!

Hotbed Sash, Cellar Sash, Porch Sash, Glass and Steel Sash Priced Lower

SPECIFICATIONS: The same high quality materials as described under specifications on opposite page

Here are shown some of our most popular numbers—of sash, hotbed sash, porch sash, glass, putty and cellar sash—all of the best quality at a money-saving price in all cases. The fine assortment of sizes in itself saves you money—by enabling almost everyone

to find here the size he needs at a price he can afford. Buy now—and make the extra saving of buying before prices go higher. Sears guarantee of quality gives you an assurance of certain saving and satisfaction.



4 Row Design, Each Row 7 inches wide
63 PM 7271K

Fine Quality HOT BED SASH At a Saving

Specifications: All hotbed sash are made of mixed woods—Genuine Pondosa Pine and Cypress and are furnished either "open" (without glass or putty) or glazed (with glass set securely in and puttied). We can also furnish the three row or four row, whichever you prefer, and in addition you will find listed both the standard 1 3/8 inches thick sash or the extra heavy 1 3/4

The "four row" design

Illustrated at left


is popular with many people because it's a little more rigid. Has a hardwood "Non-sag" cross bar to prevent sagging.

All 4 Row sash shipped from our own factory in Port Newark, N. J. Open Sash, 16 lbs., Glazed Sash, 35 lbs.

Prices below are for 1 single sash, when ordered in lots of 5 or more; if ordered in lots of less than 5, add 50c to your order for extra packing charges. Example: If you order 2-sash 63 PM 9048K 1 3/8 inches thick—allow a total of \$3.50.

"FOUR ROW" design. Size 3 ft. wide by 6 ft. long

LOTS OF 5 OR MORE	Open Without Glass		Glazed With Quality Glass	
	1 1/8 in. Thick	1 3/4 in. Thick	1 1/8 in. Thick	1 3/4 in. Thick
Each Sash	\$1.99	\$2.79	\$3.89	\$4.65



Average weight,

inches thick sash—made strong and rigid of high quality Pine or Cypress, woods that resist decay. All sash are 3 feet wide and 6 feet long. If you need very large quantities, write for our special quotation, and state quantity wanted and we will quote you our price delivered to your freight station.

The "three row" design

Illustrated at right

hotbed sash is the more popular because it is lower in price and is generally considered standard. Has the same quality construction as 4 Row, and has the rigid hardwood "non-sag" cross bar.

All 3 Row Hotbed Sash shipped from our own factory in Port Newark, N. J. Average weight, Open Sash, 16 lbs., Glazed Sash, 35 lbs.


"THREE ROW" design. Size 3 ft. wide by 6 ft. long

LOTS OF 5 OR MORE	Open Without Glass		Glazed With Quality Glass	
	1 1/8 in. Thick	1 3/4 in. Thick	1 1/8 in. Thick	1 3/4 in. Thick
Each Sash	\$1.89	\$2.65	\$3.35	\$4.08



3 Row Design, each Row 10 inches wide
63 PM 7270K

Three-Light Cellar Sash




"Three-light" style cellar sash. Made of First Quality Western (Pondosa) Pine—1 1/8 in. thick. Glazed with clear glass and good quality putty. All sizes shipped from factory in Port Newark, N. J.

63 PM 7245K—THREE-LIGHT CELLAR SASH

Size of Sash				1½ in. thick. 63 PM 7245K	Shpg. Wt. Lbs.
Width		Height			
Ft.	In.	Ft.	In.		
2	4	1	3	60c	10
2	7	1	5	69c	13
2	7	1	7	75c	14
2	10	1	5	70c	15
2	10	1	7	76c	16
2	10	1	9	83c	17

Two-Light Cellar Sash



Good quality "two-light" cellar sash. Glazed with clear glass—shipped from factory in Port Newark, N. J. State size.

63 PM 7241K—TWO-LIGHT CELLAR SASH


Size of Sash				1½ in. thick 63 PM 7241K	Shpg. Wt., Lbs.
Width		Height			
Ft.	In.	Ft.	In.		
2	1	1	5	61c	8
2	1	1	7	66c	9
2	1	1	9	73c	11
2	1	1	11	81c	13
2	5	1	7	72c	10
2	5	1	9	75c	12
2	5	1	11	82c	13
2	5	2	5	94c	15
2	9	1	9	82c	12
2	9	1	11	89c	14
2	9	2	1	94c	15

SEARS GUARANTEE:

1. Quality 2. Satisfaction 3. Savings

Hot Bed or Greenhouse Glass

You will make a big saving at our prices listed at right and get extra good quality. Order now. We ship glass from our own factory in Port Newark, N. J. State size. For other sizes or kinds of glass send list for prices.



A Heavy Rolled Steel Coal Chute For Long Service AT ONLY \$3.95

A well made coal chute. Built of rolled steel sections and plates. Highest quality workmanship throughout. All working parts are Parkerized for rust proof, life long service. All hinges and joints are electrically arc welded, for added strength. Wall opening size 22 in. x 16 in. Chute proper extends into wall 8 in. Shipping wt., 32 lbs. Shipped from our mail order house only.

63 P.9235 K.....\$3.95



Five-Light Porch Sash

It's surprising how an old, unattractive open porch can be transformed into a sunny cheerful "living-porch" or sun porch. You can make an otherwise useless porch into a room that can be used as a playroom, sleeping room or reading room, at a very low cost by using a frame of studs and covering with plywood, using these porch sash for light and ventilation. The average porch requires only from 5 to 8 or less to give plenty of light and ventilation.

63 PM 7299 K—5-Light Porch Sash. First Quality Western Pondosa Pine with clear glass. Shipped from our own factory in Newark, N. J.

Width of Sash		Height of Sash		1 1/8 in. thick, 63 PM 7299K	Shipping Weight
Ft.	In.	Ft.	In.		
1	8 1/2	4	5 1/2	\$1.45	23 lbs.
1	10 1/2	4	5 1/2	\$1.64	24 lbs.
2	0 1/2	4	5 1/2	\$1.64	25 lbs.
2	2 1/2	4	5 1/2	\$1.76	26 lbs.
2	4 1/2	4	5 1/2	\$1.81	27 lbs.

Single Strength "B" Grade Hot Bed or Greenhouse Glass.

Size of Glass	No. of Lights Per Box	Per Box (Wt. 50 lbs.)
7x9 in.	114	\$2.15
8x10 in.	90	2.18
9x12 in.	67	2.22
10x14 in.	51	2.25
16x18 in.	25	2.35
16x24 in.	19	2.39

Steel Basement Windows



Steel Basement Windows and frames are practically everlasting. You can insure neat appearing basement windows by ordering these steel windows and the price is practically the same as a wooden window. More Light Areal More Strength! More Economy! Nothing to do but put them in place and

glaze them. The prices of sash are without glass and without putty.

For putty we recommend you order only standard black steel sash putty listed below. One pound will usually glaze around 100 inches of glass. "Wood sash" putty is not recommended for use on steel sash.

For Glass see prices below. All steel sash, putty and glass for steel sash shipped from our Mail Order House only.

Steel Sash—63 PM 9675 K—(without glass or putty). Made in "2 light" or "3 light" style. "3 light" style Illustrated.

Approximate Overall Size				Style	Takes Glass Size	Wt. Lbs.	63PM9675K Without Glass or Putty
Width		Height					
Ft.	In.	Ft.	In.				
2	7	1	10½	2-Light	14x20	23	\$1.98
2	9	1	2½	3-Light	10x12	21	2.10
2	9	1	10½	3-Light	10x20	25	2.20
3	3	1	8½	3-Light	12x18	27	2.25

Glass and Putty Black Steel Sash Putty

63 PM 1147K

5-lb. cans, per can.....\$0.48
12 1/2-lb. cans, per can......95
25-lb. cans, per can.....1.75
Not sold in less than 5-lb. lots.
Shipped from our store.

Glass for Steel Sash


Size	63 PM 775K Price per Box Full Boxes	Number of Lights in Box	Price per Light in Lots of 20 Lights or More See Note*
10x12	\$2.29	60	8c*
10x20	2.45	36	13c*
12x18	2.50	33	14c*

*If you order less than 20 lights of glass, add 25 cents to order for extra cost of packing less than full boxes. Thus 3 lights only of 10x12 would cost 49 cents.

Shipping Weights: Glass averages 50 lbs. to the box.
Glass shipped from our mail order house or factory in Newark, N. J.

Plain Drip Cap WINDOW Frames and SASH Frames

NEW SEARS SAVINGS ON HOME IMPROVEMENTS



How to Order

Sizes of openings shown are the standard outside measurement of the window and inside measurement of the frame. The rough opening in the wall, 2x4 stud openings should be made 6 in. wider and 5 in. higher than the opening size of the window.

DRIP CAP design window frames for frame building (2x4 stud wall with wood siding or shingles) construction. Jambs, 5 1/4 inches over all. Outside casings, 1 1/2 inches thick.

Window frames join windows, screen, storm sash and blinds into the walls of the house. Without a good weather-proof frame, no window can be entirely weatherproof from wind and moisture.

Our frames are made from First Quality Louisiana Cypress outside casings, moldings and sills. Jambs are First Quality Fir. Hence the reason for their increasingly popular demand. All members or parts are accurately milled to fit perfectly. No trimming or re-fitting is necessary, assuring smooth running, snug fitting windows.

Frames are shipped knocked down with all members so nested in one compact bundle, that each member is protected from injury in shipping and handling. Each bundle is plainly marked for size. Easily assembled. Only a hammer and a few nails required. Far superior to hand made frames and more economical.

Specifications

High grade drip cap design window frames with 1 1/4 in. thick outside casings. First Quality Cypress outside casings measure 1 1/2 in. by 4 1/4 in. Jambs, 3/4 x 5 1/4 in. wide (overall) including parting and blind stops and sash weight pocket already cut. Sill, 1 1/2 x 7 1/4 in. Drip cap, 1 1/2 x 1 in. Pulleys that won't stick or rust and are trouble-proof, are included and set in place. When ordering frames, be sure to give width size first.

Shipping Points

All frames on this page shipped promptly from our own factory in Port Newark, N. J.

Multiple Frames

Double or twin and triple window frames can be furnished. Carried in stock to fit the same window sizes shown for single window frames. When ordering double or twin window frames, allow twice the price of single window frames of the same window size, plus 20 cents extra. Allow three times the price for triple window frames, plus 55 cents extra. For "quad" frames add 65 cents to 4 times the price of a single.

Window Frames—For 2-Light Check Rail Windows

To Fit Window Size		63PM9944K		Wt., Lbs.
		Width	Height	
Ft.	In.	Ft.	In.	
1	4	3	10	24
1	4	4	6	27
1	6	3	10	25
1	6	4	6	27
1	8	3	10	26
1	8	4	6	28
1	10	3	10	26
1	10	4	6	29
2	0	3	10	28
2	0	4	2	29
2	0	4	6	30
2	0	4	10	31
2	0	5	2	33
2	0	5	6	34
2	2	3	10	29
2	2	4	2	30
2	2	4	6	31
2	2	4	10	32
2	2	5	2	35
2	2	5	6	36
2	4	2	10	27
2	4	3	2	28
2	4	3	10	30
2	4	4	2	31
2	4	4	6	32
2	4	4	10	33
2	4	5	2	36
2	4	5	6	37
2	6	4	6	32
2	6	4	10	34
2	6	5	2	36
2	6	5	6	37
2	8	2	10	28
2	8	3	2	29
2	8	4	6	33
2	8	4	10	35
2	8	5	2	37
2	8	5	6	38
2	8	5	10	39
2	10	4	6	34
2	10	4	10	37
2	10	5	2	38
2	10	5	6	39
2	10	5	10	40
3	0	5	6	40

Window Frames for 4 and 8 Light Check Rail Windows

To Fit Window Size		63PM9944K		Wt., Lbs.
		Width	Height	
Ft.	In.	Ft.	In.	
1	11	4	6	27
2	1	3	10	26
2	1	4	2	27
2	1	4	6	28
2	1	5	2	30
2	5	3	10	28
2	5	4	2	29
2	5	4	6	30
2	5	4	10	31
2	5	5	2	32
2	5	5	6	33
2	5	5	10	34
2	9	3	10	28
2	9	4	2	29
2	9	4	6	30
2	9	4	10	31
2	9	5	2	32
2	9	5	6	33
2	9	5	10	34
2	11	4	6	31

Window Frames for 12 Light Check Rail Windows

To Fit Window Size		63PM9944K		Wt., Lbs.
		Width	Height	
Ft.	In.	Ft.	In.	
2	4 1/2	3	10	28
2	4 1/2	4	6	30
2	7 1/2	4	6	31
2	7 1/2	5	2	32
2	10 1/2	4	6	31
2	10 1/2	5	2	33
2	10 1/2	5	10	35

Barn Sash Frames

63 PM 65K—Not Illustrated. In general similar in appearance to illustration below—but drip cap not included—These frames are for barns, garages, small out-

buildings, etc., not plastered or lined inside—The outside casings are 3/4 x 3 1/2 inches—Jambs are 3/4 x 4 1/2 inches—Sill is 1 1/2 x 6 1/4 inches. No blind stops—but we include a double set of sash stops 3/4 x 1 1/2 inches so sash can be set stationary or to swing in or out. All good grade Fir. Shipped unassembled. Average shipping weight, 20 lbs. Shipped from our own factory in Port Newark, N. J.

Casement Sash Frames

The frame shown is for use in homes, or buildings lathed and plastered inside. Fits casement sash on page 18. Made with First Quality Cypress outside casings, 1 1/2 in. thick, and Fir jambs 1 1/2 x 5 1/4 in. Heavy Cypress Sill. Cypress Drip Cap as shown. Each piece cut to exact size. Rabbeted to receive 1 3/8-inch sash. When ordering, be sure to show number and state whether you want frame for "swing-in" or "swing-out" sash.

63 PM 6315K—Takes sash to Swing Out.

63 PM 6316K—Takes sash to Swing in.


Priced per frame, knocked down and bundled. Order by Catalog No. Average shipping weight, 25 lbs.

For Sash Size				Casement Sash Frame		BARN SASH FRAME
Width		Height		63 PM 6316K	63 PM 6315K	
Ft.	In.	Ft.	In.			63 PM 65K
1	8	2	1	\$1.44		\$1.19
1	8	2	5	1.54		1.29
1	8	3	11	1.94		1.60
1	8	3	9	2.15		1.75
1	8 1/2	2	9 1/2	2.15		
1	10	2	1	1.48		1.25
1	10	2	5	1.58		1.35
1	10	2	9	1.68		1.45
1	10	3	5	1.98		
1	10 1/4	4	5 1/4	2.51		
2	0	2	1	1.55		1.29
2	0	2	5	1.70		1.40
2	0	2	9	1.73		1.50
2	4	2	1	1.67		1.50
2	4	2	5	1.87		1.60
2	4	2	9	1.87		
2	4	2	11	1.92		
2	7	3	5	2.30		1.55
2	7	3	5	2.30		2.15
2	8	2	1	1.82		
2	10	2	4	1.94		
2	10	4	10	3.00		
2	10	5	2	3.13		
3	8	2	1	2.12		
3	8	2	5	2.28		
3	8	2	9	2.35		

NOTE—For twin frames multiply price by 2 and add 20c. For triple multiply by 3 and add 55c; for "quads" multiply by 4 and add 85c.

Cellar Sash Frames

for Stone, Cement or Brick Walls



Section of Cellar Sash Frame for Concrete Block, Stone, Concrete or Solid Brick Wall.


Our Plank Style Cellar Sash Frames are made with a 1 1/2 x 5/4-inch First Quality Fir jamb, 1 1/2 x 2-in. Cypress brick mold and heavy sill. Perfectly machined, ready to nail up. Easily put together. Average weight about 16 pounds each. Shipped from factory in Newark, N. J.

NOTE—Be sure to give width and height and thickness of sash, that you want these frames to fit.

Size of Sash		Height		Price 63PM7894K
		Width	Height	
Ft.	In.	Ft.	In.	
2	1	1	5	74c
2	1	1	7	77c
2	1	1	9	79c
2	1	1	11	82c
2	4	1	3	74c
2	5	1	7	81c
2	5	1	9	84c
2	5	1	11	87c
2	5	2	5	95c
2	7	1	5	81c
2	7	1	7	84c
2	9	1	9	89c
2	9	1	11	92c
2	9	2	1	95c
2	10	1	5	84c
2	10	1	7	86c
2	10	1	9	89c

A Complete Line of QUALITY DOOR FRAMES

OFFERED AT GREATLY REDUCED PRICES



\$2⁹⁸
And Up

DRIP cap design door frames for frame building (2x4 stud wall with wood siding or shingles) construction. Jambs, 5 $\frac{1}{4}$ inches over all. Casings, 1 $\frac{1}{2}$ inches thick.

Door frames join doors, into the walls of the house. Without a good weatherproof frame, no door can be entirely weatherproof from wind and moisture.

Our frames are made with First Quality Louisiana Cypress outside casings and moldings. Hence the reason for their increasingly popular demand. All members or parts are accurately milled to fit perfectly. No trimming or refitting is necessary, assuring smooth running, snug fitting doors.

Frames are shipped knocked down with all members so nested in one compact bundle, that each member is protected from injury in shipping and handling. Each bundle is plainly marked for size. Easily assembled. Only a hammer and a few nails required. Far superior to hand made frames and more economical.

DOOR FRAME BARGAINS

High grade drip cap design door frames with 1 $\frac{1}{2}$ inch thick outside casings of the finest quality Louisiana Cypress. The outside casings measure 1 $\frac{1}{2}$ x4 $\frac{1}{4}$ inches. Jambs 1 $\frac{3}{8}$ x5 $\frac{1}{4}$ inches, rabbeted for 1 $\frac{3}{8}$ -in. or 1 $\frac{3}{4}$ -inch thick doors. **Be sure to state the size and thickness of the door for which the frame is wanted.** Sill, 1 $\frac{1}{2}$ x7 $\frac{1}{4}$ inches. Drip cap, 1 $\frac{1}{2}$ x1 $\frac{1}{2}$ inches. Door frames are furnished with Oak or Fir sills. See price table at right. When ordering frames, be sure to give width first, and say whether for 1 $\frac{3}{8}$ inch or 1 $\frac{3}{4}$ inch thick door.

Sizes shown are the outside measurement of door and inside measurement of frame, 2x4 stud openings should be about 3 $\frac{1}{2}$ to 4 inches wider and about 5 inches higher than outside measurement of door. Thus if you want to use a door 2 ft. 8 inches wide by 6 ft. 8 inches high—prepare the rough opening about 3 feet wide and about 7 feet 1 inch high.

Prices of Drip Cap Door Frames

SIZE				With Oak Sill	With Fir Sill	Shpg. Wt., Lbs.
Width	Height			63 PM 9950K	63 PM 9949K	
Ft.	In.	Ft.	In.			
2	6	6	6	\$3.88	\$2.98	41
2	6	6	8	3.92	3.03	43
2	8	6	8	3.97	3.12	44
2	6	7	0	4.02	3.13	45
2	8	7	0	4.15	3.20	47
2	10	6	10	4.19	3.21	47
3	0	6	8	4.23	3.22	50
3	0	7	0	4.33	3.30	50
4	0	6	8	4.80	3.85	56
4	0	7	0	4.90	4.00	59
5	0	6	8	5.25	4.25	65
5	0	7	0	5.35	4.50	68

Stucco or Brick Veneer Frames

Frames for stucco or brick veneer, or solid brick walls can also be furnished. If wanted, send your list for price.



Circle Head Door Frames Reduced

Drip cap design. Constructed exactly the same way as our door frames listed above. These frames are to fit doors illustrated on page 10, which are 3 feet wide with true half circle head (18-inch Radius).

This frame adds a distinctive, massive, yet see how surprisingly low priced they are here. Well worth the little difference over the ordinary oblong style. Recommended particularly for the front or side entrance.

OUTSIDE CASING 1 $\frac{1}{8}$ INCHES THICK

Big Savings On Door and Sidelight Frames

Drip cap design. Made with Oak sills, 1 $\frac{1}{2}$ x7 $\frac{1}{4}$ in. Outside casings, 1 $\frac{1}{2}$ in. thick. Jambs rabbeted for 1 $\frac{3}{8}$ or 1 $\frac{3}{4}$ -inch thick doors and 1 $\frac{3}{8}$ -inch thick sidelights. **Be sure to state thickness of door and sidelights.** Detailed description is the same as door frame listed above.

Impressive from the outside, and almost necessary for a proper light in the large reception hall, the duplex and other apartment entrances. Suitable sidelights are found on Page 9; doors on Page 9. This small improvement will make a big difference!



Prices of Circle Head Frames

SIZE				With Oak Sill	With Fir Sill	Shpg. Wt., Lbs.
Width	Height			63PM9795K	63PM9796K	
Ft.	In.	Ft.	In.			
3	0	6	8	\$8.35	\$7.55	52
3	0	7	0	8.45	7.65	55

SHIPPING POINTS:

All items on this page shipped from our own factory at Port Newark, N. J.

Sears GUARANTEE:

1. QUALITY 2. SATISFACTION 3. SAVING

Sizes and Prices

Size of 2x4 Stud Open. for Frame				Size of Door				Size of Side-Light				63PM93K	Shpg. Wt. Lbs.
Width	Height			Width	Height			Width	Height				
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.		
5	4	7	1	3	0	6	8	0	11	6	8	\$6.95	75
5	4	7	5	3	0	7	0	0	11	7	0	7.10	90
5	6	7	1	2	8	6	8	1	2	6	8	7.25	80
5	10	7	5	3	0	7	0	1	2	7	0	7.40	100

IMPRESSIVE "COLONIAL" SHUTTERS AT LOW COST



Size of Openings				Wt., Lbs., per Pair	Colonial Shutters 63PM9939K Per Pair
Width		Height			
Ft.	In.	Ft.	In.		
2	4½	3	11½	14	\$3.75
2	4½	4	7½	16	4.05
2	4½	5	4	18	4.25
2	8	4	7½	19	4.15
2	8	4	11½	19	4.20
2	8	5	3½	21	4.35
2	8	5	7½	21	4.50
2	10½	4	7½	20	4.20
2	10½	5	3½	22	4.45
2	10½	5	7½	23	4.55

For Prices of intermediate size not shown, use price of the next larger size. We can also furnish slat blinds of any style. Send list for price.

Make your home distinctive too! How often have you made the comment "Those shutters certainly set that home off like a million dollars." Easily installed, easy to buy, at these prices. Why be without their beauty and convenience? The quality is right besides—being made of clear Fir.



Shutters

are made in two panel design and we can furnish either Crescent, Clover or Urn figure in top panel. **Be sure to state which is wanted.**



Shutters are made to your order. Allow about 10 days. Shutters Shipped from our own Factory in Port Newark, N. J.



3-Ply
Thick for
Strength

Save

— at Sears

Fir Plywood Wallboard Prices Cut

NOW
Less Than **4^c** Per
Square Foot

Sears GUARANTEE:

1. QUALITY 2. SATISFACTION 3. SAVINGS

Won't warp, twist or split through . . . Made $\frac{5}{16}$ in. thick. Sanded two sides to $\frac{1}{4}$ in. thick . . . In convenient size panels as listed below . . . Strongly constructed in layers 3-ply thick, firmly cemented under pressure with waterproof glue.

(Example—A sheet size 48 inches by 60 inches (20 square feet) formerly sold for 84c—Now is only 79c each. Fir Plywood Wallboard is Far Superior to Ordinary Wallboard.)

HAS ALL the good qualities of natural wood with its beautifully figured grain plus convenient size, superior strength and stiffness.

HUNDREDS of uses—giving many advantages over cheaper substitutes. Use it for wallboard, partitions, panels, display racks, signs, garage lining, table tops, shelves, toys, porch sun rooms and general building uses. Easy to handle. Saw, plane, drill and nails cannot split it.

FURNISHED sanded 2 sides in standard sizes as listed below. Thickness shown is net after sanding.

WALLBOARD GRADE—While either face may be made up of two or more pieces neatly jointed together, the exposed face is perfectly sound. Far superior to cheaper substitutes for wallboard. Convenient for doing your own work—save cost of labor.

Use Fir Plywood Wallboard for:

Paneling Rooms . . . Adding Rooms . . . Display Racks . . . Table Tops . . . Partitions . . . Paneling a Porch . . . Tie Racks . . . Magazine Stands . . . Partitions and Shelves . . . Lining Cabinets . . . Display Signs . . . Lining Garages . . . Making Drawers . . . Waste Baskets . . . Toys, etc.

Very decorative—easy to apply—can be attractively painted or stained. For Easy Payment Plan see inside front cover. Shipped from our Mail Order House. Shipping weight, 80 pounds per 100 square feet. Be sure to state size wanted.

63 PM 632K— $\frac{1}{4}$ -In. Thick

Size, 48 in. by 60 in.	20 Square Feet. Per Panel.	\$0.79
Size, 48 in. by 72 in.	24 Square Feet. Per Panel.95
Size, 48 in. by 84 in.	28 Square Feet. Per Panel.	1.11
Size, 48 in. by 96 in.	32 Square Feet. Per Panel.	1.26

KITCHEN DRESSER

Was **\$22²⁵**

Now **\$16⁷⁵**

Decidedly popular with housewives is the compact **UP Dresser** featured here. Designed to lighten the daily duties by saving steps through simple organized arrangement of frequent needs. A saving in money included. **Kitchen Dresser made of Clear Western (Pondosa) Pine, is 4 feet wide and 8 feet high.**


Bottom Section measures 18 $\frac{3}{4}$ in. from front to back, 2 feet 10 inches from floor to top of counter shelf, contains 2 lipped drawers, 2 panel doors $1\frac{1}{2}$ inch thick. Has one movable shelf in back of panel doors.

Top Section is 12 inches deep. Has 2 glazed doors $1\frac{1}{4}$ in. thick, glazed with clear glass, contains 3 shelves with adjustable metal supports. Not painted or varnished. We do not furnish drawer pulls, nails, door latches or hinges, as this hardware should match the other hardware in the room. For Hardware see pages 36 and 37. Glazed doors and panel doors require 4 pairs of 2-in. cupboard door butts. Shpg. wt., 200 lbs. Shipped packed flat; easily set up.

63 PM 9804K—Kitchen Cabinet. Clear Western (Pondosa) Pine, with 2 ends and back as shown. . . . \$18.75

63 PM 9803K—Kitchen Cabinet. Clear Western (Pondosa) Pine, only one end and no back. Shpg. wt., 175 lbs. . . . \$16.75


Drawers as Low as 95c



*Clear Fir

Made with lipped front. Not assembled. Avg. shpg. wt., 4 lbs. $5\frac{1}{2}$ inches high not counting $\frac{3}{4}$ inch lip at top and sides of front and 18 in. deep. For drawer pulls see page 37.

Width Inches	Each	Other sizes at proportionate prices. Shipped from factory in Port Newark, N. J.
14	\$0.95	
16	.98	
18	1.00	



Oak Drain Boards

Made of first quality stock. Grooved and beveled. Shipped from Factory in Port Newark, N. J.

63 P 7792K—Size, $1\frac{3}{4}$ x22x24 in. Shpg. wt., 12 lbs. . . . \$2.09
63 P 7772K—Size, $1\frac{1}{2}$ x22x24 inches. Extra thickness makes this board much less likely to warp. Shpg. wt., 15 lbs. . . . \$2.49

Aromatic Red Cedar Lining for New or Old Closets

Few other items save you so much while adding luxury and comfort to your home. **Aromatic Red Cedar, Tongued and Grooved and End Matched.** Keeps moths away. Manufactured in such form that it may readily be installed in the closets of old or new homes. Made $\frac{3}{4}$ in. thick with tongued and grooved edges and ends matched. The illustration at right shows an old closet relined with aromatic Cedar.



The cedar lined closet is superior to a storage chest, and makes the regular closet a big, roomy moth deterrent compartment of fine appearance. Shipped carefully packed, 48 board feet to the bundle. Enough to cover 40 sq. ft. of surface. To estimate board feet required add 20% to the area to be covered.

63 PM 9812K—Aromatic Red Cedar Closet Lining. Per bundle (48 board feet to the bundle). Shpg. wt., 45 lbs. Shipped from factory in Port Newark, N. J. . . . \$3.98


We sell this Cedar Lining in less than full bundles also, at 8 $\frac{1}{2}$ cents per board foot.



BIG SAVINGS ON BUILT-IN NECESSITIES

A
Fine
Dining
Alcove

For
Only
\$14⁹⁵




Distinctive—Cozy! Desirable for either large or small family. Saves space—time—effort and steps. Gives your kitchen that touch of coziness that so many rooms lack. Saves steps and extra work. Small—compact. An efficient utility.

Consists of 1 table and 2 benches made of First Quality fir and sandpapered ready for finish. Seating capacity of four, requiring floor space, 6 feet wide by 4 feet deep. Shipped without paint or varnish. Packed in sections to secure the lowest shipping charges. Easily put together. Packed in dustproof cartons.

Specifications—Table width, 2 ft. 2 in.; length, 3 ft. 8 in. and from floor to top, 2 ft. 6 in.; seat width, 1 ft. 1½ in.; length, 3 ft. 8 in., height, over all, 3 ft. 5 in. Shipping weight, 112 lbs. Shipped from factory in Port Newark, N. J.


63 PM 9612K—Colonial Breakfast Alcove.....\$14.95

\$5⁹⁵ BUILT-IN IRONING BOARD



Always ready for use. A labor saver every housekeeper appreciates. Has its own cabinet where it can be kept clean and out of the way when not in use, but always ready for service. Perfectly rigid. Full size. Includes sleeve board doors and ¾x3¾ in. casing for trimming. Ready to install in new or already built homes.

Will fit between studding placed 16 inches on center. Ironing board is 11½ inches wide, by 49 inches long, 32 inches from the floor. Sleeve board, 5 inches wide, 23 inches long. Serving table, open 22½ inches wide by 40 inches long; ¾x3¾-inch casing furnished for trimming. No hardware.



63 PM 9801K—Including Trim and Doors, but without Serving Table. Shpg. wt., 50 lbs.....\$5.95


63 PM 9802K—Including Trim, Doors and Folding Serving Table. Shpg. wt., 65 lbs.....\$8.50

Shipped from Our Own Factory in Newark, N. J.

HARDWARE

Hardware is not included for any item except the steel Medicine Cabinets. Dining Alcoves and Telephone Cabinets do not require hardware. The Corner China Closet requires 4 cupboard catch sets with glass knobs and 4 pairs of 2½ in. light cupboard butts. The finish on the hardware on the China Closet should match the balance of the hardware in the room, but this is not necessary. See Pages 36 and 37 for China Closet Hardware.

TELEPHONE CABINET



\$4⁵⁰ Clear Fir Beautiful, Convenient Built-In Telephone and Accessories Cabinet. The wires, bell box, etc., hidden but easily accessible. Recess opening in wall, 1 ft. 2¾ in. wide, 2 ft. 8 in. high; depth main shelf, 8 in. Bin has 3¾ in. inside depth. Backband trim. Door of 3-ply wood panel. Ready to install with all hardware applied. Unpainted and unvarnished. Carefully packed in cardboard carton. Shipped from factory in Port Newark, N. J.

63 P 9651K—First Quality Fir. Shpg. wt., 22 lbs. Each.....\$4.50

63 P 9502K—First Quality Oak. Shpg. wt., 26 lbs. Each.....\$6.75

Made of First Quality Fir

Opening in wall, 14 inches wide, 80 inches high, 4¾ inches deep. Opening in wall, 16 inches on center. Ironing board is 11½ inches wide, by 49 inches long, 32 inches from the floor. Sleeve board, 5 inches wide, 23 inches long. Serving table, open 22½ inches wide by 40 inches long; ¾x3¾-inch casing furnished for trimming. No hardware.

63 PM 9801K—Including Trim and Doors, but without Serving Table. Shpg. wt., 50 lbs.....\$5.95

63 PM 9802K—Including Trim, Doors and Folding Serving Table. Shpg. wt., 65 lbs.....\$8.50

Shipped from Our Own Factory in Newark, N. J.

"Built in the Wall" Medicine Cabinet

\$7⁹⁵
63 PM 2025K

- Made of High Quality Steel.
- Fully Enameled in White.
- Beautifully Etched Genuine Beveled Heavy Plate Glass Mirror.
- Includes Tooth Brush Holder.
- Includes Used Razor Blade Drop.
- Three Bulb Edge Glass Shelves in 63 PM 1785K; Two Shelves in 63 PM 2025K.

The finest Recessed-in Wall Type Medicine Cabinet for the new modern bathroom or for modernizing the old one. Equipped with a beautifully etched, high quality beveled plate thickness polished mirror, concealing a sturdy sanitary all steel cabinet in the wall.

CONVENIENT Tooth Brush Holder and Used Razor Blade Drop built in. Furnished in two sizes. Easily installed. Shipped from our Mail Order House only.


Prices Greatly Reduced

Medicine Cabinet with 16x24 in. mirror. Inside measurements, 13 in. wide by 18 in. high by 4¾ in. deep. Wall opening 13¼x19¼x3¼ in. Has two plate glass shelves. Shpg. wt., 30 lbs.
63 PM 2025K

White. Each.....**\$7.95**

Medicine Cabinet with 18x26 in. mirror. Inside measurements, 15 in. wide by 21 in. high by 4¾ in. deep. Wall opening, 15¼x21¼x3¼. Three Glass Shelves. Shpg. wt., 42 lbs.
63 PM 1785K

White. Each.....**\$10.75**



A Practical Need in Every Home or Office

A Built-In Cabinet of Clear Fir. Not Painted, two adjustable shelves. No door hardware included. Shipped from Newark, N. J. Made in two sizes. **63 PM 9580K**

63 PM 9580K—Plain plate mirror, 14 in. wide and 18 in. high. Fits wall opening, 20 in. wide by 28¼ in. high; depth over all, 4 in. Shpg. wt., 29 lbs. Each.....\$4.75

63 PM 9581K—Plain plate mirror, 16 in. wide and 20 in. high. Fits wall openings 22 in. wide by 30¼ in. high. Depth over all, 4 in. Shpg. wt., 32 lbs. Each.....\$5.55

CORNER CHINA CASE \$29⁹⁵



Quaint, Charming and Practical Corner China Closet. A reproduction of an old colonial model. Glass doors above for displaying china and glassware, with shelves and double doors below.

Easily Installed

Adds beauty and charm to your dining room or living room. Corner China Closet has triangular back, to set in corner. Blueprint showing method of installing is sent with cabinet.

Shipped from our own Factory in Port Newark, N. J.

SPECIFICATIONS

First Quality Fir with Fir panel back. Upper section has 3 adjustable shelves, lower section, 1 shelf. Upper doors are 2 ft. 6 in. wide by 4 ft. 2 in. high, 1¾ in. thick. Glazed with clear glass, divided with lead bars. Trim as illustrated is our Back Band Trim. See page 14. Hardware or dishes not included. Cabinet is 3 ft. 3½ in. wide, over all of casing; 7 ft. 4½ in. high over all of casing; 1 ft. 4¾ in. deep outside measure and 14 in. deep inside.

Packed for lowest shipping charges. Easily assembled. Furnished in the white, not painted or varnished. Shipping weight, 177 lbs.

63 PM 9205K—First Quality Fir.....\$29.95

STAIR MATERIAL

The stairway usually occupies a prominent position in the home. It is, therefore, very important to select stair parts of good modern design. On this page are excellent examples of graceful parts, guaranteed, strong, durable quality at low money saving prices. All made of Clear (First Quality) stock. Shipped from Port Newark, N. J.

Colonial Stair Rail Parts



Above illustrations show standard Colonial Stair Rail Parts. While based on average stair measurements (9 1/4 in. run 7 1/2 in. rise) they are planned to fit any stair by making the cut on the "crook" at the proper point. See prices below. All items furnished in Plain Birch for stain or enamel finish.

Catalog Number	Name	Price Each	Wt. Lbs.
63PM9476K	Gooseneck—only	\$ 6.50	5
63PM9480K	Easement—only	3.25	4
63PM9479K	Easement with cap	4.85	5
63PM9485K	Level Quarter Turn	2.95	5
63PM9482K	Volute—Right Hand	10.50	6
63PM9483K	Volute—Left Hand	10.50	6

Standard Colonial Stair or Hand Rail. Furnished in Plain Birch for stain or enamel finish.

63 PM 9492K—Straight Rail 2 1/4 x 2 1/2 in. Shpg. wt. 1 lb. 8 oz. per lineal foot. **35c**

Stair or Hand Rail, 2 1/4 x 2 1/2 in.

63 PM 9461K—Clear Fir. Per lineal foot. **29c**
63 PM 9415K—Clear Oak. Per lineal foot. **45c**

Avg. Shpg. wt., 1 lb. 8 oz. per lineal foot. Furnished plowed for balusters and with fillet included for 3c extra per lineal foot.

Round Hand Rail

Size, 1 1/4 x 1 1/4 inches

63 PM 8345K—Clear Fir. Wt., 8 oz. per ft. **6c**
63 PM 8354K—Clear Oak. Wt., 8 oz. per ft. **9c**

Square Baluster Stock

Size 1 1/2 x 1 1/2 inches in random lengths. Weights, per 100 feet about 22 lbs. 63 PM 8900K—Clear Fir. Per foot. **1 1/2c**

String Boards

Furnished 1 member pattern. Sizes, 3/4 x 1 1/4 inches. Wt., 1 lb. 12 oz. per lineal foot. Priced per lineal foot.

63 PM 9633K—Fir. **12c**
63 PM 9634K—Oak. **23c**
63 PM 9635K—Birch **23c**

Half Circle End Treads and Risers

State whether the circle end is at the right hand or left hand side going up the stairs. Wt., each, about 55 lbs. Ht. is 7 1/2 in. to top of tread. Tread width, 11 in. overall.

For Stairs 3 Ft. 6 In. or Less. 63 PM 7844K—Clear Fir. Each. **\$8.75**
63 PM 7821K—Clear Oak. Each. **\$9.95**

Treads and Risers

Tongued and grooved. Do not permit the treads to pull away from the risers or show open joints.

Sizes quoted provide for a 9/4 in. run and a 7 1/2 in. rise.

Stair Treads weigh about 3 lbs. 8 oz. each lineal foot. Risers 1 lb. 8 oz. Furnished 3 ft. 5 in. long. This makes stairway 3 ft. 6 in. wide. Cove molding not included.

STAIR TREADS—(1 1/2 x 11 in.) Each
63 PM 8266K—Clear Fir. **69c**
63 PM 9323K—Clear Oak. **1.45**
63 PM 9324K—Clear Birch. **1.45**

STAIR RISERS—(3/4 x 7 1/2 in.)
63 PM 9463K—Clear Fir. **27c**
63 PM 9326K—Clear Oak. **49c**
63 PM 9327K—Clear Birch. **49c**

Landing Tread

Size, 1 1/2 x 3 1/2 in. by 3 ft. 5 in. Wt., each, about 5 lbs.

63 PM 8254K—Clear Fir. **11c**
63 PM 8257K—Clear Oak. **35c**
63 PM 8259K—Clear Birch. **35c**

Return Nosing

Size, 1 1/2 x 1 1/2 inches. Wt. 4 oz. lineal foot. Price per lineal foot.
63 PM 8296K **1 1/2c**
63 PM 8293K **4 1/4c**
63 PM 8294K **4 1/4c**
63 PM 8295K **4 1/4c**

Wall Rosettes

Takes a rail up to 3 1/4 in. wide. Wt., 4 oz. Each. **30c**
63 PM 8348K—Clear Fir. **30c**
63 PM 8361K—Clear Oak. **30c**
63 PM 8321K—Clear Birch.

Starting Newel

Base of colonial design starting newel, 3 1/2 in. sq., diminishing in width from bottom to top. Ht. 3 ft. 3 in. Takes cap. 63 PM 9479K shown above. Cap not included. Wt., 35 lbs.

63 PM 9490K—Clear Birch. Each. **\$4.75**

Angle Newel

Colonial design angle newel is same design as starting newel, shown above. Base is 3 1/2 in. wide and post is 4 ft. 4 1/2 in. high. Wt., 35 lbs.

63 PM 9491K—Clear Birch. Each. **\$5.75**

Angle Newels

Newel is 5 in. square, 5 ft. 6 in. long. Weight 35 lbs. Carefully built.

63PM8334K—Clear Fir

\$2.95

63PM9317K—Clear Oak

\$4.45

Starting Newels

Shaft is 6 in. square. Base, 8 inches square, 18 inches high. Height of post, 4 feet. Wt., 35 lbs.

63PM9318K—Clear Fir

\$5.25

63PM9319K—Clear Oak

\$7.75

Solid Turned Columns

Made of Clear Fir

In ordering be sure to give size and length wanted. Sizes shown are before planing.

After planing and finishing columns will measure about 1/2 inch less than sizes given.

For dividing or splitting this column, add 25 cents to catalog price.

Size In.	Length, Feet	Each	Wt., Lbs.
4x4	8	\$1.09	20
5x5	8	1.75	27
5x5	9	1.95	37
6x6	8	2.50	48

Solid Newels

Made of Clear Fir

Sizes shown are before planing. After planing and finishing newels will measure about 1/2 inch less than sizes given. The height given is exact.

Size Shaft, In.	Lgth. Ft.	Each	Wt. Lbs.
4x4	4	\$0.55	11
5x5	4	.88	15
6x6	4	1.27	24

PORCH MATERIALS

Made of Clear (First Quality) Fir

A LARGER porch! New beauty for the old one! Or merely replacing worn aged sections of your present porch, front or back! Sears improved designs and quality backed by Sears lower prices mean greater sure saving at this time. Waiting may be costly—even an expensive accident. Shipped from our own factory in Port Newark, N. J.

For dividing or splitting these columns, add 50 cents.

Colonial Lock-Joint Built-Up Columns

Made of Clear Fir

Diameter of Shaft at Base	Ht. Ft.	Plain Shaft	Fluted Shaft	Shpg. Wt., Lbs.
		63PM8070K	63PM9157K	
6 in.	6	\$2.25	\$3.98	27
6 in.	8	2.78	4.50	33
8 in.	8	3.55	5.25	46
10 in.	8	4.75	6.45	62

Square Porch Columns

Clear Fir. Columns diminish in width from bottom to top. Prices include cap and base.

Size In.	Ht., Ft.	Each
8x8	8	51
8x8	9	55
10x10	8	67
10x10	9	71

Colonial Built-Up Newels

Matches Our Colonial Columns Illustrated Above. Made of Clear Fir.

Diameter of shaft at base, 7 inches. Length, 4 feet. Wt., 23 lbs.

63 PM 8150K—Each. **\$2.29**

Turned Porch Balusters

Made of Clear Fir

SPECIAL LOW PRICE OF

7c 1 1/2 x 1 1/2 x 24 inches

Give Catalog number and size. Weight, each, 1 pound.

Catalog No. Size, In. Each

63 PM 8212K 1 1/2 x 24 **7c**

Large Size Colonial Balustrade

63 PM 9155K

Size, Inches Each

2 1/4 x 2 1/4 x 24 **12c**

Square Porch Newels

Clear fir, same rigid construction as our square column. Newel post, 7 1/2 x 7 1/2, 3 ft. 8 in. high. Newels diminish in width from the bottom to the top.

Price includes molded cap and base. Wt., 25 lbs.

63 PM 8074K—Each. **\$1.90**

Baluster Stock or Frieze Rail

Clear fir. Size, 1 1/2 x 1 1/2 in. Wt., 40 lbs. 63 PM 8206K—Per 100 lineal ft. **\$2.35**

Square Balusters


Clear fir. Size, 1 1/2 x 1 1/2 x 32 in. Wt., 2 lbs. 8 oz. 63 PM 8110K—Each. **7c**

Top Porch Rail

Clear fir. Size, 1 1/2 x 3 1/2 in. Wt., per foot, 1 lb. 63 PM 8191K—Per foot. **5c**

Bottom Porch Rail

Clear fir. Size, 1 1/2 x 3 1/2 in. Wt., per ft., 1 lb. 63 PM 8193K—Per foot. **5c**



FAITHFUL REPLICA OF AN ANTIQUE COLONIAL PATTERN

A popular, high quality and sturdy ensemble with each member at a price anyone can afford. All pieces match perfectly.

Andirons

Colonial "Ball Top" design of heavy cast iron in choice of two finishes. Stands 17½ inches high. Shipping weight, 28 pounds.

63 KM 4059—Finish—\$2.98
ed all satin black. Per Pair

63 KM 4058—Finished black with polished brass plated Ball Top as illustrated. Per Pair.....\$3.49

4-Piece Fire Tool Set

Includes tongs, poker, shovel and stand to harmonize with andirons. Height, 26 inches. Shipping weight, 14 pounds.


63 KM 4160—Finish—\$2.89
ed all satin black. Per set

63 KM 4061—Finished black with polished brass plated ball tops as illustrated. Per set.....\$3.49

4-Fold Spark Screen

Satin black finished; polished brass handles, hinge caps and knobs. Spiral weave, heavy gauge wire; securely fastened to sturdy round rod frame. Each fold 13x30 in. Shipping weight, 13 pounds.

63 KM 4211—Each.....\$3.79



Highly Polished Solid Brass

In the Georgian Colonial Tradition. A beautiful guard in Satiny Black which furnishes a pleasing contrast to the highly polished brass trim and fittings.

5-Piece Fire Tool Set

Includes brush, shovel, tongs, poker and stand. Matches Andirons. Solid Brass, 29½ in. high. Shipping weight, 13 pounds.

63 KM 4252.....\$7.65
Per set.....\$7.65

Andirons

Beautiful urn pattern. Made of heavy high quality cast brass, highly polished, 17½ in. high. Shipping weight, 14 pounds.

63 KM 4251—Per Pair.....\$5.95

Spark Guard


Made of closely woven heavy gauge highly finished black wire cloth securely fastened to strong round rod frame with brass handles and scroll panel.

Catalog Number	Size in Inches			Shipping Wt., Lbs.	Price Each
	Width	Height	Depth		
63 KM 4220	31	31	7	12	\$2.89
63 KM 4222	37	31	7	13	\$3.49
63 KM 4223	43	31	7	15	\$3.89

Portable Grate Basket


Beauty and Utility in a Satin Black Finish Grate of heavy proportions and graceful pattern. Burns wood or coal very efficiently. Dumping bottom. Depth front to back, 13 inches.

Catalog Number	Lgth.	Shpg. Wt. Lbs.	Price
63 KM 4870	18 in.	49	\$3.69
63 KM 4871	20 in.	53	3.98
63 KM 4872	22 in.	55	4.29
63 KM 4873	24 in.	58	4.49
63 KM 4874	27 in.	65	4.79
63 KM 4875	30 in.	72	5.25



HEAVY
CAST IRON

Beauty for the Fireplace



Our Bargain Leader

We firmly believe this to be the lowest price at which quality fixtures may be had. A good pattern in a pleasing Spanish design.

Andirons

A hand wrought design of simple beauty and dignity, yet strong and rugged. Made of heavy cast iron, 14 inches high, with all black finish. Shipping weight, 24 pounds.

63 KM 4069—Per Pair.....\$1.98

3-Fold Spark Screen


All black heavy wire securely fastened to rounded rod frame. Center panel, 26 in. wide, end panels 13 in. wide. Height, 30 in. Shipping weight, 12 pounds.

63 KM 4067—Each.....\$2.79

4-Piece Fire Tool Set

Includes shovel, tongs, poker and stand, designed to match the andirons. All satin black finish. Height, 24½ inches. Shipping weight, 15 pounds.

63 KM 4068—Per Set.....\$2.89



Charming Key Pattern

An authentic reproduction of a very handsome and graceful Spanish "Antique Key" pattern and furnished in the most popular finish, that of a "hand hammered burnt antique brass" effect on cast iron.

Andirons

Cast iron, finished in All Burnt Antique Brass. Ht., 18 in. Shpg. wt., 24 lbs.

63 KM 4810—Per Pair.....\$3.29

3-Fold Spark Screen


Hammered design metal frame finished in burnt Antique Brass. Fine mesh heavy gauge black wire cloth. Center panel, 26 in. wide, end panels, 13 in. wide. Height, 30 in. Shipping weight, 12 pounds.

63 KM 4213—Each.....\$5.45

5-Piece Fire Tool Set

Includes brush, shovel, tongs, poker and stand, designed to match the andirons. Finished in All Burnt Antique Brass. Height, 30 in. Shpg. weight, 20 pounds.

63 KM 4825—Per Set....\$5.65



Hand-Wrought Pattern

A "Medium Prices" ensemble with each member of high quality and good design. Furnished in either "All Satin Black" or "All Burnt Antique Brass" finish with hand hammered effect.

Spark Guard

Made of heavy crimped copper plated 1¼-inch mesh wire, lined, with closely woven black fine mesh wire cloth. Choice of 5 sizes.

Catalog Number	Size in Inches			Shpg. Wt. Lbs.	Price Each
	Width	Ht.	Depth		
63 KM 4215	24	30	5	7	\$1.69
63 KM 4216	30	30	5	7	1.89
63 KM 4217	36	30	5	8	2.19
63 KM 4218	36	36	5	9	2.69
63 KM 4219	42	36	5	10	2.89

Andirons

"Hand-Wrought" pattern. Made of cast iron, 14½ in. high. Shipping weight, 23 pounds.

63 KM 4840—Finished All.....\$2.69

Black. Per pair.....\$2.69

63 KM 4844—Finished All Burnt Antique Brass. Per pair.....3.29

5-Piece Fire Tool Set

Includes tongs, brush, poker, shovel and stand, to match the andirons. Hammered design; 26 in. high. Shipping weight, 18 pounds.

63 KM 4844—Finished All Black.....\$3.98

Per Set.....\$3.98

63 KM 4846—Finished Black with Handles in Antique Brass. Set...4.29


63 KM 4845—Finished All in Burnt Antique Brass. Per Set.....5.25

Ashpit Door

Complete with frame. Made of heavy cast iron to prevent warping, thus preventing seepage of ashes. Has flanges to hold it securely in the brickwork of the chimney. Cast iron door, in frame, with flanges. State size.

63 K 4177

Size Inches	Price Each	Shpg. Wt., Lbs.
8x8	\$0.65	10
8x10	.95	12
10x12	1.29	15



Our Biggest Value

The design is of the Colonial Period and the entire set is made in the most popular finish. Burnt Antique Brass with Hand-Hammered effect on heavy, beautifully molded cast iron. No illustration can do justice to the rare beauty and graceful proportions of this pattern.

Andirons

Richly ornamented "Hand-Wrought" pattern, with substantial, gracefully shaped legs. Highly finished in Burnt Antique Rustproofed Brass. Strongly made of cast iron. Height, 19½ inches. Shipping weight, 26 pounds.

63 KM 4820—Per pair.....\$4.29

3-Fold Spark Screen

Newest Arch Top pattern, very rich looking. The hammered markings faithfully adhere to the best antique hand-wrought iron work. Frame of hammered metal finished in Burnt Antique Rustproofed Brass, with polished cast brass handles, hinge caps, knobs and center ornament. Wired with fine mesh heavy gauge black wire cloth. Center panel, 26 in. wide, 33 in. high. Side panels, 13 in. wide, 30 in. high. Shipping weight, 14 pounds.

63 KM 4062—Each.....\$6.65

5-Piece Fire Tool Set

Consists of tongs, brush, poker, shovel and stand, designed to harmonize with the andirons. The Stand is of unusual pattern—with hooks to hang up members of the set. Handmade finished in All Burnt Antique Rustproofed Brass. Height, 36 in. Shipping weight, 18 pounds.

63 KM 4821—Per Set.....\$5.95

Automatic Ash Dump



A Real Quality Ash Trap—Has double doors insuring easy and automatic disposal of ashes. Made of heavy cast iron accurately cast to work easily. Will not warp like lighter pressed metal traps. Size, 6½x8½ inches over all.

Shipping weight, 3 pounds.

63 K 4176.....55c

All Items on This Page Shipped from Our Mail Order House

Listed as
Standard by
Under-
writers'
Labora-
tories


Actual Photographs ORIENTAL SLATE SURFACED ASPHALT ROLL ROOFING

"Oriental"—Our Trade Mark
Reg. U. S. Pat. Off.

\$1.85
And Up
Per Roll

Made of finest long
fiber felt-base satu-
rated and coated with
best grade asphalt.
Passes rigid tests
against fire, water,
weather and wear.

Instructions, nails and cement
with each roll.



Surfacing is of finest
crushed slate in
colors... red, green,
blue black, jade
green or tile red
rolled into best asphalt
under pressure.

It's easy to lay
Sears roll roofing...
the two-inch leak
proof lap is easy to
follow. Can be quick-
ly and easily laid
over old roofing.

- Guaranteed 17 years.
- Approximate weight, per roll, 90 lbs.
- Choice of 5 non-fading colors.

Whether you buy for cash or take advantage of the New Government Loan Plan, you'll get more satisfaction if you buy Sears "ORIENTAL" roofing! Equally adaptable for new work or remodeling buildings. There's beauty in its bright, non-fading colors, and long wear... far beyond our generous guaran-tee... as thousands of customers know. Its quality is the result of years of laboratory testing and practical use.

Other roofing is no match for Sears "ORIENTAL" when it comes to wear, permanent good appearance and guarantee. Such quality sells elsewhere at higher prices! Here's unequalled savings and trouble-free service.

Look for the Underwriters' Laboratories label which means "fire resistant." Sears "ORIENTAL" roofing protects your building from fire brands or sparks... saves you up to 12% on insurance, as compared to wood shingles in some localities. We guarantee prompt service from points listed below.

See Color Description at Right

New Bright Colors

The newest in Slate Surfaced roofing! Give your home new color with this new ORIENTAL roofing in non-fading, brilliant colors.

Catalog No.	Color	Rolls Supplied with	Per Roll
48 PM 2167K	Tile (Bright) Red	1-in. galv. Roofing nails and cement for new work.	\$1.85
48 PM 2168K	Jade (Bright) Green		
48 PM 1481K	Tile (Bright) Red	1 1/4-in. galv. Roofing nails and cement for use over Roofing.	1.95
48 PM 1482K	Jade (Bright) Green		

Standard Colors

Roll contains 108 sq. ft. and covers 100 sq. ft. of surface, allowing for 2-in. watertight lap. Order roofing with 1 1/4-in. nails for laying over old roofing. Approximate shipping weight, per roll, 90 lbs.

Catalog No.	Color	Rolls Supplied with	Per Roll
48 PM 2162K	Gray Green	1-in. galvanized Roofing nails and cement for new work.	\$1.85
48 PM 2163K	Dark Red		
48 PM 2164K	Blue Black		
48 PM 1476K	Gray Green	1 1/4-in. galvanized Roofing nails and cement for use over old roofing.	1.95
48 PM 1479K	Dark Red		
48 PM 1480K	Blue Black		
48 PM 1382K	Gray Green	Laprite fasteners and nails. (See Opposite Page.) For new work.	2.15
48 PM 1383K	Dark Red		
48 PM 1384K	Blue Black		

75-Lb. ORIENTAL Slate Surfaced Asphalt Roofing

—Weight per roll, 75 lbs. —Standard colors. —Standard quality.

Genuine Slate surfaced roofing, not as heavy as our ORIENTAL top quality roofing shown above and which we recommend, but good for temporary service. Guaranteed 7 years. Roll contains 108 sq. ft. and covers 100 sq. ft., allowing for 2-in. laps. Complete with nails, cement and instructions for laying. Does not have underwriters' label or two inch watertight lap.

Catalog No.	Color	Rolls Supplied with	Per Roll
48 PM 1902K	Gray Green	1-inch galvanized roofing nails and cement.	\$1.70
48 PM 1903K	Dark Red		
48 PM 1208K	Gray Green	1 1/4-inch galvanized roofing nails and cement.	1.80
48 PM 1209K	Dark Red		

All "Oriental" Roofing above shipped from Philadelphia, Pa., Boston, Mass., Newark, N. J., Buffalo, N. Y., or Southeastern Pa., whichever is nearest. Send orders to Philadelphia or Boston.

GUARANTEE

We guarantee our Oriental and Fire Chief slate surfaced asphalt roofing and Oriental asphalt shingles for 17 years' satisfactory service.

We guarantee our Best-of-All smooth surfaced roofing in 45-lb. rolls for 11 years; 55-lb. rolls, 14 years; 65-lb. rolls, 16 years.


If for any reason any of these roofings should fail to give you the years of service we guarantee, we will replace it, charging only for the service you have received.

Actual Photographs FIRE CHIEF SLATE SURFACED ASPHALT ROLL ROOFING

\$2.48
And Up
Per Roll

"Fire Chief"—
Our Trade Mark
Reg. U. S.
Pat. Off.

Instructions, nails and cement
with each roll.



- Guaranteed 17 years.
- Weight per roll, 90 lbs.
- Choice of Standard Red or Green colors.



Shows Attractive
Shingle Pattern

There's a beauty and richness to this shingle-pattern roofing that makes it first choice of thousands! Has all the quality features of our famous ORIENTAL roofing; listed as "fire resistant" by Fire Underwriters' Laboratories, Inc. Think of the extra beauty as well as protection and long service when you buy new roofing!

Roll contains 108 sq. ft. and covers 100 sq. ft., allowing for 2-in. watertight lap. Order roofing with 1 1/4-in. nails for laying over old roofing. Shpg. wt., per roll, 90 lbs.

Catalog No.	Color	Rolls Supplied with	Per Roll
48 PM 488K	Dark Red	1-in. galvanized Roofing nails and cement for new work.	\$2.48
48 PM 489K	Gray Green		
48 PM 167K	Dark Red	1 1/4-inch galvanized Roofing nails and cement for over old roofing.	2.58
48 PM 172K	Gray Green		

All Fire Chief Roofing above shipped from Philadelphia, Pa., Boston, Mass., Newark, N. J., or Southeastern Pa., whichever is nearest. Send orders to Philadelphia or Boston.

ROOFING COLORS

Red—a rich dark red. GREEN—a grayish green. BLUE BLACK—a slate black. COLOR BLEND—an attractive mix of red, green and tan. TILE RED—a light brick red. JADE GREEN—a light emerald green.

How to Estimate and Order Roofing

To find how many rolls of roofing or bundles of shingles will be required to cover your roof, first find area in square feet (as shown below); then for rolls of roofing, divide area by 100 sq. ft.; for bundles of shingles, divide by 50, 33 1/3 or 25 sq. ft., depending on coverage as shown in description of design selected.

To find the area in square feet:

1. Of a shed roof as in figure (1): multiply the length of the roof by the length of a rafter.
2. Of a plain gable as in figure (2): multiply the length of the roof by the length of a rafter and multiply by two. (Both sides identical.)
3. Of a hip roof as in figure (3): multiply the length of each section of the roof by the length of the longest rafter, and divide by two. Measure each section separately.



Factories and warehouse located near you save both time and freight. Send all orders direct to Philadelphia or Boston. We guarantee prompt service.

BEST-OF-ALL

REG. U.S. PAT. OFF.

Mica Surfaced ASPHALT ROLL ROOFING

- Fine quality asphalt-saturated felt, heavily asphalt coated on both sides.
- Thickly covered on both sides with flake mica to make it fire-resisting.
- 55 and 65-lb. weights listed by Underwriters' Laboratories Inc.

All mica-surfaced roofings look alike—but not until they're on a roof can you tell the difference. Some home owners "trust to luck" that their roofing will stand up—others buy from Sears. When you decide on BEST-OF-ALL Mica-Surfaced Asphalt Roofing you take no chances on quality. It's a superior roofing, made of best materials to give lasting service on any roof, new or old. We use best quality roofing felt to insure greater strength and durability as well as provide greater affinity for the asphalt saturant which saturates every fiber. Both sides of the roofing are then overlaid with a heavy, waterproof asphalt coating which seals in the saturant and keeps it from evaporating. This coating remains flexible, resists drying, cracking, blistering and hardening. Finally, a thick coating of flake mica, (Not Sand or Talc) is compressed into BOTH SIDES of the roofing under heavy pressure to make it wear and fire-resistant.

For All Practical Roofing Purposes

BEST-OF-ALL is particularly recommended for barns, chicken houses, garages, warehouses, tool sheds, corn cribs, etc., with a roof pitch of 1½ inches or more per running foot. It's a fine roofing for homes, too, but as most people prefer a touch of color in their roofing for a home, we recommend our ORIENTAL or FIRE-CHIEF Roofing described on the opposite page. BEST-OF-ALL can be laid right over your old roofing. Each roll contains 108 sq. ft., to cover 100 sq. ft. roof surface. Galvanized nails, cement or laptite fasteners and nails and instructions for laying furnished. Can also be bought on Easy Payments. See Outside Back Cover.

Cat. No.	Roll Supplied with	Price Per Roll
48 PM 3031K	45-Lb. Medium Weight Guaranteed 11 Years 1-in. Galv. Nails and Cement for new work.....	\$1.40
48 PM 3032K	55-lb. Heavy Weight Guaranteed 14 Years 1-in. Galv. Nails and Cement for new work.....	\$1.65
48 PM 911K	1¾-in. Galv. Nails and Cement for use over old roofing.....	1.75
48 PM 913K	Laptite Fasteners and Nails for new work.....	1.95
48 PM 3033K	65-lb. Extra Heavy Weight Guaranteed 16 Years 1-in. Galv. Nails and Cement for new work.....	\$1.90
48 PM 912K	1¾-in. Galv. Nails and Cement for use over old roofing.....	2.00
48 PM 914K	Laptite Fasteners and Nails for new work.....	2.20

Weights shown are shipping weights

"Best-of-All" Mica Valley

For use in valley of roofs. The same materials as 65-lb. "Best-of-All" Roofing. Order nails separately. Weight, 32 lbs.

48 PM 9607K—Length of roll, 36 ft. Width, 18 in. Per roll..... **.98c**
"Best-of-All" Roofing and Valley shipped from Philadelphia, Boston, Newark, Buffalo or Southeast Pennsylvania, whichever is nearest. Send orders to Philadelphia or Boston.




Laptite Fasteners

—Heavily galvanized concave metal strips with sealed ends to make a tight joint where strips overlap or join.

Applied parallel along all seams making a waterproof-windproof lap joint. Makes a tighter joint than with nails alone. Complete directions furnished. Recommended for roofing laid directly on roof boards. Shipping weight, 2 pounds.

48 P 3045K—Sufficient Laptite Fasteners and Nails to lay a roll of roofing..... **.40c**
Shipped from Philadelphia or Boston.

LOW PRICED ROOFING LEADER



Per Roll
89c
and up

QUALITY BUILDING PAPERS PRICED LOW

Building paper costs but a fraction of a cent a square foot and provides great savings in fuel, when used as insulation in walls or ceilings.

Use it as sheathings—lining, for insulating chicken coops, sheds, garages, barns, brooders, between walls, in attics, under rugs and many other places.

All Building Paper shipped from Philadelphia or Boston.

Red Rosin Sheathing

- Best quality Building paper.
- Red rosin-sized Water-resistant.
- Hard, smooth surface.

For use under siding and between floors to keep out dust. Roll contains 500 sq. ft. 36 in. wide.

48 PM 3000K—Medium weight, **95c**
40-lb. per roll.
48 PM 3007K—Light weight, **49c**
20-lb. per roll.

Tarred Felt Sheathing

- Long fiber felt fully saturated with best re-distilled coal tar.
- Excellent for use where insulating and waterproofing is needed.
- Vermine, rodent resisting.

Used for lining poultry houses, garages, farm buildings and the like. Also as base for tar and gravel roofs. 36 in. wide. Two weights.
48 PM 3050K—216 square feet **\$1.75**
per roll. Weight, 54 lbs.
48 PM 3054K—32 square feet **1.98**
per roll. Weight, 62 lbs.

Sound Deadening Felt

- Soft, pliable, thick, durable felt.

Use between floors and wall to deaden sound, also under linoleum, carpets, and rugs. Insulates against heat and cold. Roll contains 450 sq. ft. 36 in. wide.

48 PM 3004K—Heavyweight, **\$1.89**
50 lbs. per roll.
48 PM 3006K—Extra heavyweight, **2.85**
75 lbs. per roll.

Temporary Roofing Papers

Asphalt Coated—Medium weight asphalt-saturated felt. Suitable for farm machinery tool covers, temporary roofing, also for building liner and over roof boards when laying asphalt shingles. 432 sq. ft. per roll. 36 in. wide. Wt., 64 lbs.

48 PM 3009K **\$1.98**
Duplex Waterproof Paper. Two layers crepe Kraft paper joined and waterproofed with asphalt.
Uses same as for felt paper, above. 500 square feet per roll. 36 in. wide. Weight, 22 lbs.
48 PM 3010K **\$1.75**



45-LB. MEDIUM WEIGHT MICA SURFACED ROOFING

Per Roll
\$1.40

55-LB. HEAVY WEIGHT MICA SURFACED ROOFING

Per Roll
\$1.65
and up

65-LB. EXTRA HEAVY WT. MICA SURFACED ROOFING

Per Roll
\$1.90
and up



Made of Good Felt, Asphalt Saturated

BEAR-HIDE ROOFING is made for those who want ready roofing, low in price. Suitable as a temporary roof, for covering of machinery, etc. We make no claims as to the length of time it will wear.

Made of good grades of felt, asphalt and coating. Surfaced with either sand or talc. Rolls contain 108 square feet and will cover 100 square feet. Complete with nails (not galvanized) and cement.

48 PM 3111K—Weight, 35 pounds. Per Roll..... **\$0.89**
48 PM 3112K—Weight, 45 pounds. Per Roll..... **1.15**
48 PM 3113K—Weight, 55 pounds. Per Roll..... **1.40**

Shipped from Philadelphia, Boston, Newark, N. J., Buffalo, N. Y. or Southeastern Pennsylvania. Send orders to Philadelphia or Boston.

Blue Plaster Cardboard

Low priced material for ceiling and above wainscoting. Good for lining garages and poultry houses. Keeps out wind and cold.

48 PM 3012K—Blue Plaster Cardboard. 250 square feet per roll. Weight, per roll, 30 pounds..... **79c**
48 PM 3013K—Blue Plaster Cardboard. 500 square feet per roll. Weight, per roll, 60 pounds..... **\$1.55**

79c
Per Roll
250 Sq. Ft.

Reinforced Waterproof Paper

A strong waterproof building paper, reinforced with strands of cord forming one inch squares between two layers of kraft paper and all bound firmly together with heavy coat of waterproof asphalt. Each roll contains 500 square feet—is 36 in. wide. Wt., 30 lbs.

48 PM 3023K **\$2.48**
Per Roll

\$2.48
Per Roll



We'll Help YOU Put on a New ORIENTAL Shingle Roof

Reg. U. S. Pat. Office

Easy Payments on Inside Front Cover GUARANTEED for 17 YEARS...LASTS LONGER

Bears Underwriters' Laboratories Label - - (Fire Resistant)



HEXAGONAL DESIGN SLATE SURFACED ASPHALT SHINGLES

Even an ordinary shaped roof takes on new interest, color and beauty when covered with "ORIENTAL" Hexagonal Shingles. The same excellent quality as are on hundreds of thousands of our customers' roofs. Many of these shingles have been on for 25 years and longer! Longer lasting, less expensive than wood shingles, fire resistant . . . actually reduces fire insurance as much as 12% compared to wood shingled roofs in some localities.

You have your choice of six non-fading colors . . . standard shades of red, green and blue-black; Color-Blend, a mixture of red, green and deep tan; and the new radiant Tile red, and Jade Green, the new decided green and red of brilliant hue, two fadeless colors sure to be popular on any home. Made in two sizes listed below. Order TODAY! See inside front cover for Easy Payment Plan.

See Chart on Page 26 for Color Descriptions


Standard Size—11½x36 in. with 2-in. headlap. Shipping weight, 84 lbs. per bundle of 50 sq. ft. Two bundles cover 100 sq. ft.

Catalog No.	Color	Per 50 Sq. Ft. Bundle
48 PM 483K	Dark Red	\$2.05
48 PM 482K	Gray-Green	2.05
48 PM 485K	Blue-Black	2.05
48 PM 481K	Color-Blend	2.05
48 PM 480K	Tile Red	2.05
48 PM 490K	Jade Green	2.05

Double Coverage Size. 12x36 in. With 4-in. headlap. Shpg. wt., 109 lbs. per bundle of 50 sq. ft. Two bundles cover 100 sq. ft.

Catalog No.	Color	Per 50 Sq. Ft. Bundle
48 PM 561K	Dark Red	\$2.55
48 PM 562K	Gray-Green	2.55
48 PM 566K	Blue-Black	2.55
48 PM 563K	Color-Blend	2.55
48 PM 560K	Tile Red	2.55
48 PM 570K	Jade Green	2.55

Hexagonal shingles shipped from Philadelphia, Pa., Boston, Mass., Newark, N. J., Buffalo, N. Y., or York, Pa., whichever is nearest you. Send orders to Philadelphia or Boston.



\$1.35
A Bundle
And Up

Individual Slate Surfaced Asphalt Shingles

Guaranteed 17 Years

Individual Shingles have a particular advantage, since they are laid like wood shingles . . . right over the old roof if you wish . . . and afford triple coverage over the roof! The slight difference in cost over wood is more than offset by the increased protection and insulation afforded. Your choice of natural, unfading colors listed below. Made of long fiber felt—heavily saturated with asphalt and coated with crushed slate . . . won't wash off. Two sizes: Jumbo shingles are larger and have a heavier felt base than standard and offer greater protection. Shipped from Philadelphia, Pa., Boston, Mass., Newark, N. J., Buffalo, N. Y., or York, Pa., whichever is nearest. Send orders to Philadelphia or Boston.

Standard Size, 9x12 in. Lays 4 in. to weather. One bundle covers 25 sq. ft. Shipping weight, 63 lbs.

Cat. No.	Color	Bdle. of 25 Sq. Ft.
48 PM 2926K	Dark Red	\$1.35
48 PM 2927K	Gray-Green	1.35
48 PM 2929K	Color-Blend	1.35

Jumbo Size, 12x16 in. Lays 5 in. to the weather. One bundle covers 25 sq. ft. Shipping weight, 86 lbs.

Cat. No.	Color	Bdle. of 25 Sq. Ft.
48 PM 1281K	Dark Red	\$1.75
48 PM 1282K	Gray-Green	1.75
48 PM 1283K	Blue-Black	1.75
48 PM 1284K	Color-Blend	1.75

3 in 1 and 4 in 1 TYPES SLATE SURFACED ASPHALT SHINGLES

Oriental 4-in-1 strip shingles are easy to lay, look like individual shingles, have permanent color and beauty and afford protection against sparks and fire brands . . . lower insurance rates as much as 12% as compared to rates for wood shingle roofs! Made in two sizes listed below. We recommend the 12½ in. size because they give double coverage protection and 4½ in. headlap.

Your choice of six non-fading colors . . . standard shades of Red, Green and Blue-Black; Color Blend, a mixture of red, green and deep tan; and the radiant new Tile Red and brilliant Jade Green, two fadeless colors that give new warmth to drab roofs. See chart on page 26 for color descriptions.

Oriental 4 in 1 Strip Shingles

Standard Size—10x36 in. 2 in. Headlap. Shpg. wt., 105 lbs., 50 sq. ft. to bundle. Two bundles cover 100 sq. ft.

Cat. No.	Color	Per 50 Sq. Ft. Bundle
48 PM 2931K	Dark Red	\$2.55
48 PM 2930K	Gray-Green	2.55
48 PM 2932K	Blue-Black	2.55
48 PM 2933K	Color-Blend	2.55
48 PM 2940K	Tile Red	2.55
48 PM 2950K	Jade Green	2.55

Double Coverage Size—12½x36 in. 4½ in. Headlap. Shpg. wt., 89 lbs., 33½ sq. ft. to bundle. 3 bdls. cover 100 sq. ft.

Cat. No.	Color	Per 33½ Sq. Ft. Bundle
48 PM 1288K	Dark Red	\$2.08
48 PM 1289K	Gray-Green	2.08
48 PM 1290K	Blue-Black	2.08
48 PM 1291K	Color-Blend	2.08
48 PM 1300K	Tile Red	2.08
48 PM 1310K	Jade Green	2.08

New "Oriental" Giant 3 in 1 Strip Shingles

Rugged and massive in appearance, giving character and distinction to any roof. Made of giant weight felt base, heavier than used in our "Standard" shingles. Fully saturated and coated with best asphalt. Weight, 86 lbs. to the bundle . . . Each shingle, 12x36 in.; 2-in. headlap. Requires three bundles to cover 100 sq. ft. of roof.

Shingles are surfaced with crushed slate in five attractive, non-fading colors: Red, Green, Blue-Black, and the brand new, colorful Tile Red and brilliant hue Jade Green, rapidly gaining popularity! See Chart on page 26 for color descriptions.

STANDARD COLORS

Cat. No.	Color	Per 33½ Sq. Ft. Bundle
48 PM 2981K	Dark Red	\$2.15
48 PM 2982K	Gray-Green	2.15
48 PM 2983K	Blue-Black	2.15

NEW NON-FADING COLORS

Cat. No.	Color	Per 33½ Sq. Ft. Bundle
48 PM 2985 K	Tile Red	\$2.15
48 PM 2986 K	Jade Green	2.15

3 in 1 and 4 in 1 Shingles shipped from Philadelphia, Pa., Boston, Mass., Newark, N. J., Buffalo, N. Y., or York, Pa., whichever is nearest you. Send orders to Philadelphia or Boston.

Starter or Ridge Strips

Same quality as the ORIENTAL shingles above in the same colors. Use with slate surfaced roll or shingle roofings, for ridge or flashing around chimney. State color. Roll, 9 inches wide, 36 feet long. Shipping weight, 22 lbs.

48 P 960K—Per Roll.....55c

Valley Strips

For use with slate surfaced roll or shingle roofings as valley. Same quality as ORIENTAL Hexagonal and 4-in-1 Shingles, above, in the same colors. State color. Roll, 18 inches wide, 36 ft. long. Shpg. weight, 44 lbs.

48 P 961K—Per Roll.....\$1.05

Nails and Valley shipped from same points as shingles above.

Large Head Galvanized Shingle Nails

For new work, use 1 inch nails. For laying over old roof, use 1½ in. nails.

48 PM 3041K—1-inch nails. 9c
48 PM 2976K—1½ in. nails. 9c

Shipping weight, 1 lb. nails, 1 lb. 3 oz. Per 100-lb. keg. Shipping weight, 108 lbs. . . . \$8.50

Nails Required per Bundle.

Kind of Shingles	1¼-inch nails	1-inch nails
Hexagonal	1 lb.	¾ lb.
4-in-1 strips	1¾ lbs.	1 lb.
3-in-1 strips	1 lb.	¾ lb.
Individual (9x12)	2½ lbs.	1½ lbs.
Individual (12x16)	1½ lbs.	1 lb.

"BEST-OF-ALL" Fiber Wallboard



Improve the Attic



Line the Garage



Bedroom Interiors



For Dining Rooms



4-PLY
3/16 INCH
THICK

ONLY
2³/₄

Per Square Foot

Turns Waste Space Into Useful Rooms

- Long, tough fibers, tightly compressed into 4-ply, 3/16-in. thick sheets that can be sawed and nailed.
- Strong, light weight, easy to handle. Large sheets cover surface quickly.
- Needs no painting or decorating; tinted cream on one side, tan on the other.

The most economical interior wallboard you can buy—costs only 2 3/4 c a square foot and requires no painting—although it takes paint if desired. Hundreds of uses—for ceiling or paneling rooms, closets, porches, attics, basements, store rooms, outbuildings, garages; also for shelves, partitions and the like.

STRONG AND TOUGH

The 4-ply, laminated construction makes a sheet that is extra strong, extra tough, extra rigid and resists any tendency to warp. Excellent for applying over old plaster and remodeling old rooms. State width and length.

"Best-of-all" Wallboard 48 PM 7910K

Width Inches	Length Feet	Sq. Feet per Sheet	Shpg. Wt. per Sheet	Per Sheet
32	6	16	10 lbs.	\$0.44
32	7	18 1/2	12 lbs.	.51
32	8	21 1/4	13 lbs.	.59
32	9	24	15 lbs.	.66
32	10	26 1/2	17 lbs.	.73
48	6	24	16 lbs.	.66
48	7	28	19 lbs.	.77
48	8	32	22 lbs.	.88
48	9	36	25 lbs.	.99
48	10	40	27 lbs.	1.10

Wood Panel Strips

Use with wallboard over joints of sheets. Make paneled walls. Size, 3/16x1 1/2 in. Shipping weight, 12 lbs.
48 PM 7922K—Per 100 lineal feet..... **75c**

Gummed Joint Tape

To cover joints of sheets, 1 1/2 inches wide. 200-ft. rolls. Tan color. Shpg. wt., 1 lb. 2 oz.
48 P 2956K—Per roll..... **20c**

Wallboard, Panel strips and Tape shipped from Philadelphia or Boston. To avoid damage order at least three sheets.

"BEST-OF-ALL" Rock Wool Insulation Lowers Fuel Costs



Fill Type
\$1.10
Per
4 cu. ft.
Carton

Batt Type
\$1.40
Per
Carton
of 8 Batts

FILL AND BATT TYPES EASY TO HANDLE

- Reduces heat losses through walls and roof by providing positive insulation.
- Moderates temperature 8 to 12 degrees.
- Moisture-proof, fire-proof, dust-proof.
- Permanent—will not sift out.
- Will not deteriorate.
- Economical to apply in any house.
- Listed by Underwriters Laboratories, Inc.

"BEST-OF-ALL" GENUINE ROCK WOOL INSULATION insures greater home comfort—extra protection from heat or cold—and definite savings in fuel consumption. And when you buy it at Sears, you get definite savings in first cost as well! "Fill" is recommended for horizontal surfaces; Batts for walls and all lateral surfaces.

SAVE ON LABOR, TOO! DO THE WORK YOURSELF

Rock Wool comes in rectangular "Batt" form, 15x18 inches and 3 1/2 inches thick, to fit between studs, joists or rafters; and in "fill" or "pour" type form (a light, fluffy, wool-like substance) for use in walls, over ceiling joists and under attic floors. Both forms are made from silica rock, melted at tremendous heat, then blown into tiny fibers resembling wool. It is porous, yet non-absorbent and moisture-proof. Its tiny, trapped air cells effectively insulate against heat or cold. Both "Batt" and "Fill" types are extremely easy to handle and can be applied by any one in a very short time. Install them yourself, and you make an extra saving on labor. Order NOW while present costs remain low. Shipped from Philadelphia or Boston.


FILL TYPE. Fluffy, wool-like fibers, in pellet form, 4 cubic feet to the carton. Fills 16 sq. ft. of surface, 3 in. thick. Shipping weight per carton, 35 lbs.

48 PM 3208K—Per 4 cu. ft. carton.... **\$1.10**


BATT TYPE. Spongy, elastic, cellular batts, size 15x18x3 1/2 in., packed 9 in a carton. Cover 18 sq. ft. of wall or ceiling surface. Shpg. wt. of carton, 32 lbs.

48 PM 3207K—Per 9-Batt Carton.... **\$1.40**

"WALLTITE" Insulating and Building Board



Lining Outbuildings



Lining the Attic



For Partitioning



WALLTITE on Attic Floor Joists
Insulating Roofs,
Floors and Walls



ACTUAL
THICKNESS
IS 7/16 INCH

ONLY
3³/₄

Per Square Foot

STOPS HEAT LOSS EASY TO PUT ON

- Stops heat losses and reduces fuel bills.
- Made of strong, heavy fibers 7/16-in. thick, in 6 convenient sizes.
- Cellular structure contains millions of tiny air cells, forming an ideal insulating material.
- Shiplapped size (1 1/2 x 4 ft.) ideal as plaster base; costs less than wood lath.

When you buy insulating board, you want **RESULTS**—maximum resistance to heat, cold or sound. You want a board that won't mildew or deteriorate—that resists absorption of water and moisture—that won't retain or transmit odors. You require ease of handling and lightness in weight, yet sufficient tensile strength and rigidity to meet interior building and finishing requirements. WALLTITE meets all these specifications, and in addition, **COSTS LESS THAN OTHER BOARDS NOT AS EFFICIENT!**

QUICKLY SAVES ITS COST

WALLTITE is unexcelled for partitions and for lining the house, basement, chicken house, barn, icebox or incubator. Keeps heat within the house in winter and outside the house in summer. Quickly pays for itself in fuel savings and in increased profits from poultry and stock kept in buildings so lined. Shipped from Philadelphia or Boston. State width and length.

48 PM 3204K—Walltite Insulating and Building Board.

Size Feet	Shpg. Weight	Per Sheet	Size Feet	Shpg. Weight	Per Sheet
1 1/2 x 4	4 lbs.	\$0.23	4 x 8	19 lbs.	\$1.20
4 x 6	15 lbs.	.89	4 x 9	22 lbs.	1.35
4 x 7	17 lbs.	1.05	4 x 10	24 lbs.	1.50



STEEL ROOFING

(A) TWO-V CRIMP STEEL
Shipped from near Pittsburgh

	6-Ft.	7-Ft.	8-Ft.	9-Ft.	10-Ft.	12-Ft.
48 PM 3076K—Galv. 29-Gauge.....	47c	55c	62c	70c	78c	\$0.96
48 PM 3077K—Painted 28-Gauge.....	33c	38c	43c	48c	54c	.68
48 PM 3078K—Galv. 28-Gauge.....	49c	57c	65c	74c	82c	.99
48 PM 3080K—Galv. 26-Gauge.....	53c	62c	70c	79c	88c	1.08

(B) THREE-V CRIMP STEEL
Shipped from near Pittsburgh


	6-Ft.	7-Ft.	8-Ft.	9-Ft.	10-Ft.	12-Ft.
48 PM 3084K—Galv. 29-Gauge.....	48c	56c	64c	72c	80c	\$0.98
48 PM 3085K—Painted 28-Gauge.....	34c	39c	45c	50c	56c	.70
48 PM 3086K—Galv. 28-Gauge.....	50c	59c	67c	76c	84c	1.02
48 PM 3083K—Galv. 26-Gauge.....	54c	63c	72c	81c	90c	1.10

(C) FIVE-V CRIMP STEEL
Shipped from near Pittsburgh

	6-Ft.	7-Ft.	8-Ft.	9-Ft.	10-Ft.	12-Ft.
48 PM 3089K—Galv. 29-Gauge.....	56c	66c	76c	86c	\$0.95	\$1.14
48 PM 3090K—Painted 28-Gauge.....	44c	51c	59c	67c	.73	.91
48 PM 3091K—Galv. 28-Gauge.....	57c	67c	77c	87c	.96	1.16
48 PM 3092K—Galv. 26-Gauge.....	60c	69c	80c	90c	1.00	1.22

(D) NEW PATENTED LEAK PROOF STEEL ROOFING
Air space between patented crimp prevents moisture from seeping through... seals against weather! The perfect weather proof lap.
Shipped from Philadelphia or near Pittsburgh

	6-Ft.	7-Ft.	8-Ft.	9-Ft.	10-Ft.	12-Ft.
48 PM 3094K—Galv. 28-Gauge.....	57c	66c	76c	85c	94c	\$1.15
48 PM 3095K—Galv. 26-Gauge.....	59c	68c	78c	87c	96c	1.21



(E) 2½-INCH CORRUGATED STEEL

Catalog No.	6-Ft.	7-Ft.	8-Ft.	9-Ft.	10-Ft.	12-Ft.
48 PM 3105K—Painted 28-Gauge.....	34c	42c	47c	53c	58c	\$0.72
48 PM 3106K—Galv. 28-Gauge.....	53c	63c	69c	79c	88c	1.08
48 PM 3123K—Galv. 26-Gauge.....	56c	68c	76c	86c	94c	1.15

(F) 1¼-INCH CORRUGATED STEEL

Catalog No.	6-Ft.	7-Ft.	8-Ft.	9-Ft.	10-Ft.	12-Ft.
48 PM 3107K—Painted 28-Gauge.....	35c	43c	48c	54c	59c	\$0.73
48 PM 3108K—Galv. 28-Gauge.....	53c	64c	72c	80c	90c	1.09
48 PM 3125K—Galv. 26-Gauge.....	57c	69c	77c	87c	95c	1.17

(G) FLAT SHEET STEEL
Best Quality flat sheet steel in 28, 26 or 24-gauge—Black and Galvanized. Full gauge. Size of sheets, 28x96 in. Be sure to mention gauge wanted.

Gauge	28	26	24	48 PM 3225K—Galv. Sheet Steel	48 PM 3222K—Black Sheet Steel	28	26	24
Weight, per sheet, lbs.	15	17	22			11	14	19
Per sheet.....	85c	93c	\$1.10			55c	61c	81c

1¼ and 2½ corr. steel and flat sheets can be shipped from Philadelphia, also from point near Pittsburgh.



Ornamental Metal Ceiling or Siding

Used in stores and moderate priced buildings for walls and ceilings. A pattern appropriate for any size room. Sheets are 24x96 in. Come painted light gray on both sides. Sheet weighs 9 lbs.; borders 1 lb. Shipped from near Pittsburgh only.

48 PM 3114K—Steel Ceiling or Siding. Per sheet.....	65c
48 PM 3118K—Design Border. Width 3 in. Per 4-ft. length.....	15c

Beaded Steel for Ceiling and Siding

Painted on both sides. Sheets cover 24 inches from center of outside beads. The beads are small corrugations, ¾ inch wide by ¾ inch deep and 3 inch center to center. Made of 28-gauge steel. Shipped from near Pittsburgh only.

48 PM 3115K—Wt., 70 lbs. per 100 sq. ft.	Length, feet.....	5	6	8	10
Per sheet.....		30c	36c	46c	60c



Rock Face Siding

Excellent for store fronts, garage siding and other inexpensive, ornamental siding. Size of single stone, 7x12 in. In sheets 28x60 in. Wt., painted, 8 lbs.; galv., 10 lbs. per sheet. Furnished in 28-gauge. Shipped from near Pittsburgh.

Catalog Number	Rock Design Steel Siding	Per Sheet
48 PM 3142K	28-Ga. Painted	35c
48 PM 3143K	28-Ga. Galvanized	50c

Brick Face Siding

Easily applied on store or garage as siding or decorative point. Brick design; each brick, 2¼x8½ in. Sheets 28x60 in. Wt., painted, 8 lbs.; galv., 10 lbs. per sheet. Furnished in 28-gauge. Shipped from near Pittsburgh.

Catalog Number	Brick Design Steel Siding	Per Sheet
48 PM 3116K	28-Ga. Painted	34c
48 PM 3117K	28-Ga. Galv.	49c

ALLWEATHER

(OUR TRADE MARK)

Steel Roofing and Siding Resists Fire and Weather

- Fireproof—reduces fire and tornado insurance.
- Hot galvanized zinc coated steel. None better.
- In 26, 28 or 29 gauge galvanized, also 28 gauge painted.
- 26 gauge galvanized is heaviest gauge. We recommend it.

For durable, and economical roofs or siding, allweather galvanized steel can hardly be equalled... For use on barns, garages, hog sheds, silos, grain bins, chicken houses, or warehouses. Flat sheets useful for lining boxes, for table tops, floors and the like. Neat and attractive on new or old buildings... easy to apply. Take advantage of our low price... use your credit... and BUY NOW!

Demand First Quality Full Gauge Prime Sheet Steel!

Sears "Allweather" sheet steel is full gauge and Prime First quality. It conforms to U. S. Bureau of Standards, not the skimpy, light weight steel sometimes offered at near our price, as "Full Gauge."

NOTE: 1¼ and 2½-inch corrugated sheets are actually 26 inches wide, but with 2-inch side lap, actually cover 24 inches. 2-3 and 5 V-crimp, also new patent leakproof steel actually cover 24 inches allowing for crimp or overlap for all sheets, allow 6 inches on all sheets for end lap.

IMPORTANT—All painted steel is given a prime coat only and must be painted when used.

SHIPPING POINTS

Save Time! Save Freight!
Merchandise shown on this page shipped from conveniently located warehouse stocks near you. Send orders to Philadelphia.

Approximate Shpg. Wts. of 1¼ and 2½-in. corrugated; 2, 3 and 5 V-crimped and new patent leakproof steel.

Gauge	Finish	Wt. Per Foot
29	Galvanized	1 lb. 12 oz.
28	Painted	1 lb. 8 oz.
28	Galvanized	2 lbs.
26	Galvanized	2 lbs. 4 oz.

Example: 10-ft. sheet of 28-gauge galv. weighs 2 lbs. per ft., total, 20 lbs.

How to Figure Your Needs

To find quantity of steel roofing or siding needed, divide length of building to be covered by two (sheets actually cover 2 feet in width).

Example: If a straight gable roof is 30 feet long and 12 feet from the ridge to eaves, you need: 30 feet divided by 2 or 15 sheets of 12-foot steel for one side of roof, times 2, equals 30 sheets of 12-foot steel needed for both sides.

SHEET METAL

Barn Batten Strips

—28-Gauge Galvanized Steel.

For closing cracks in floors and siding, making them grain, weather and verminproof. Sold only in 25-piece bundles of lengths shown below. Width, 2 in. Shipped from Philadelphia.

48 PM 3171K—State Length.

Length	Shpg. Wt.	Bundle of 25 pieces
6 ft.	20 lbs.	\$1.50
8 ft.	24 lbs.	2.00
10 ft.	27 lbs.	2.50

Tin Flashing Shingles

Size, 5x7 inches. For repairing old roofs, flashings or making a tight joint around chimney. Shpg. wt., per 100, 20 lbs. Shipped from Philadelphia.

48 P 3199K—Each.....11c
Bundle of 100.....98c

Sheet Zinc

Suitable for table tops, stove boards or heat shield. Shipped from Philadelphia.

48 PM 4600K—36x42-inch sheet. Weight, 8 lbs.....	95c
48 PM 4601K—36x84-inch sheet. Weight, 16 lbs.....	\$1.88

Galvanized Steel

Valley

48 PM 3197K—28-gauge Galvanized 14-inch Valley. Shipped from Philadelphia.

25-foot roll. Weight, 20 lbs. \$1.35
50-foot roll. Weight, 40 lbs. \$2.65

RIDGE CAPS



Corrugated Roll Cap

Made of 28 gauge steel. Shpg. wt., 10-ft. lengths, 8 lbs. Shipped from steel roofing shipping points.

Cat. No.	Finish	10ft.
48 PM 3327K	Painted	46c
48 PM 3328K	Galvanized	63c

48 PM 3328K	Galvanized	63c
1¼-in. Corrugations		
48 PM 3329K	Painted	46c
48 PM 3330K	Galvanized	63c

Roll Ridge Cap

Galvanized steel. Diam. of roll, 2 in.; width of apron, 2½ in.; girth, 10 in.; lengths 10 ft. Shipped from Philadelphia.

We recommend extra heavyweight, 26 gauge.

Catalog Number	Gauge	Per 10 ft. Lbs.	Wt.
48PM3152K	28	39c	9
48PM3337K	26	55c	12

"V" Angle Ridge Cap

For use on steel, slats or shingle roofs. Girths, 8 inches; length, 10 feet. We recommend extra heavy, 26 gauge. Shipped from Philadelphia.

Catalog Number	Gauge	Per 10 ft. Lbs.	Wt.
48PM3167K	28	36c	8
48PM3341K	26	45c	11



Lead Headed Nails

Use lead head nails for all steel roofing. 1¼ inches long; heads in steel leakproof. Use 1¼ lb. for 100 square feet roofing. Shipping weight, 1 lb. 1 lb. 4 oz. Shipped from steel roofing shipping points.

48 P 3912K—Per Pound.....14c

Steel Roofing Nails

Use 1-in. for ceiling and siding; 1¼-in. for roofing. 1 lb. per 100 square feet. Shpg. wts., 1-in., 1 lb. 4 oz. 1¼-in., 1 lb. 4 oz. Shipped from steel roofing shipping points.

48 P 3280K—1 in. nails, per lb.....	9c
48 P 3282K—1¼ in. nails, per lb.....	9c

Wood V Strips

For use under crimps. Two-V requires 50 lineal feet, 3-V and 5-V require 100 lineal feet per 100 square feet of steel used. Shipping weight, per 100 feet, 15 lbs. Shipped from steel roofing points.

48 PM 3081K.....48c
Per 100 ft.....48c

Globe Finial

—28-Gauge Galvanized Steel, 3-in. ball. Shipped from Philadelphia.

48 P 3169K	Each. Wt., 1 lb	25c
------------	-----------------	-----

GALVANIZED and COPPER GUTTERING

EASY TO HANG WITH OUR SOLDERLESS SLIP CONNECTION


When you buy guttering from Sears, you know exactly what you're getting, because the weight or gauge is stamped on every piece for your protection. You get full gauge, full weight every time, backed by Sears Guarantees of Satisfaction or Money Refunded. Regardless of the claims of others, there is no better rust-resisting steel for eaves trough and fittings than our GALVANIZED (HOT ZINC COATED) SHEET STEEL. Made in 28 and

26-Gauge weights. 26-Gauge is the heaviest and we recommend it. In the Atlantic Seaboard territory we recommend 16-oz. copper as the best resistant to salt air exposure.

With the slip connection illustrated below, you don't have to bother about ordering right or left pieces. This connection slips onto either end of trough, joining two pieces of trough together and forming a permanent,

non-sag watertight connection without soldering. Corners, outlets and end caps also have the slip connector feature.

All articles on this page shipped from Philadelphia or Boston. For Easy Payments See Inside Front Cover.



Eaves Trough Corners

26-gauge, extra heavy, galvanized steel. With solderless "slip connections." Use with either 28 or 26-gauge trough. Furnished also in 16-oz. Cold Rolled Copper. Order correct corner, inside or outside; see (A) illustration above. State size. Shipping weight, each, 1 pound.


Catalog Number	Size, Inches	3 1/2	4	5	6
48 KM 3309	Inside—26 Ga.	30c	32c	35c	45c
48 KM 3310	Outside—26 Ga.	30c	32c	35c	45c
48 KM 3379	Inside—16 oz. Copper	80c	80c	\$1.05	\$1.35
48 KM 3380	Outside—16 oz. Copper	80c	80c	\$1.05	\$1.35



10-Ft. Lengths Eaves Troughs

26 or 28-gauge galvanized, also 16-oz. Cold Rolled Copper. With solderless "slip connections." We recommend 5 and 6-in. for houses; 3 1/2 and 4 in. for garages. Average weight, per length, 28-gauge, 7 lbs.; 26-gauge, 10 lbs.; copper, 8 lbs.

Catalog Number	Size, Inches	3 1/2	4	5	6
48 KM 1279	28-Gauge Steel	38c	44c	50c	63c
48 KM 3304	26-Gauge Steel	43c	55c	59c	78c
48 KM 3374	16-oz. Copper	\$2.35	\$2.60	\$3.05	



Trough Hangers

Furnished in annealed wire for steel trough and strap copper for copper trough. Use one to each four feet of trough. State size. Shipping weight, Dozen, 1 lb. 8 oz.

Catalog Number	Size, Inches	3 1/2	4	5	6
48 KM 3170	Per doz. Wire	22c	25c	29c	34c
48 KM 3240	Per doz. Copper	\$1.92	\$2.04	\$2.16	



Outlets

26-gauge, extra heavy, galvanized steel for use with 28 or 26-ga. trough. With solderless "slip connections." State size. Shipping weight, each, 1 pound.

Catalog Number	Size, Inches	3 1/2	4	5	6
48 K 3308	26 Gauge Steel	15c	20c	23c	24c
48 K 3378	16 oz. Copper	58c	65c	75c	



End Caps

26-gauge, extra heavy, galvanized steel fits 28 or 26-Ga. trough; also 16 oz. Cold Rolled Copper. With solderless "slip connections." State size. Shipping weight, each, 4 ounces.

Catalog Number	Size, Inches	3 1/2	4	5	6
48 K 3307	26 Gauge Steel	8c	9c	12c	14c
48 K 3377	16 oz. Copper	23c	30c	33c	




Reduced to Utility Ventilator

For chicken or hog houses. Revolving ball-bearing head. Made of heavy galvanized steel, coated with aluminum paint. Bird-proof. Flue size 12 inches; base size, 16 inches; height, 36 inches. Mailable. Shipping weight, 23 pounds.

48 K 659—Each..... \$5.95

All merchandise on this page shipped from Philadelphia or Boston.



10-Ft. Lengths Corrugated Rainpipe

26 or 28-gauge galvanized steel, also 16 oz. Cold Rolled Copper. One end crimped for easy fit. For 3/4 or 4-in. eaves trough, order 2-in.; for 5-in., order 3-in.; for 6-in., order 4-in. Pipe and fittings. Weight, each length, 28-gauge, 6 lbs. 8 oz.; 26-gauge, 7 lbs. 8 oz.; and copper, 7 lbs.

Catalog Number	Size, Inches	2	3	4
48 KM 1278	28 Gauge Steel	43c	49c	68c
48 KM 3303	26 Gauge Steel	53c	59c	70c
48 KM 3373	16 oz. Copper	\$2.10	\$2.45	\$3.45



Wire Strainers

Heavy galvanized wire, also Copper Wire. Prevents leaves, twigs and other debris from stopping up rainpipe. State size. Shipping weight, each, 2 ounces.


Catalog Number	Size, Inches	2	3	4
48 KM 3194	Galv., each	8c	9c	13c
48 KM 3264	Copper, each	16c	26c	35c



Elbows and Shoes

26 and 28-gauge, galvanized steel, also 16 oz. Cold Rolled Copper. 60 and 75-degree Elbows. Properly turned of flawless steel or copper to resist corrosion. Used in combinations to fit any angle or turn of the eaves. Size given indicates size of rainpipe. State size. Shipping weight, each approximately, 12 ounces.

Catalog Number	Size, Inches	2	3	4
48 KM 3182	Elbow 60°.....28-ga. Steel	14c	17c	25c
48 KM 3183	Elbow 75°.....28-ga. Steel	14c	17c	25c
48 KM 3184	Shoe.....28-ga. Steel	20c	23c	33c
48 KM 3302	Elbow 60°.....26-ga. Steel	20c	23c	33c
48 KM 3303	Elbow 75°.....26-ga. Steel	20c	23c	33c
48 KM 3304	Shoe.....26-ga. Steel	28c	32c	45c
48 KM 3382	Elbow 60°.....16-oz. Copper	53c	69c	\$1.05
48 KM 3383	Elbow 75°.....16-oz. Copper	53c	69c	\$1.05
48 KM 3384	Shoe.....16-oz. Copper	58c	75c	\$1.10



Rainpipe Funnels

26-gauge extra heavy, galvanized steel, also 16 oz. Cold Rolled Copper. For running two rain-pipes into one; size indicates diameter of lower spout. State size. Shipping weight, each, 12 ounces.

Catalog Number	Size, Inches	2	3	4
48 KM 3305	26-Ga. Galv. Steel. Each...	25c	33c	43c
48 KM 3375	16-oz. Copper. Each.....	\$1.10	\$1.45	\$1.75



Cut-On

26-gauge, extra heavy, galvanized steel, also 16 oz. Cold Rolled Copper. A turn of the handle diverts water to cistern or overflow pipe. Size indicates diameter of rainpipe. State size. Shpg. wt., 1 lb.



Catalog Number	Size, Inches	2	3	4
48 KM 3306	26-Ga. Galv. Steel. Each...	52c	59c	83c
48 KM 3376	16-oz. Copper. Each.....	\$2.15	\$2.55	\$3.40

Rainpipe Hooks and Straps



For galv. pipe tinned hook is supplied and 16-oz. Copper Strap for Copper pipe. Use two for 10-ft. pipe on frame or brick buildings. State size. Shipping weight, per dozen, 1 pound 12 ounces.

Catalog No.	Size, Inches	2	3	4
48 KM 3188	Tinned Hook, Dozen.....	50c	63c	90c
48 KM 3258	16-oz. Copper, Dozen.....	\$1.68	\$1.80	\$1.92



BOX EAVES TROUGH

Galvanized Steel or Copper

This square bead box eaves trough and fittings combines decorative appearance with extra strength and durability. For Atlantic seaboard territory we recommend our 16-oz. cold-rolled Copper Square Bead Eaves Trough and fittings, as they are not affected by salt air, and last longer. Anything lighter than 16-oz. copper will not give you the service you expect. Our Galvanized Trough and fittings are 26-gauge, extra heavy. Joints must be soldered. Priced at left.


SIZES: Trough width at top, 4 1/2 in.; at bottom, copper, 3 in.; galvanized, 2 1/2 in.; depth, 3 3/4 in.; pipe and fittings, 2x3 in.

Shpg. wt.		Copper	Price	Galvanized	Price
10 lbs.	Eaves Trough	48 KM 3490	\$3.15	48 KM 3420	65c
1 lb.	Trough Corners	48 KM 3495	1.65	48 KM 3425	75c
1 lb.	Outside each.....	48 KM 3496	1.65	48 KM 3426	75c
10 lbs.	Rainpipe	48 KM 3485	2.65	48 KM 3415	70c
2 oz.	End Caps				
2 oz.	Right Hand each...	48 KM 3493	.45	48 KM 3423	11c
2 oz.	Left Hand each....	48 KM 3494	.45	48 KM 3424	11c
12 oz.	Elbow each.....	48 KM 3486	1.15	48 KM 3416	30c
8 oz.	Outlet Tubes each...	48 KM 3492	.53	48 KM 3422	10c
4 oz.	Hangers each.....	48 KM 4091	.15	48 KM 4021	6c
2 oz.	Pipe Hooks each	48 KM 3489	.30	48 KM 3419	12c

Spark Arrester

Reduces Fire Hazards

Rustproof, constructed of diamond-mesh heavy steel. Makes every building safe from fire caused by flying sparks. We include copper wire for fastening to chimney. Order size to cover flue or inside size of chimney. Shipping weight, 6 pounds.



Cat. No.	Size	Fits Chimney		Price
		Outside	Inside	
48 KM 670	10x15 in.	12x16 in.	4x 8 in.	\$2.45
	10x15 in.	12x20 in.	4x12 in.	
	10x15 in.	16x20 in.	8x12 in.	
48 KM 671	12x12 in.	16x16 in.	8x 8 in.	2.55

Artistic METAL CEILINGS

Metal Ceilings are now almost a necessity for—

Sanitation	Ornamentation
Economy	Proof Against Moisture
Fire Protection	Proof Against Vermin
Permanence	Insulation

Used extensively in stores, halls, restaurants, hotels, churches, schools, apartment buildings, homes, offices, dining rooms, kitchens, bathrooms, etc.


Offer a real improvement for Modernized jobs, and particularly desirable in new buildings of all kinds. Economical in first cost, no upkeep expense. Can be tinted or painted to harmonize with any surroundings. Metal Ceilings always look their best, never any unsightly cracks or falling particles, as in cases where plaster used becomes old and loses its beauty, appeal and usefulness.

Easily cleaned, and redecorated very economically (which is seldom necessary).

Ideal for use on Side Walls too—and very practical.

SIMPLIFY MODERNIZATION WORK

Give that old office, home or store ceiling a new pleasing and substantial appearance this easy way. Choose from our recognized artistic designs. **SAVE MONEY HERE ON THE BEST.** Not only are our prices below the average but you will find that metal ceilings take the very low fourth class freight rate, saving you even more. An order of 100 square feet, carefully crated and packed for guaranteed safe delivery, weighs but 60 lbs. Make it a metal ceiling or side wall this year!



We Will Gladly Estimate Your Needs

Send us a small sketch showing the exact outline of your room including offsets, if any. Measure all four sides of the room and show these measurements on your sketch. For side walls, locate doors, windows, vestibules, chimneys or other offsets. Give distance from top of doors and windows to ceiling and from bottom of the windows to floor; also give height of walls and size of base-board.

For Easy Payments See Inside Front Cover.


All metal ceilings painted a light gray before leaving factory.

We furnish, without extra charge, with any pattern of metal ceiling, the special nails, also the wood brackets for molding and cornices when necessary. Metal ceilings can be purchased on our Easy Payment Plan. See inside front cover.

SOFT WOOD FURRING STRIPS

About 150 lineal feet of furring strips are required for each 100 square feet of metal ceiling. Shpg. wt., 16 lbs.


48PM3060K—Size, 1¼x½ inch. Per 100 lineal feet..... **90c**



LEE Suitable for Large Rooms, Especially Churches, Halls and School Rooms. Cornice drops on wall, 4 inches.

Before you order read "How to figure your requirements" below. Field sheets are 24 in. wide, 48 in. long. The Design is 24 in. Square

48PM1692K—Per 100 sq. ft., including wood brackets for cornice and nails for applying ceiling..... **\$5.75**
Shpg. wt., 60 lbs. Shipped from factory in Dover, Ohio.



STEEL TILE Suitable for Large or Small Rooms.

Furnished in sheets 24 inches wide by 96 inches long. Can be used in bathrooms, kitchens or in any room where an imitation tile design is desired. The tile design is 1½x6 inches. Weight, 9 lbs. per sheet.


Shipped from factory in Dover, Ohio. 48PM2602K—Side Wall. Per sheet..... **58c**



YALE Suitable for Small Rooms only. Cornice drops on wall, 4 inches.

Before you order read "How to figure your requirements" below. Field sheets are 24 in. wide, 48 in. long. The design is 6 in. square.

48PM2465K—Per 100 sq. ft., including wood brackets for cornice and nails for applying ceiling..... **\$5.75**
Shpg. wt., 60 lbs. Shipped from factory in Dover, Ohio.



VENUS Suitable for Large or Small Rooms. Cornice drop on wall, 4½ inches.

Before you order read "How to figure your requirements." Field sheets are 24 in. wide, 48 in. long. The design is 6 in. square.

48PM11604K—Per 100 sq. ft., including wood brackets for cornice and nails for applying ceiling. Shpg. wt., 60 lbs. Shipped from factory in Dover, Ohio. **\$5.75**

How to Figure Your Requirements

On each ceiling we show the drop of cornice on the wall. It is necessary to allow extra in figuring your needs. Example:—

1st—To actual width of ceiling add twice the size of the cornice drop printed below the design you select. This gives the proper width to figure.

2nd—To actual length of ceiling add twice the size of the cornice drop printed below the design you select; this gives the proper length to figure.

3rd—Multiply these two (width and length) and you have the area, or the number of square feet of ceiling to order.

For example, take a square room 12x12 feet. The design selected has a cornice with 9-inch drop. To the 12-foot ceiling add twice 9 inches, or 1 foot 6 inches, the drop of cornice on both walls, which gives 13 feet 6 inches for each dimension. 13 feet 6 inches multiplied by 13 feet 6 inches equals the area, or 182¼ sq. ft.



LINCOLN Suitable for Large Rooms, Halls, Churches, Theatres, Etc.

Cornice drops on wall, 9 inches. Before you order read "How to figure your requirements." Field sheets are 24 in. wide, 48 in. long. The design is 24 in. square.

48PM11694K—Per 100 sq. ft., including wood brackets for cornice and nails for applying ceiling. Shipped from factory in Dover, Ohio. Shpg. wt., 60 lbs. **\$5.75**

SEARS READY-FORMED METAL PLASTERING ARCHES

Provide Perfect Plastered Arched Openings Quickly and Economically

Sears Ready-Formed Metal Arches combine in a unit—plastering base, plaster ground and corner bead. They provide true, plastered arched doorways and other types of arched openings; also arched wall recesses for telephone niches, book cases, etc. The arches are made standard for 2 by 4-inch studs. Arches for 2x6 or 2x8 inch studs can be supplied. See notation below arch prices.

For New Buildings or Remodeling

The arches are made in True Circle, Gothic and Elliptic designs, in six standard sizes. These can be adapted to practically all types of openings, can be fitted with sections of, or a combination of the standard units. Write for literature.

A Time and Money Saver for the Builder

Sears Metal Arches save about fifty per cent on the cost of built-in-place arches by eliminating difficult operations—the construction of curved wood forms, the forming of corner bead, etc. They provide the three arches that are widely used for plastered arched openings. Easily and Quickly Erected. Free Instructions Furnished. Made under Merryweather Patent 1782147.

MADE IN THREE
DESIGNS—SIX
STANDARD SIZES


48 P 11K—True Circle Design—10-inch radius—for 20-inch opening with studs set 21½ inches apart. Wt. 5 lbs. Price per set (two pieces). Prepaid..... **\$2.00**

48 P 22K—True Circle Design—15¾-inch radius—for 31½-inch openings with studs set 33 inches apart. Wt. 7 lbs. Price per set (two pieces). Prepaid..... **\$2.50**

48 P 33K—Gothic Design for 30-inch openings with studs set 33 inches apart. Price per set (four pieces). Wt. 6 lbs. Prepaid **\$2.75**

48 P 44K—Gothic Design for 48-inch openings with studs set 51 inches apart. Price per set (four pieces). Wt. 7 lbs. Prepaid.... **\$3.00**

48 P 55K—Elliptic Design for 60-inch openings with studs set 63 inches apart. Price per set (four pieces). Wt. 8 lbs. Prepaid..... **\$3.25**




48 P 66K—Elliptic Design for 72-inch openings with studs set 72 inches apart. Price per set (four pieces). Wt. 9 lbs. Prepaid..... **\$3.50**

All above arches can be supplied for 2x6 or 2x8 inch studs. Designs 48 P 11K and 22K—\$1.25 extra. Designs 48 P 33K and 44K—\$1.50 extra. Designs 48 P 55K and 66K—\$1.75 extra. Mention stud size when ordering.

Shipped packed one set in a carton. Shipped prepaid from Warren, Ohio.




Arched Openings Add New Beauty to Old Interiors



The above illustration pictures a doorway before and after it was modernized with a Sears Metal Arch. Beautiful arched doorways are now possible at low cost with the Sears Metal Arch. The arches are easily erected (over the lath) in any type of square doorway and the new plastering can be confined to a limited area.

CORNERITE REINFORCEMENT GALVANIZED CORNER BEADS



Prevents Cracks in Plaster


Made from diamond mesh metal lath. Used in inside corners of rooms lathed with wood lath, insulating board, etc., to prevent unsightly corner cracks in the plaster.

Easily erected, size 3 in. by 3 in. by 8 ft. long.

Painted black. Packed in bundles containing 63 pieces, or 504 linear feet. Sold only in full bundles. Weight, 63 lbs.

48 P 72K—Bundle Cornerite. Shipped prepaid from Warren, Ohio..... **\$9.95**


Expansion Corner Bead



Used for reinforcing and protecting outer angles of plastered walls. Has 2½-inch flange of expanded metal lath, assuring a strong bond with the plaster to provide a stronger corner. Easy to erect. The wide flange facilitates erection on irregular corners. Made from 26 ga. galvanized steel. Wt., per linear ft., 8 ounces. Prepaid from Warren, Ohio. Sold only in full bundles of 15 pieces.

Cat. No.	Length	Bundle Contains	Per Bundle
48 P 76K	6 ft.	90 lin. ft.	\$3.24
48 P 78K	8 ft.	120 lin. ft.	4.32
48 P 80K	10 ft.	150 lin. ft.	5.40


Standard Corner Bead



A universally used corner bead which satisfactorily meets all general requirements. Reinforces corners in all types of buildings. Nail holes are provided in flanges for ease of applying. Perforated flanges 1½ inches wide—provide a key for the plaster. Made from galvanized steel. Prepaid from Warren, Ohio. Wt., lin. ft., 3 oz.

Cat. No.	Length	Bundle Contains	Per Bundle
48 P 86K	6 ft.	504 lin. ft.	\$12.95
48 P 88K	8 ft.	504 lin. ft.	12.95
48 P 90K	10 ft.	500 lin. ft.	12.95

SEARS SMALL DIAMOND MESH METAL LATH



For All Types of Plastering

Sears Metal Lath provides a base and reinforcement for all types of plain and ornamental plastering, stucco and fireproofing; also used as a reinforcement under tile and for ratproofing.

The mesh is a small diamond design—a feature which provides the distinct advantage of "Steel-strengthened plaster."

Made in four weights shown below. Size of sheet 24 by 96 inches. Sold only in 4-sheet bundles, each bundle contains 16 sq. yards. Prepaid.

Catalog No.		Weight Sq. Yd.	Wt. Per Bdle. of 9 Sheets	Per Bdle. 9 Sheets
48 P 2830K	Painted	2.2 lbs.	34 lbs.	\$3.20
48 P 2831K	Painted	3.0 lbs.	48 lbs.	3.75
48 P 2832K	Galvanized	2.5 lbs.	41 lbs.	3.95
48 P 2833K	Galvanized	3.4 lbs.	54 lbs.	4.60

All Above Articles Shipped Prepaid From Warren, Ohio.





Perfect Keying

Note these uniformly perfect keys—a superb bond. Metal lath is virtually back plastered by the first coat.

Quick Coverage

More area can be plastered in less time. Complete embedment is assured.





ROLL RITE For Garage or Barn

- Double roller bearing hangers with 4 trolley wheels.
- Wheels enclosed in stormproof, birdproof, jump-proof track.

For doors up to 2 1/4 in. thick. Shpg. wt., 5 lbs. 14 oz.
9K 6204—Two hangers only, for one door. Bolts included..... **\$1.48**

ROLL RITE Complete Sets

Two hangers, track, brackets, bolts and screws. Sets for 8-ft. and 10-ft. doors shipped freight or express only.

	Door	Track	Shpg. Wt.	Set
99 K 6206	6 ft.	12 ft.	30 lbs.	\$3.75
99 K 6207	8 ft.	16 ft.	35 lbs.	4.35
99 K 6208	10 ft.	20 ft.	41 lbs.	5.25

Heavy Japanned Steel Trolley Track

For above hangers. Shpg. wt., 1 lb. 8 oz. to the foot. 8-ft. and 10-ft. lengths shipped freight or express only.


99 K 6211 —4 ft. .65c	99 K 6214 —8 ft. \$1.27
99 K 6212 —5 ft. .80c	99 K 6215 —10 ft. 1.55
99 K 6213 —6 ft. .95c	Brackets not included.

Steel Brackets for Above Track

Should be attached 3 feet apart. Lag screws included.

9K 6200—Single bracket. Shipping weight, 1 pound 4 ounces. Each..... **13c**

9K 6201—Double bracket for parallel doors. Shpg. wt., 2 lbs. 8 oz. Each..... **40c**



STORM KING Barn Door Hangers

Sears Prices Are Lower on These
High Quality Hangers

- Wheels enclosed in stormproof, birdproof, jump-proof track.
- Double roller bearing hangers make doors slide with ease.
- For doors weighing up to 1000 lbs.


A child can easily open or close a heavy door that's hung with Sears STORM KING Hangers! All Sears door sets have extra heavy straps and are designed so doors can't jump track. Set includes two adjustable double roller bearing hangers, with track, lag screws, bolts and bracket. Gray enameled finish. Shipped freight or express only.

99 K 6223—Complete set for one 8-foot door. With 16 ft. of track. Shpg. wt., 30 lbs. **\$2.89**

99 K 6224—Complete set for one 10-foot door. With 20 ft. of track. Shipping weight, 33 lbs. **\$3.39**

99 K 6227—Extra Track for above in 8 or 10-ft. lengths. State length. Shipping weight, per ft., 1 lb. 8 oz. Shipped freight or express only. Per foot..... **12c**

9K 6220—Pair Hangers only, for above. With bolts. Shipping weight, 5 pounds 3 ounces..... **\$1.10**



ROCKWELL For Garage or Barn

3 1/2-inch roller bearing wheels; can't bind; can't jump track. Guard holds wheels on track when door is raised by obstructions. Hinged brackets. Black japanned finish. With bolts for attaching. Shpg. wt., 5 lbs. 10 oz.

9K 6230—Pair hangers only..... **78c**

ROCKWELL Complete Sets


Two hangers, complete with track. Sets for 8-ft. and 10-ft. doors shipped freight or express only. Screws for hanging included.

	For 1 Door	Track	Shpg. Wt.	Set
99 K 6232	6 ft.	12 ft.	20 lbs.	\$1.60
99 K 6233	8 ft.	16 ft.	22 lbs.	1.83
99 K 6234	10 ft.	20 ft.	26 lbs.	2.10

Flat Steel Door Track

Round edge heavy flat steel, 1 1/4 x 3/16 in. Steel brackets, securely attached. For ROCKWELL hangers or any hanger using flat track. Screws included. 8-ft. and 10-ft. track shipped freight or express only.

	Length	Shpg. Wt.	Each
99 K 6237	6 ft.	7 lbs.	45c
99 K 6238	8 ft.	9 lbs.	60c
99 K 6239	10 ft.	11 lbs.	75c



SWING EZY Garage Door Set


\$1.95

Reduced From Last Fall

For hanging double doors in openings up to 10 ft. wide.

Six 10-inch extra heavy T-hinges, 6-inch chain bolt, 6-inch foot bolt, universal latch with inside pull, and pair of padlock eyes. Complete with screws. Finished in black japan. Shpg. wt. 18 lbs.

99 K 6242—Set..... **\$1.95**



FOLDING—SLIDING 3-Door Roller Bearing Garage Set




\$3.35

Complete hardware for 3 doors up to 9-foot opening.

Provides for right or left hand service door.

Convenient, easy to install, saves space. For doors not over 2 inches thick or 3 feet wide. Set includes roller bearing hanger with up and down adjustment, 4 1/2 pairs 4x4 inch butts, door pull, thumb latch and handle, foot bolt, chain bolt, 7 feet steel track and brackets. Troubleproof set at low price. Shpg. wt., 23 pounds.

99 K 6244—Set, with bolts, screws and instructions. **\$3.35**



Steel Strap Hinges

Sizes given are one-half the total length. Screws included. State size. Weights given are shipping weights.

9K 5950—Light.

Size, in. 3	4	6
Wt., pr. 6 oz.	8 oz.	14 oz.
6 pairs 1 lb. 14 oz.	2 lbs. 2 oz.	4 lbs. 6 oz.

9K 5951—Heavy.

Size, in. 6	8	10
Wt., pr. 1 lb. 12 oz.	3 lbs. 4 oz.	4 lbs. 14 oz.
6 pairs 10 lbs. 8 oz.	18 lbs. 8 oz.	26 lbs.
Pair \$0.19	\$0.32	\$0.47
6 pairs \$1.10	\$1.89	\$2.75



Steel T Hinges

Size given is measurement from joint to end of hinge. With screws.

9K 5955—Light.

Size, inches. 3	4	6
Shpg. wt., pr. 6 oz.	6 oz.	11 oz.
Pair 8c	10c	14c
6 pairs 6 pr. 1 lb. 12 oz.	2 lbs. 2 oz.	3 lbs. 12 oz.
	43c	55c
		78c

9K 5956—Extra heavy.

Size, inches. 6	8	10
Shpg. wt., pr. 2 lbs. 2 oz.	3 lbs. 8 oz.	5 lbs. 8 oz.
Pair 25c	37c	57c
Shpg. wt., 6 pr. 10 lbs. 8 oz.	18 lbs. 4 oz.	26 lbs. 2 oz.
6 pairs \$1.45	\$2.15	\$3.35




Screw Strap Hinges

Heavy steel. Bolts included.

9K 5959

Length, in.	Pair
10	4 lbs. 6 oz. 33c
12	5 lbs. 2 oz. 38c
14	7 lbs. 50c
	6 Pairs
10	24 lbs. 12 oz. \$1.95
12	29 lbs. 2.20
14	43 lbs. 2.90



Safety Hinge Haps

Steel, cadmium plated. When locked, screw heads are concealed. Screws included.

9K 5933—3/4-inch. Shipping weight, 5 oz. Each..... **7c**

9K 5933—4 1/2-inch. Shipping weight, 6 oz. Each..... **8c**

9K 5933—6-inch. Shipping weight, 10 oz. Each..... **13c**



Steel Hinge Haps

Steel, cadmium plated. Rust resisting. Case hardened staple. Extra strong, extra safe hinge.

Length over all, 7 1/4 inches. With necessary screws and carriage bolt. Shipping weight, 1 pound 4 ounces.

9K 5936..... **29c**

9K 5930..... **8c**



Corner Irons

Wrought steel, cadmium plated. With screws.

9K 7284—State size.

Size, in.	Shpg. Wt.	Doz.
1 1/2	7 oz.	15c
2	2 oz.	33c
3	6 oz.	33c
4 1/2	4 lbs. 2 oz.	59c

Flat Corner Irons

Wrought steel, cadmium plated. With screws.

9K 7290—State size.

Size, in.	Shpg. Wt.	Doz.
2	7 oz.	19c
2 1/2	6 oz.	28c
3 1/2	1 lb. 6 oz.	28c
4 1/2	1 lb. 14 oz.	39c

Mending Plates

Steel, cadmium plated. With screws.

9K 7287—State size.

Size, in.	Shpg. Wt.	Doz.
2 1/2	7 oz.	15c
3 1/2	13 oz.	19c
4 1/2	1 lb. 2 oz.	23c

Safety Gate Hook

Sturdy hook of cadmium plated steel. Rust-resisting. Length, 6 1/4 in.

Safety catch. Wrought steel staples. Shipping weight, 6 oz.

9K 6300..... **9c**

Hooks and Staples

Extra heavy bright steel hook; 5 in. long. Machine pointed staples. For doors and gates.

Shipping weight, 14 oz.

9K 6303..... **10c**

3 for..... **30c**

Garage Door Brace

To draw up sagging garage or barn doors. 1/4 in. steel rods, japanned.

Brass turn-buckle. Length, overall, 5 ft. Take up, 2 in. Shipping weight, 1 lb. 8 oz.

9K 6192..... **47c**

Each..... **47c**

Garage Door Holders

Heavy steel, cadmium plated. Gravity catch; locks when door is opened. Easy to install. Released by backward pull on door. Length, 31 in. With screws. Shipping weight, 4 lbs. 12 oz.

9K 6194..... **\$1.59**

Pair Last Year \$1.89.



Yankee Door Catch

Cast iron. Japanned. With screws. Trip catch. Shpg. wt., 10 oz.

9K 6184..... **8c**

Barn Door Stay Roller

Heavy japanned steel. Reversible and adjustable up to 2 1/2 in. Shipping weight, 1 lb. 8 oz.

9K 6181..... **14c**

Barn Door Pull

Japanned steel. Large grip. Length, 6 1/4 in. With screws. Shpg. wt., 6 oz.

9K 6170..... **6c**

Japanned Wrought Steel Thumb Latch

6 1/4 in. handle, thumb latch, inside door latch catch, screws. Shipping weight, 8 oz.

9K 6173..... **15c**

9K 6175—A heavier resisting. Length, 6 1/4 in. With padlock eyes and 7 1/2 in. handle. Shpg. wt., 12 oz. **24c**

Swinging Door Latch

Heavy steel case, japanned. Galvanized sliding bolt. For doors 3/4 to 2 1/4 in. thick. Padlock eyes. With screws. Without padlock. Shpg. wt., 2 lbs. 3 oz.

9K 6178..... **45c**

Japanned Steel Chain Bolt

24 in. rustproofed chain. Rustproofed bolt. Length, 6 in. Reversible for doors swinging in or out. Screws included. Shpg. wt., 12 oz.

9K 6187..... **28c**

Japanned Steel Foot Bolt

Rustproofed bolt. Length, 6 in. Locked or released with foot. Screws included. Shipping weight, 1 lb. 2 oz.

9K 6189..... **28c**

ELGIN RIM NIGHT LATCHES

Provide Utmost Protection at Lowest Cost!



5-Pin Tumbler Rim Night Latch With 3 Nickel Silver Coined Keys

- Heavy tough metal bronze finish case, 3 1/2 x 2 1/2 in.
- Reversible bolt. Brass knob and dead lock stop.
- Sleep with an easy mind! Install this sturdy night latch and feel secure. For doors 1 1/4 to 2 1/4 in. thick. 3 nickel silver coined keys. Complete with screws. Shipping weight, 1 pound 12 ounces.

9 K 5802.....69c
9 K 5804—Similar to above but with brass cylinder, reversible brass bolt, black japanned finish extra heavy case. 3 nickel silver keys. Shipping weight, 1 pound 12 ounces.....89c



Cylinder Rim Night Latch NEW MODERN DESIGN

- 5-pin tumbler cylinder.
- Heavy iron case, 3 1/2 x 2 1/2 in. Black crackle finish. Chromium plated cylinder, dead lock stop and knob.
- Reversible brass bolt.
- 3 nickel silver coined keys.

Smart appearance outside—fine construction inside. A value that cannot be equalled anywhere. For doors 1 1/4 to 2 1/4 in. thick. Complete with screws. Shipping weight, 2 lbs. 9 K 5806—Reduced Price....\$1.19

Five-Disc Rim Night Latch

- 5-disc tumbler.
- Brass bolt and knob.
- Black japanned finish iron case, 2 1/4 x 3 in.
- 3 nickel silver coined keys.

Provides good, strong protection where a small latch is preferred. Spring bolt can be set to hold latch open. Priced low. Shipping weight, 1 lb. 3 oz. 9 K 5800.....49c



Jimmy Proof Night Lock

- 5-pin tumbler cylinder.
- Extra tough alloy metal case.
- Brass finished case measures 3 1/2 x 3 in.
- 3 nickel silver coined keys.

The last word in protection—a night lock that cannot be jimmied! The safest type of lock you can buy. Fits doors from 1 1/4 in. to 2 1/4 in. At Sears low price it costs very little to have the sure protection of this lock. Shpg. wt., 2 lbs. 4 oz. 9 K 5808.....\$2.49



Storm Sash Adjuster

Cadmium finished, rust-resisting steel. Will hold the sash open. When sash is closed adjuster locks it securely in position. 10 inches long. With screws. Reduced price.

9 K 6274.....15c

Pair. Shipping weight, 10 ounces.....23c
6 pairs. Shipping weight, 3 lbs. 2 oz.....85c

Door Check

For storm and screen doors. Brass cylinder, diam., 1 1/4 in. Works on either side of door. Heavy coil spring. Lgth., over all 15 1/2 in. With screws and directions. Shpg. wt., 2 lbs. 8 oz.

9 K 6266.....95c



Rim Storm and Screen Door Latch

Fits door 7/8 to 1 1/2 in. thick. Reversible bolt. Latch, 2x2 1/2 in., with slide lock. Electro plated outside escutcheon, 1 1/2 x 1 1/2 in. Shpg. wt., 1 lb.

9 K 6254—Dull brass finish.....23c
9 K 6256—Old copper finish.....23c



Storm and Screen Window Hangers

It's easy to hang or remove sash or screen (full length) from inside when equipped with these. Cadmium finished, rust-resisting steel. Reinforces frames. With screws, hook, eye. 9 K 6309—Set. Shipping weight, 3 oz.....5c
6 sets. Shipping weight, 1 pound 4 ounces.....28c
9 K 6310—Extra eyes, with screws. Shipping weight, 10 ounces. 12 for.....15c



Mortise Storm and Screen Door Latch

For doors, 7/8 to 1 1/2 in. thick, opening in 4 out. Inside escutcheon with slide lock; escutcheons, 1 1/2 x 1 1/2 in. Shipping weight, 1 pound.

9 K 6259—Dull brass finish.....35c



Hook and Eyes

9 K 6305—Steel wire, cadmium plated. Rust resisting. State size.

Hook	Shpg. Wt.	Dozen
1 1/2 in.	5 oz.	8c
2 in.	6 oz.	10c
3 in.	13 oz.	14c
4 in.	1 lb.	23c



Spiral Door Spring

Oil tempered steel. Length, 16 in.; diameter, 7/8 inch.

Shipping weight, 5 ounces.
9 K 6284...5c



Cup Hooks

Solid brass. Assorted; 1/2 in., 3/4 in., and 1 in. Shipping weight, 5 ounces.

9 K 7254—50 for...39c
9 K 7250—Individual sizes, 1/2, 3/4 or 1 in. State size. Shipping weight, 4 oz. 2 dozen.....21c



Shell Type Padlocks

Steel: nickel plated ends, enameled center, 2 keys. Shpg. wt., 3 oz.
9 K 5821—3/4 in. 8c
9 K 5822—1 1/2 in. 9c

Modernistic Design Padlock

A good general purpose padlock. Tough rustproof metal. Brass finish. 1 1/4 in. 2 keys. Shpg. wt., 4 oz.
9 K 5829....18c

Sturdy Garage Padlock

Cadmium plated wrought steel case. 9-in. cadmium plated chain. 2 1/2 x 3 in. 2 keys. Shipping wt., 10 oz.
9 K 5835.....47c

Concentric Tubular Padlock

Chromium plated rustless metal. For spare tires, tool boxes, etc. 1 1/2 x 2 1/2 in. 2 keys. Shipping wt., 8 oz.
9 K 5837....65c

6-Lever Steel Padlock

Cadmium plated steel padlock. Size, 2x3 inches. 2 keys. Shipping weight, 7 ounces.
9 K 5825..17c

R. F. D. Mail Box Lock

Brass case and chain; steel shackle. Size, 1 1/2 inches. Two keys. Shipping wt., 4 oz.
9 K 5827..22c

Pin Tumbler Padlock

Chromium plated rustless metal case; steel shackle. Pin tumblers. Size, 1 1/2 in. 2 coined keys. Shipping weight, 9 ounces.
9 K 5833.....45c

JUNKUNC Combination

Brass case. Shpg. wt., 6 oz.
Brass Dial Size, In. Each
9 K 5845 2 1/4 x 1 3/4 35c
9 K 5844 2 1/2 x 1 3/4 47c
9 K 5849—Enameled Dial. 2 1/2 x 1 3/4 in.....69c

5-Disc Tumbler

One-piece die cast rustless metal case; no seams, no rivets. Steel shackle. 1 1/2 in. Black crackle finish. 2 keys. Shpg. wt., 8 oz.
9 K 5852 19c

5-Pin Tumbler Cylinder Padlock

Our strongest padlock. Case is a solid block of extruded bronze. Hardened steel shackle, chromium plated. File and saw resisting. Two nickel silver coined keys.
9 K 5840—Size 1 1/2 in. Shipping weight, 8 ounces. 77c
9 K 5841—Size 1 3/4 in. Shipping weight, 11 oz. 93c
9 K 5842—Size 2 in. Shipping weight, 14 ounces. \$1.19

77c

1 1/2 in.

PRO-TEX Wire Screen

12-Mesh Black Enameled

—Strong, firm, uniformly woven, full gauge steel wires, 12-mesh, heavily black enameled.

Special low price. Best quality—gives good service. For fullest protection use 16-mesh. For lowest cost based on years of service rendered use 16-mesh Bronze.

Width In.	Shpg. Wt., Running Ft.	99 K 6805 50-Ft. Roll	99 K 6807 100-Ft. Roll	99 K 6808 100-Ft. Roll
24	4 oz.	4 1/2 c	\$2.10	\$4.00
26	4 oz.	5 c	2.45	4.33
28	4 oz.	5 1/2 c	2.62	4.62
30	4 oz.	5 3/4 c	2.80	5.00
32	6 oz.	6 1/4 c	3.00	5.33
36	6 oz.	6 3/4 c	3.15	6.00
42	8 oz.	8 c	3.60	7.00
48	8 oz.	9 c	4.20	8.00

16-Mesh Galvanized—Guaranteed for 5 Years

—Pure open hearth full gauge steel wire; uniformly woven. Galvanized by multiple dip process. Many coats of pure zinc plus one coat of protective lacquer. Guaranteed 5 years except in sea air climates, where PRO-TEX solid bronze should be used.

Width, inches.	24	26	28	30	32	36	42	48
Shpg. wt., running ft.	4 oz.	6 oz.	6 oz.	8 oz.	8 oz.	9 oz.	12 oz.	12 oz.
99 K 6815—Per foot.	8 1/2 c	7 c	7 1/2 c	8 c	8 1/2 c	10 c	11 1/2 c	13 c
99 K 6816—50 ft. roll	\$3.00	\$3.25	\$3.50	\$3.75	\$4.00	\$4.50	\$5.25	\$6.00
99 K 6818—100 ft. roll	5.80	6.28	6.76	7.25	7.73	8.70	10.15	11.60

16-Mesh Bronze—Guaranteed for 25 Years

—Full gauge solid bronze wire (90% copper, 10% alloy). Uniformly woven. Stiffness and strength of steel; absolutely rustproof. Bright bronze finish, lacquered.

Width, in.	24	26	28	30	32	36	42	48
Shpg. wt., running ft.	6 oz.	6 oz.	6 oz.	8 oz.	8 oz.	9 oz.	12 oz.	12 oz.
99 K 6825—Per foot.	11 1/2 c	12 1/2 c	13 1/2 c	14 1/2 c	15 1/2 c	17 1/2 c	21 1/2 c	23 c
99 K 6826—50 ft. roll	\$5.50	\$5.95	\$6.40	\$6.87	\$7.33	\$8.25	\$9.63	\$11.00
99 K 6828—100 ft. roll	10.50	11.37	12.25	13.12	14.00	15.75	18.35	21.00

Brads and Nails

Sharp point. Uniform. State size. Shpg. wt., 5 oz.

Lgth., in.	1/2	3/4	1	1 1/4	1 1/2	1 3/4	2	2 1/2	3	3 1/2	4	4 1/2	5	6	8	10	12
Gauge wire	10	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
5c	5c	5c	5c	5c	5c	5c	5c	5c	5c	5c	5c	5c	5c	5c	5c	5c	

9 K 7306—50 ft. roll \$3.00
9 K 7308—100 ft. roll 5.80

Cut Steel Tacks

9 K 7336—Clean, blued, sterilized. Every size. For carpet and upholstery work. Shpg. wt., 5 oz. State size.

Size	Lgth.	1/4 lb.
3 1/2 in.	5c	5c
4 1/2 in.	5c	5c
6 1/2 in.	5c	5c
8 1/2 in.	5c	5c

Assorted Screw Hooks and Eyes

Cadmium plated. Every size, picture eyes to clothesline hooks. Shipping weight, 10 ounces.

9 K 7246 72 for.....29c

Coat and Hat Hooks

Cast iron. With screws. Length, 3 inches. Shpg. wt., 1 lb. 4 oz.

9 K 7234 Dull brass. 6 for.....23c
9 K 7235 Old copper. 6 for.....23c

Coat and Hat Hooks

Cadmium plated. Lgth., 3 in. Shpg. wt., 12 oz.

9 K 7230 1 dozen.....9c

Ceiling Hooks

Cadmium plated. 2 1/2 x 3 1/4 in. Shpg. wt. 6 oz.

9 K 7232 1 dozen.....12c

Foot Scraper

Brushes to clean sides. Cast iron scraper, japanned. With screws. Shipping wt., 2 lbs. 2 oz.

9 K 7281..43c

Billposter Tacks

9 K 7338—Cut steel. Large head, sharp point. Shpg. wt., 9 oz. State size.

Size	Lgth.	1/4 lb.
4 1/2 in.	5c	5c
6 1/2 in.	5c	5c
8 1/2 in.	5c	5c
10 1/2 in.	5c	5c

Tack Assortment

6 packages of assorted sizes in one big box. Handy for carpets, screens, etc. Shipping wt., 8 ounces.

9 K 7344..15c

Numeral Nails

Mark screens, storm windows and frames. Raised figures. One of each number in set. State size wanted. Shipping wt., 2 oz.

9 K 6342—Set, 1 to 25.....8c
Set, 26 to 50.....8c

Divergent Fasteners


9 K 7300—Corrugated steel. Tack pointed teeth, drive easy. State size.

Size, In.	Shpg. Wt.	Package of 50
3/4 x 7/8	3 oz.	9c
1 x 1	4 oz.	9c
1 1/2 x 1	4 oz.	9c

Door Pulls

Steel, cadmium finish. Rust resisting. Lgth., 4 1/2 in. With screws. Shipping weight, each, 1 oz.; six, 5 oz.

9 K 6320—Each. 4c
6 for.....19c



THE CHICAGO DESIGN

A design of dignity and good taste. Straight, simple lines—broad beveled edges. Easy to align with door edge. Well made with perfect mechanism to provide security. Complete with screws to match. All lock sets below, unless otherwise stated, have reversible mortise lock, size, 3 3/4 x 3 1/4 inches, 2 1/4-inch knobs, and 7 x 2 1/4-in. escutcheons.

Shipping weight, 2 pounds 2 ounces.

Inside Door Lock Sets

Steel. Nickel plated key.
 9K 5650—Dull brass finish.....43c
 9K 5651—Old copper finish.....43c
 Genuine bronze knobs and escutcheons. Nickel plated key. Shipping weight, 2 pounds 8 ounces.
 9K 5652—Dull brass finish.....\$1.25
 9K 5653—Old copper finish.....1.25

Closet Door Lock Set

Steel. Dull brass finish. Nickel plated key. Thumb turn inside in place of knob. Shipping weight, 2 pounds 2 ounces.
 9K 5652.....33c

Bathroom Door Lock Sets

Steel. Chromium plated inside. Thumb turn in place of key. Shipping weight, 2 pounds 2 ounces.
 9K 5662—Dull brass finish.....98c
 9K 5663—Old copper finish.....98c
 Genuine bronze knobs and escutcheons. Chromium plated inside. Thumb turn in place of key. Shipping weight, 2 pounds 2 ounces.
 9K 5666—Dull brass finish.....\$1.79
 9K 5667—Old copper finish.....1.79

Rear Entrance Door Lock Sets

Steel. Three tumbler lock, 3 3/4 x 3 1/4 in. Nickel plated key. Shpg. wt., 2 lbs. 6 oz.
 9K 5657—Dull brass finish.....98c
 Genuine bronze knobs and escutcheons. Nickel plated key. Shipping weight, 2 pounds 10 ounces.
 9K 5660—Dull brass finish.....\$1.75
 9K 5661—Old copper finish.....1.75

Bit Key Front Door Lock Sets

Reversible lock, 5 1/2 x 3 1/2 in. 2 1/4-in. knobs. Escutcheons, outside, 10 x 2 3/4 in.; inside, 7 x 2 1/4 in. Two keys.
 Electro plated steel face, knobs and escutcheons. Shpg. wt., 3 lbs. 8 oz.
 9K 5672—Dull brass finish.....\$1.45
 9K 5673—Old copper finish.....1.45
 Genuine bronze face, knobs and escutcheons. Shpg. wt., 3 lbs. 10 oz.
 9K 5675—Dull brass finish.....\$2.98
 9K 5676—Old copper finish.....2.98

Cylinder Front Door Lock Sets

Reversible lock, 5 1/2 x 3 1/4 inches. Bronze face, 2 1/4-inch knobs and bronze escutcheons, outside, 10 x 2 3/4 in.; inside, 7 x 2 1/4 in. One key operates both bolts from outside. Thumb turn inside. 3 keys. Shipping wt., 4 lbs. 14 oz.
 9K 5681—Dull brass finish.....\$2.45
 9K 5682—Old copper finish.....2.45

French Window Lock Sets

Lock, 3 1/2 x 2 in.; electro plated steel escutcheons, 5 1/2 x 1 1/2 in.; knob, 1 3/4 in. Lever handle one side. Nickel plated key. Shipping weight, 1 pound 6 ounces.
 9K 5669—Dull brass finish.....98c
 9K 5670—Old copper finish.....98c

Bit Key Store Door Lock Set

Reversible 3-tumbler lock, 4 1/4 x 3 1/4 inches, steel face. Wrought steel escutcheons, 14 1/2 x 3 inches. 2 handles, one for each side of door. 3 keys. Dull brass finish. Shipping wt., 6 lbs. 8 oz.
 9K 5679—Dull brass finish.....\$2.95

Cylinder Store Door Lock Set


Reversible mortise lock, 5 1/2 x 3 1/4 in., bronze face, with 2 bronze cylinders. Bronze escutcheons, 14 1/2 x 3 in. One handle for each side of door. 3 keys. Dull brass finish. Shipping wt., 6 lbs. 8 oz.
 9K 5684.....\$7.49
 9K 5685—Same as above except chromium finish. Shipping weight, 6 pounds 8 ounces.....\$8.95

House Numbers

Plate glass on aluminum base, 2 3/4 x 2 inches. With nails. Be sure to state numbers wanted. Shipping wt., each, 6 ounces.
 9K 7366.....4c

Letters and Numbers

Avoid confusion—identify your house plainly.
 9K 7360—Cast brass house numbers. Three inches high. With nails. Print numbers wanted. Shpg. wt., each, 2 oz. Each.....5c
 9K 7361—Polished aluminum letters. 3 inches high. With nails. Print letters wanted. Shpg. wt., ea., 2 oz. Each.....4c



THE SHEFTON DESIGN

Sanded brass finish. Reversible mortise locks, 3 3/4 x 3 1/4 inches; escutcheons, 7 x 2 1/4 inches and 2 1/4-inch knobs. Screws to match—nickel plated key.

9K 5700—Inside Door Lock 9K 5700

Set. Steel escutcheons and knobs. With 1 key. Shipping wt., 2 lbs. 4 oz.....49c

9K 5702—As above with bronze escutcheons and knobs.....\$1.35

9K 5708—Bathroom Door Lock Set

Inside escutcheons and knob chromium plated. With steel escutcheons and knobs. Thumb turn inside. Shipping wt., 2 lbs. 4 oz.....\$1.25

9K 5710—As above with bronze escutcheons and knobs.....\$1.95

9K 5706—Rear Door Lock Sets

Bronze escutcheons, 7 x 2 1/4 in. Knobs, 2 1/4 in. Three tumbler mortise lock, 3 3/4 x 3 1/4 in. Nickel plated key. Shipping weight, 2 lbs. 8 oz.....\$1.95

9K 5704—As above with steel escutcheons and knobs.....\$1.15

9K 5714—Bit Key Front Door Lock Set

Steel outside escutcheons, 9 1/2 x 2 3/4 in., steel knobs; mortise lock, 5 1/2 x 3 1/2 in. 2 keys. Shipping weight, 4 pounds.....\$1.35

9K 5716—As above with bronze escutcheons and knobs. Last fall, \$3.50. Now.....\$3.10

9K 5718—Cylinder Front Door Lock Set

Bronze face, escutcheons and knobs. Outside escutcheon, 9 1/2 x 2 3/4 in. Reversible lock, 5 1/2 x 3 1/4 in. 3 nickel silver keys. Shipping weight, 4 pounds 14 ounces.....\$6.25

9K 5720—Cylinder Entrance Handle Lock Set

As above with handle on outside in place of knob. Shipping weight, 5 lbs. 8 oz.....\$7.45

9K 5712—French Window Lock Set

Steel escutcheons, 5 1/2 x 1 1/4 in. Mortise lock, 3 1/2 x 2 in. Lever handle one side knob other side. With 1 key. Shipping weight, 1 lb. 8 oz.....\$1.25

Crescent Sash Fasteners

Cast iron. With screws. Shipping weight, each, 4 ounces; dozen, pounds 4 ounces.
 9K 6062—Dull brass. Ea.....6c
 Dozen.....65c

9K 6063—Old copper. Ea.....6c; Doz.....65c

9K 6064—Sanded brass. Ea.....7c; Doz.....75c

9K 6065—Nickel plated. Ea.....7c; Doz.....75c

Casement Fasteners

Cast iron. For right or left hand sash. Size, 7/8 x 1 1/2 in. With screws. Shipping weight, 4 oz.
 9K 6032—Dull brass. Ea.....12c
 9K 6033—Old copper. Each.....12c
 9K 6034—Sanded brass. Each.....14c
 9K 6035—Nickel plated. Each.....14c

Casement Fastener

For heavy windows. Cast iron. Dull brass finish. For right or left hand sash. Size, 7/8 x 2 1/2 in. With screws. Shipping wt., 6 oz.
 9K 6028—Each.....15c

Casement Adjuster

Steel rod, dull brass finish. Knob style screw fastener. For windows opening out. 12 in. long. With screws. Shipping weight, 14 ounces.
 9K 6026.....33c

Push Plates

For double acting doors.
 9K 5965
 Plate glass, bevel edge, 5 1/2 x 12 in. With screws. Shipping weight, pair, 2 lbs.
 Pair.....44c

9K 5967—Real brass, bevel edge, 2 3/4 x 10 in. Dull brass finish. With screws. Shipping wt., pair, 1 lb. 2 oz. 59c

9K 5968—Same as above except chromium finish. Shipping weight, 6 pounds 8 ounces.....\$8.95


All Steel Sash Balances

Rustless metal tape. Steel tension spring. Silent, efficient. With screws. State size.
 9K 6095

Wt. of 1-Sash, Glazed	Size to Order	Shpg. Wt. of 1	Set of 4
6-8 lbs.	1	3	14
8-10 lbs.	2	4	1.90
10-12 lbs.	3	4	2.95
12-14 lbs.	4	4	2.00
14-16 lbs.	5	4	2.15
16-18 lbs.	6	4	2.25

Sash Pulley

2-in. wheel. Easily inserted. Shpg. wt., 1 lb. 14 oz.
 9K 6094.....45c
 Per dozen.....45c



Artistic Colonial Design Hardware

—Reproduction of hand wrought hardware used in Colonial days.

Gives your entrance a bit of quaint Colonial charm and distinction. Entrance set and straps made of non-rusting metal which will not streak or mar doors. Complete with screws.

9K 5767—Inside Door Lock Set

Reversible lock, 3 3/4 x 3 1/4 in. Nickel plated key. Shpg. wt., 3 lbs. 2 oz.....\$1.43

9K 5769—Cylinder Entrance Lock Set

Lever handle outside, knob inside. Reversible lock, 5 1/2 x 3 1/4 in. 3 keys. Shpg. wt., 5 lbs. 8 oz.....\$7.45

9K 5772—Straight Hinge Strap only

Hinges not included. Size, in.....8 1/2 17 1/2 22

Shpg. wt., 14 oz. 2 lbs. 4 oz. 3 lbs. 6 oz. Each.....98c \$1.75 \$2.15

9K 5773—Curved Hinge Strap only

Used in connection with regular door. Hinges not included. Length, 25 in. Shpg. wt., 5 lbs. Last fall, \$4.65. Now.....\$3.25

Side Sash Fasteners

These cast iron fasteners will hold sash firmly in any position and prevent rattling. With screws. Shipping weight, 2 ounces.
 9K 6057—Dull brass.....9c
 9K 6058—Old copper.....9c

QUALITY BUTTS

at BARGAIN PRICES

The door butts for permanence and beauty. Made from cold rolled wrought steel especially treated for long wear and service, with a lasting finish.

Wrought Steel Door Butts

—Extra heavy; loose pin; ball tip. With screws to match. Prices are per pair.

9K 5891—9K 5892—9K 5893

Size, In.	Shpg. Wt., Pr.	Dull Brass, 10 Pr.	Old Copper, 10 Pr.	Sanded Brass, 10 Pr.
2 1/2 x 2 1/2	10 oz.	\$1.55	\$1.60	\$1.55
3 x 3	14 oz.	\$1.75	\$1.80	\$1.75
3 1/2 x 3 1/2	1 lb. 8 oz.	\$1.80	\$1.90	\$1.80
4 x 4	1 lb. 14 oz.	\$2.70	\$2.80	\$2.70
4 1/2 x 4 1/2	2 lbs. 8 oz.	\$5.75	\$5.90	\$5.75

9K 5894—Nickel plated. Size, 3 1/2 x 3 1/4 in. for bathroom. Shipping weight, 1 pound 6 ounces. Pair.....32c

Wrought Steel Half Surface Butts

—Heavy; loose pin type; ball tip. With screws to match. Prices are per pair.

9K 5909—9K 5910—9K 5911

Length of Joint	Shpg. Wt.	Dull Brass, 10 Pr.	Old Copper, 10 Pr.	Sanded Brass, 10 Pr.
1 1/2 in.	4 oz.	15c	15c	19c
2 in.	6 oz.	23c	23c	27c
3 in.	12 oz.	23c	23c	27c
3 in. 1 lb.	4 oz.	29c	29c	33c
3 1/2 in. 1 lb. 12 oz.	30c	30c	30c	39c
4 in. 2 lbs.	4 oz.	43c	43c	50c

9K 5912—Nickel plated steel. Size, 2 in. Shpg. wt., 6 oz. Pair.....35c

Size, 3 1/2 in. Shpg. wt., 1 lb. 8 oz. Pair.....45c

Light Narrow Fast Pin Butts

9K 5881—Steel, plain finish. With screws. Size, inches.....1 1/2 2 2 1/2

Shipping weight.....4 oz. 6 oz. 10 oz. 12 oz.

3 Pairs.....7c 10c 12c 16c

Wrought Steel Light Cupboard Butts

Loose pin; ball tip. Screws to match. Prices are per pair.

Size, inches.....2x2 2 1/2 x 2 1/2

Shipping weight.....4 oz. 6 oz. 6 oz.

9K 5882—Dull brass.....12c 13c 16c

9K 5883—Old copper.....12c 13c 16c

9K 5886—Sanded Brass.....15c

9K 5887—Nickel Plated.....15c

Steel Butterfly Surface Hinges

—Embossed. Fast joint. Size, open, 2 3/4 x 2 in. Screws to match. Shpg. wt., pair, 4 oz.; 12 pairs, 2 lbs. 11 oz.

9K 5900—Dull brass.....9c 10.98

9K 5901—Old copper.....9c 10.98

9K 5902—Sanded brass.....10c 11.10

9K 5903—Nickel plated.....10c 11.10



Automatic Door Closers

—Non-freezing liquid.
 —Two thumbscrew adjusters for fast or slow closing.
 —Easy, positive action.
 —Guaranteed for 3 years. For right or left hand doors. Gold color bronze finish. With screws.

Size 1 \$3.69

Size 2 \$3.69

Size 3 \$3.69

Size 4 \$3.69

Size 5 \$3.69

Size 6 \$3.69

Size 7 \$3.69

Size 8 \$3.69

Size 9 \$3.69

Size 10 \$3.69

Size 11 \$3.69

Size 12 \$3.69

Size 13 \$3.69

Size 14 \$3.69

Size 15 \$3.69

Size 16 \$3.69

Size 17 \$3.69

Size 18 \$3.69

Size 19 \$3.69

Size 20 \$3.69

Size 21 \$3.69

Size 22 \$3.69

Size 23 \$3.69

Size 24 \$3.69

Size 25 \$3.69

Size 26 \$3.69

Size 27 \$3.69

Size 28 \$3.69

Size 29 \$3.69

Size 30 \$3.69

Size 31 \$3.69

Size 32 \$3.69

Size 33 \$3.69

Size 34 \$3.69

Size 35 \$3.69

Size 36 \$3.69

Size 37 \$3.69

Size 38 \$3.69

Size 39 \$3.69

Size 40 \$3.69

Size 41 \$3.69

Size 42 \$3.69

Size 43 \$3.69

Size 44 \$3.69

Size 45 \$3.69

Size 46 \$3.69

Size 47 \$3.69

Size 48 \$3.69

Size 49 \$3.69

Size 50 \$3.69

Size 51 \$3.69

Size 52 \$3.69

Size 53 \$3.69

Size 54 \$3.69

Size 55 \$3.69

Size 56 \$3.69

Size 57 \$3.69

Size 58 \$3.69

Size 59 \$3.69

Size 60 \$3.69


Size 61 \$3.69

Size 62 \$3.69


Size 63 \$3.69

Size 64 \$3.69


Size 65



- (A) Wardrobe Lock.** Steel, 2½x1¼ in. For cabinet doors or drawers. Fastens on inside. With screws. Shipping weight, 4 ounces.
- 9K 5860 Last Fall, 15c. 13c**
- (B) Drawer Lock.** Steel, brass cylinder. 1½x1½ in. For ¾ in. wood. 2 keys. With screws. Shpg. wt., 4 oz.
- 9K 5862 LAST FALL, 45c. 39c**
- (C) Chest Locks.** Brass 2x1½ in. For ¾ in. wood. With screws. 2 keys. Shipping weight, 4 ounces.
- 9K 5864. 95c**
- 9K 5865—Solid brass self locking.** 3½x2¼ in. For 1 in. wood. With screws. Two keys. Shipping weight, 12 ounces. LAST FALL \$1.65. **\$1.49**
- (D) Trunk Locks.** Strong, secure lock. Two keys. Size ¾x2 in. With rivets. Shipping weight, 12 ounces.
- 9K 5869—Brass plated steel. 33c**
- LAST FALL, 38c. 33c**
- 9K 5871—Solid brass. \$1.49**



- Rim Lock Set**
—Iron case, japanned.
Reversible for right or left hand. ¾x2¼ in. Spring and dead bolt. Tinned key, japanned steel knobs and keyhole plate. With screws. Shipping weight, 2 lbs. 4 oz. **33c SET**
- 9K 5779—Complete set. 33c**
- 9K 5780—Lock only. Shipping weight, 1 pound 6 ounces. 23c**
- 9K 5781—Knobs only. Shipping weight, 12 ounces. Pair. 15c**
- Upright Rim Lock Set**
Japanned iron case, steel keyhole plate and knobs. Reversible lock. Spring and dead bolt. Size ¾x3¼ inches. With screws and key. Shipping wt., 1 lb. 15 oz. **33c**




- THE MANHATTAN DESIGN**
- A beautiful modern design yet of conservative taste. Dull brass relieved finish with screws to match.
- 9K 5725—Inside Door Lock Set.** Steel escutcheons. Glass knobs. Lock, 3¾x2 in. With 1 key. Shipping weight, 2 lbs. 6 oz. **89c**
- 9K 5727—As above with bronze face and escutcheons. Glass knobs. \$1.49**
- 9K 5729—Bathroom Door Lock Set.** Bronze face lock, escutcheons. Glass knobs both sides. Inside trim chromium plated. Lock, 3¾x3¼ in. Shpg. wt., 2 lbs. 8 oz. **\$2.25**
- 9K 5733—Bit Key Front Door Lock Set.** Bronze face lock, escutcheons. Outside knob bronze, inside glass. Lock, 5½x3½ in. 2 keys. Shpg. wt., 3 lbs. 8 oz. **\$3.75**
- 9K 5735—Cylinder Front Door Lock Set.** Bronze face lock, escutcheons and outside knob. Glass inside knob. Lock, 5½x3½ in. 3 keys. Shpg. wt., 4 lbs. 6 oz. **\$6.95**
- 9K 5737—Cylinder Entrance Handle Set.** Bronze face lock and escutcheons. Glass knob inside. Lock, 5½x3½ in. With 3 keys. Shipping weight, 5 lbs. 6 oz. **\$7.95**
- 9K 5731—French Window Lock Set.** Bronze face lock, escutcheons. Bronze lever handle one side, glass knob the other. Lock size, 3½x2 in. With 1 key. Shipping weight, 1 pound 4 ounces. **\$2.25**



- THE OLDTOWN DESIGN**
- A charming Early American design. Artistically curved escutcheons add a new note of decorative art. Dull brass finish. Complete with screws to match.
- Inside Door Lock Sets**
Steel face lock, steel escutcheons and knobs. Lock size 3¾x3¼ in. With 1 key. Shpg. wt., 2 lbs. 6 oz. **49c**
- 9K 5750. 49c**
- 9K 5752—Same as above but with glass knobs. Shipping weight, 2 pounds 6 ounces. 79c**
- French Window Lock Set**
Steel escutcheons. Cast lever one side. Other side glass knob. Lock size, 3½x2 in. With 1 key. Shipping weight, 1 pound 8 ounces. **\$1.45**
- 9K 5756. \$1.45**
- Bathroom Door Lock Set**
Bronze escutcheons, glass knobs. Thumb turn inside. Inside trim chromium plated. Lock size, 3¾x3¼ in. Shipping weight, 2 lbs. 6 oz. **\$2.10**
- 9K 5754. \$2.10**
- Bit Key Front Door Lock Set**
Bronze escutcheons. Outside knob bronze, inside glass. Lock size, 5½x3½ in. With 2 keys. Shpg. wt., 3 lbs. 2 oz. **\$3.25**
- 9K 5760. \$3.25**
- 9K 5768—Same as above but with steel escutcheons and knobs. Shipping weight, 3 lbs. 2 oz. \$2.15**
- Cylinder Front Door Lock Set**
Bronze face lock, bronze escutcheons and outside knob. Glass inside knob. Lock size, 5½x3½ in. With 3 keys. Shipping wt., 4 lbs. 6 oz. **\$6.45**
- 9K 5762. \$6.45**

- Door Keys**
Malleable iron, nickel plated. For mortise door locks. Shipping weight, 2 ounces.
- 9K 7225—2 for. 5c**
- Key Chain**
Flexible nickel silver bead chain. Fastens easily, securely. Length open, 5½ inches. Shipping weight, 2 ounces.
- 9K 7227—Each. 5c**

- The COLONIAL**
—2-inch clear fluted glass knobs. Reversible mortise lock. Dull brass finish. Nickel plated key. Shpg. wt., 2 lbs. 4 oz.
- 9K 5786. 69c**
- 9K 5788—Fluted glass knobs only. Dull brass plated trimmings. Shipping weight, 1 pound 2 ounces. Per pair. 39c**
- 9K 5787—Mortise lock only. Shipping weight, 1 pound 6 ounces. 35c**



- 4 FOR 17c**
And Up
- (A) Ball Bearing Grip Neck Casters**
Brass Plated Steel Wheel
- | Cat. No. | Wheel | 1½ in. | 1¼ in. | 1½ in. |
|----------------|--------|--------|------------|---------|
| 9K 7375 | 12 oz. | 12 oz. | 11b. 2 oz. | 9K 7377 |
| 4 for. | 17c | 19c | 27c | |
- Rubber Tired Wheel**
- | Cat. No. | Wheel | 12 oz. | 14 oz. | 11b. 4 oz. |
|----------------|--------|--------|------------|------------|
| 9K 7381 | 10 oz. | 14 oz. | 11b. 4 oz. | 9K 7383 |
| 4 for. | 18c | 20c | 32c | |
- Nickel Plated Composition Rubber Wheel**
- | Cat. No. | Wheel | 11b. 2 oz. | 11b. 10oz. |
|----------------|------------|------------|------------|
| 9K 7386 | 11b. 2 oz. | 11b. 10oz. | 9K 7387 |
| 4 for. | 32c | 37c | |
- Ball Bearing Casters for Metal Beds**
Wood wheel. Fit metal beds. Expansion sockets.
- | Wheel | For Opening | Shpg. Wt. | 4 for |
|---------|-------------|-----------|---------------|
| 9K 7391 | 1½ in. | ¾ in. | 10 oz. |
| 9K 7392 | 1½ in. | ¾ in. | 12 oz. |
| 9K 7393 | 1½ in. | 1½ in. | 12½ in. 4 oz. |
- Tea Wagon Casters**
(C) Ball bearing. Nickel plated. 2-in. composition wheel. Grip neck type, for cribs, tea carts, bassinets and light movable furniture. Shipping weight, 12 ounces.
- 9K 7396—Each. 9c**
- Ball Bearing Chest Casters**
(D) Steel plate. Complete with screws.
- Brass Plated Steel Wheel**
- | Wheel | Plate, In. | Shpg. Wt. | 4 for |
|---------|------------|-----------|------------|
| 9K 7405 | 1½ in. | 1½x1½ in. | 10 oz. |
| 9K 7406 | 1½ in. | 1½x1½ in. | 12 oz. |
| 9K 7407 | 1½ in. | 2½x1½ in. | 11b. 2 oz. |
- Rubber Tired Wheel**
- | Wheel | Plate, In. | Shpg. Wt. | 4 for |
|---------|------------|-----------|------------|
| 9K 7411 | 1½ in. | 1½x1½ in. | 14 oz. |
| 9K 7412 | 1½ in. | 2½x1½ in. | 11b. 6 oz. |
- Nickel Plated Composition Rubber Wheel**
- | Wheel | Plate, In. | Shpg. Wt. | 4 for |
|---------|------------|-----------|-------------|
| 9K 7415 | 1½ in. | 1½x1½ in. | 11b. 4 oz. |
| 9K 7416 | 1½ in. | 2½x1½ in. | 11b. 14 oz. |
- Shelf Brackets**
Black enameled wrought steel. With screws.
- 9K 7294—State size. 58c**

- Mortise Door Bolts**
Bronze knob and escutcheon. Rust proof. With screws. Shpg. wt., each, 6 oz.
- 9K 5989—Dull brass finish. Each. 23c**
- 9K 5990—Old copper finish. Each. 23c**
- Steel Barrel Bolts**
Cadmium plated. With screws.
- | Length, in. | Shpg. wt. | Each |
|-------------|-----------|------|
| 2 | 4 oz. | 23c |
| 3 | 4 oz. | 23c |
| 4 | 4 oz. | 23c |
| 5 | 4 oz. | 23c |
| 6 | 4 oz. | 23c |
| 7 | 4 oz. | 23c |
| 8 | 4 oz. | 23c |
- Chain Door Guard**
Guard against intruders—door opens only few inches, releases only when door is closed. Welded twist link steel chain. Steel plate, 6x1½ in. Dull brass finish. With screws. Shipping weight, 8 ounces.
- 9K 5986. 23c**
- Half Round Surface Bolts**
(C) 9K 6023—Steel, dull brass finish. Used on French windows and doors. Screws included.
- | Length | Shpg. Wt. | Each |
|--------|-----------|------|
| 4 in. | 6 oz. | 17c |
| 6 in. | 8 oz. | 23c |
- Door Holder**
Steel plate; 3½-inch malleable iron lever. Bronze finish. Rubber tipped. Holds door in any position. With screws. Shipping weight, 6 ounces.
- 9K 5970. 21c**
- Cupboard Catches**
Slide type. Steel, electroplated. Size, 2¼x1½ inches. With screws.
- Shipping weight, 4 oz.
- 9K 6120—Dull brass. 8c**
- 9K 6121—Old copper. 8c**
- 9K 6122—Sanded brass. 9c**
- Cupboard Turns**
Steel, electroplated. 1¼x1½ in. Shipping weight, each, 4 ounces; six, 14 ounces.
- 9K 6126—Dull brass. 45c**
- 9K 6127—Old copper. 45c**
- 9K 6128—Sanded brass. 50c**
- 9K 6129—Nickel plated. 50c**

- Cellar and Garage Window Set**
Cadmium plated—rust-resisting. Pair 2½ inch steel butts, one fastener and 2½-in. hook and eye. With screws. Shipping wt., 12 oz.
- 9K 6100—Set. 14c**
- Cupboard Catch Set**
Special Colonial glass knob. Spring steel friction catch, dull brass finish. With screws and bolts. Shpg. wt., 6 oz.
- 9K 6112. 12c**
- Door Buttons**
Cadmium plated. With screw.
- 9K 6277**
1½ in. Shpg. wt., 7c
6 oz. 12 for. 7c
2 in. Shpg. wt., 9c
8 oz. 12 for. 9c
- Stop Bead and Washers**
Shipping weight, 4 oz.
- 9K 6050—Dull brass finish. Dozen. 8c**
- 9K 6051—Old copper finish. Dozen. 8c**
- Window Spring Bolt**
Cadmium plated. Lgth., over all, 3½ in. Shpg. wt., 12 oz.
- 9K 6054—Dozen. 32c**
- Elbow Catch**
Cadmium plated iron. With screws. Shpg. wt., each, 2 oz.; dozen, 1 lb. 2 oz.
- 9K 6114—Each. 5c**
- Dozen. 47c**
- Friction Catch**
Spring steel, cadmium plated. With screws. Shipping weight, 4 ounces.
- 9K 6116—6 for. 18c**
- Chest Handles**
Japanned steel, 3-in. plate. With screws. Shipping weight, 12 ounces.
- 9K 6163. 19c**
- Box Corners**
Heavy brass. Fully polished. 1¼x1¼ in. With screws. Shipping weight, 4 ounces.
- 9K 6165—Set of 4. 32c**
- Brass Ring Drawer Pulls**
Brass plate, Antique finish, 1½ in. ring. Bolted from rear. Shipping wt., 12 oz.
- 9K 6140—6 for. 30c**

- Base Knob**
Cast iron, dull brass finish. Rubber tipped. Screws to floor. Shipping wt., each, 4 oz.; six, 12 oz.
- 9K 5978**
Each. 9c; 6 for. 49c
- Base Knob**
Iron, rubber-tipped. Protects wall behind door. With screw attached. Shipping weight, each, 2 oz.; six, 14 oz.
- 9K 5978. 4c**
- Drop Handles**
3½-in. brass plate, handle and lugs. Bolts fasten from rear. 2¼ in. center to center. Shipping weight, each 4 oz.; six, 14 oz.
- 9K 6150. 9c**
- 9K 6152. 10c**
- 9K 6153. 55c**
- Drawer Pulls**
Brass plate, gilt finish. 1½x4¼ in. Bolts, 3 in. center to center. Shipping weight, 12 oz.
- 9K 6138. 27c**
- Drawer Pulls**
Steel, electroplated. Length 3½ in. With screws. Shipping weight, 10 ounces.
- 9K 6133—Dull brass. 6 for. 18c**
- 9K 6134—Old copper. 6 for. 18c**
- 9K 6135—Sanded brass. 6 for. 19c**
- Antique Knobs**
Brass. New period design. Size, 1 in. Shipping wt., 6 oz.
- 9K 6155. 28c**
- Fluted Glass Knobs**
9K 6157—With bolt.
- | Size, In. | Shpg. Wt. (2) | Two For | 12 For |
|-----------|---------------|---------|--------|
| 1½ | 4 oz. | 7c | 38c |
| 1¼ | 4 oz. | 8c | 44c |
| 1½ | 4 oz. | 10c | 57c |

HY-TEST Sash Cord

Woven from thread yarn, made from selected, clean, long fiber American grown cotton. Tough but pliant; handles easily. No. 7 makes a very strong and lasting clothesline; also for windows, for tying trunks, for cattle ties, etc. Furnished two bundles in one piece if wanted to make one 200-ft. length.

9K 7650—No. 7. Size, ½ in. 58c

9K 7651—No. 8. Stronger. Size, ¼ in. 100-ft. bundle. 69c

58c
100-Ft. No. 7

ALSO
SEE
PAGE
40

... SEARS

PRICES ARE

WE CARRY complete stocks of everything you need in lumber—25 to 50 million feet always on hand in our immense factories and mills. Whether you buy carload lots or small quantities we can save you money.

Highest Quality Materials

Our Stocks Are Always Fresh and Clean. Our grades are as stated or better—and we use standard grading practices for your protection—adjusted upward to meet the most exacting requirements. Our Guarantee protects your investment.

Low Prices on Quality Lumber

In dealing with Sears you buy direct from the factory—saving large commissions and getting lowest prices.


Prices are not shown here because both the quantity and size of lumber have an important effect on the prices. Our free estimate service enables you to secure a "rock bottom" price including freight to your station. Send in your list and take advantage of these present low prices.

No Re-Handling Costs—Save Time and Money!

We believe our prices are the lowest on materials of our same high quality—that you can get anywhere. Our guarantee assures you absolute satisfaction in quality and prices or we refund your money.

All following items shipped from our own factory in Port Newark, N. J.


Standard Trade Size	Standard Finished SIZE	WOOD	GRADE	LENGTH
BEVEL SIDING—Surfaced 1 side and 1 edge				
$\frac{1}{2} \times 4$	$\frac{1}{2} \times 3\frac{1}{2}$	Fir, Cypress, Red Cedar or Redwood	Clear	Mixed or Specified
$\frac{3}{4} \times 8$	$\frac{3}{4} \times 7\frac{1}{2}$	Cypress	C	
$\frac{3}{4} \times 10$	$\frac{3}{4} \times 9\frac{1}{2}$	Cypress	C	
$\frac{3}{4} \times 8$	$\frac{3}{4} \times 7\frac{1}{2}$	Red Cedar	Clear	
$\frac{3}{4} \times 10$	$\frac{3}{4} \times 9\frac{1}{2}$	Red Cedar	Clear	
$\frac{3}{4} \times 8$	$\frac{3}{4} \times 7\frac{1}{2}$	Red Cedar or Redwood	Clear	
DROP SIDING—Dressed and Matched Patterns No. 106 and 117				
1 x 6	$\frac{3}{4} \times 5\frac{1}{8}$	Fir and Pacific Coast Hemlock	Clear No. 1 and 2	Mixed or Specified
1 x 6	$\frac{3}{4} \times 5\frac{1}{8}$	Cypress	Select and No. 1	
BARN SIDING—Dressed and Matched				
1 x 8	$\frac{3}{4} \times 7$	Fir	Sel. No. 1—K.D.	Mixed or Specified
1 x 8	$\frac{3}{4} \times 7$	Cypress	Select and No. 1	
CEILING—Beaded Center and Edge One Side. For Ceiling or Wainscoting				
	$\frac{5}{8} \times 3\frac{1}{4}$	Fir and Pacific Coast Hemlock	Clear No. 1 and No. 2	Mixed
PARTITION—Beaded Center and Edge 2 Sides. For Light Walls, Bins, Etc.				
	$\frac{3}{4} \times 3\frac{1}{4}$	Fir and Pacific Coast Hemlock	Clear No. 1 and No. 2	Mixed
BEVEL CRIBBING—Surfaced 2 Sides—Edges Beveled. For Bins, Cribs, Etc.				
1 x 4	$\frac{3}{4} \times 4$	Fir and Pacific Coast Hemlock	No. 1	Mixed
1 x 6	$\frac{3}{4} \times 6$			
FINISHING LUMBER—Not Illustrated—Surfaced 4 Sides for Cabinet Work—Shelves, Etc.				
1 x 3	$2\frac{1}{2} \times 2\frac{3}{8}$	Fir and Cypress White Pine and Poplar Oak and Chestnut	Clear and Select	Mixed or Specified Lengths
1 x 4	$2\frac{1}{2} \times 3\frac{1}{2}$			
1 x 5	$2\frac{1}{2} \times 4\frac{1}{2}$			
1 x 6	$2\frac{1}{2} \times 5\frac{1}{2}$			
1 x 8	$2\frac{1}{2} \times 7\frac{1}{4}$			
1 x 10	$2\frac{1}{2} \times 9\frac{1}{4}$			
1 x 12	$2\frac{1}{2} \times 11\frac{1}{4}$			
$1\frac{1}{4} \times 4$	$1\frac{1}{4} \times 3\frac{1}{2}$			
$1\frac{1}{4} \times 6$	$1\frac{1}{4} \times 5\frac{1}{2}$			
$1\frac{1}{4} \times 8$	$1\frac{1}{4} \times 7\frac{1}{4}$			
$1\frac{1}{4} \times 10$	$1\frac{1}{4} \times 9\frac{1}{4}$			
$1\frac{1}{4} \times 12$	$1\frac{1}{4} \times 11\frac{1}{4}$			
2 x 4	$1\frac{5}{8} \times 3\frac{1}{2}$			
2 x 6	$1\frac{5}{8} \times 5\frac{1}{2}$			
2 x 8	$1\frac{5}{8} \times 7\frac{1}{4}$			
2 x 10	$1\frac{5}{8} \times 9\frac{1}{4}$			
2 x 12	$1\frac{5}{8} \times 11\frac{1}{4}$			
PLAIN BOARDS—Not Illustrated—Surfaced 4 Sides. For Barns, Shelving, Sheathing Roofs—Floor Lining and Temporary Buildings				
1 x 4	$2\frac{1}{2} \times 3\frac{3}{8}$	Fir and Pacific Coast Hemlock and Yellow Pine	No. 1 (15% No. 2) and No. 2	Mixed Lengths
1 x 6	$2\frac{1}{2} \times 5\frac{3}{8}$		In Fir and Pacific Coast	
1 x 8	$2\frac{1}{2} \times 7\frac{1}{2}$		Hemlock and No. 2	
1 x 10	$2\frac{1}{2} \times 9\frac{1}{2}$		in Yellow Pine.	
1 x 12	$2\frac{1}{2} \times 11\frac{1}{2}$			




BEVEL SIDING



DROP SIDING
PATTERN 106



DROP SIDING
PATTERN 117




BARN SIDING



CEILING—Beaded



PARTITION—Beaded



BEVEL CRIBBING

LUMBER

ALWAYS LOWER

ALL MATERIALS ready for immediate shipment from stocks located at three large mills and three warehouses at advantageous points. No matter where you live, we can deliver or forward your needs quickly at the very lowest cost to you. We maintain a special service for getting Lumber to you quickly. Our central location, direct trackage connections with railroad terminals and truck facilities mean the best possible service.

No relayed shipments to cause delay.

Direct mill connections on special handling in many localities.

Prices Furnished Without Obligation

Send Us Your List of Materials


We will furnish without obligation the cost of materials delivered to your station. Any of your questions concerning the kind of materials to use will be promptly handled by our experts at no cost to you.

Below are listed sizes and stocks we have available for immediate handling.

All Following Items Shipped from our own Factory in Port Newark, N.J.

STANDARD TRADE SIZE	STANDARD FINISHED SIZE	WOOD	GRADE	LENGTHS
SIZED DIMENSION LUMBER—For Barn or House or Other Building Framework. STUDDING AND RAFTERS, JOISTS AND BEAMS Surfaced 4 Sides.				
2x 3	1½x 2½	Fir and Pacific Coast Hemlock	No. 1 (15% No. 2)	6 to 24 ft.
2x 4	1½x 3½		(and from	6 to 24 ft.
2x 6	1½x 5½		6 to 20 ft.	6 to 30 ft.
2x 8	1½x 7½		in	6 to 30 ft.
2x10	1½x 9½		No. 2	6 to 30 ft.
2x12	1½x11½		Grade)	6 to 30 ft.
TIMBERS—GIRDERS, ETC.				
4x 4	3¾x 3¾	Fir and Pacific Coast Hemlock	No. 1 (15% No. 2)	6 to 36 ft.
4x 6	3¾x 5½			
6x 6	5½x 5½			
6x 8	5½x 7½			
8x 8	7½x 7½			
To 12x12	11½x11½	LongLeaf Vcl. Pine Oak	No. 1 (15% No. 2) No. 1 Common	6 to 30 ft.
FLOORING—Flat and Edge (or vertical) Grain—Tongued and grooved—For Stores, warehouses and attics or inexpensive homes				
Flat Grain and Edge Grain	2½x2x2½ 2½x2x3¼	Fir and Pacific Coast Hemlock	Clear No. 1 (and No. 2 in Flat only)	Mixed
Edge Grain	1½x3¼	Fir and Pacific Coast Hemlock	Clear	
Edge Grain	2½x2x2½	Yellow Pine	Clear	
STEPPING—Edge Grain—Surfaced Two Sides and Nosed One Edge				
1¼x10	1½x 9¼	Fir	Clear	Mixed or Specified
1¼x12	1½x11¼			
SHIPLAP—Surfaced Two Sides—Two Lap Edges—For Sheathing (under Siding) or under Flooring—Barn Siding—Mow Floors, Etc., where tight joint is wanted				
1x 8	2½x2x7½	Fir and Pacific Coast Hemlock	No. 1 (15% No. 2) and No. 2	Mixed
1x10	2½x2x9½			
BOARDS—DRESSED AND MATCHED—For Barn Boards, Sheathing, Sub Floors, Roof Boards and places where tight joints are required				
1x 6	2½x2x5½	Fir	No. 1 (15% No. 2) and No. 2	Mixed
1x 8	2½x2x7½			
1x10	2½x2x9½			
1x 6	2½x2x5½	Yellow Pine	No. 2	Mixed
1x 8	2½x2x7½			
1x10	2½x2x9½			
BARN BATTENS—O.G. and Flat Design—For Nailing over Board Joints				
Flat	¾x3	Cypress Cypress Fir Fir	Clear Clear Clear Clear	Mixed
O.G.	¾x2¼			
Flat	¾x3			
O.G.	¾x2¼			
BRIDGING—PLASTER GROUNDS AND FURRING STRIPS—(Not Illustrated)— Surfaced Two Sides				
¾x1	2½ thick	All Woods	No. 1	Mixed
¾x2	2½ thick			
¾x3	2½ thick			
LATH—ROUGH—For Plaster Base				
.....	¾x1½	Hemlock, Fir and Spruce	No. 1 and No. 2	4 ft. 0 in.


ALSO
SEE
PAGE
40




DIMENSION LUMBER STUDDING—Rafters
Joists—Beams—Timbers—Girders




FLOORING
Flat Grain




SHIPLAP



FLOORING
Edge or Vertical Grain



BOARDS — Dressed and
Matched




BARN BATTENS
O. G. Design



STEPPING

NOTE!!

In addition to these popular items we stock hundreds of miscellaneous items of lumber in use in various localities.



LATH

HARDWOOD FLOORS BEAUTIFY

Last Longer and Cost Less N-O-W!

Enduring Beauty

CLOSE, smooth grain, almost pattern-like; lustrous high polish; firm undented surface, with never an unsightly crack! These are only a part of the beauty of hardwood floors. Hardwood is easier to clean and keep clean. It does not split or splinter and form dust-catching crevices. Oak or maple floors are a mark of distinction—because they give distinctive service, plus rich beauty!


Easy Payments

NEVER in years have prices on oak or maple (hardwood) flooring been so low. Perhaps you feel you ought to wait a few months until you have the ready cash. But can you afford to wait? Our Easy Payment Plan enables you to take full advantage of today's lowest prices—TODAY! Small down payment—convenient terms, and guaranteed satisfaction.

Easy Rentals

AND quick sale, too! The few extra dollars put into Clear or Select grade of hardwood floors mean many extra dollars in value to your home. Buyers and renters find the choice easier to make and are willing to pay more in such buildings. And you yourself will be much more satisfied with the long-time beauty and added value. There's added savings too when you let *Sears* prices guide you. Take action NOW!

REPAIR AND MODERNIZE NOW!



Plain Sawed Oak Flooring

Takes a fine natural or antique finish.

PLAIN SAWED OAK FLOORING

Cat. No.	Kind	Grade	Thickness, Inches	Size of Face, Inches	Price per 100 Sq. Ft.
63PM7445K	Plain Red Oak	Clear	3/4	2	\$6.45
63PM7447K	Plain Red Oak	Select	3/4	2	6.00
63PM7433K	Plain Red Oak	Clear	1 1/8	2 1/4	8.65
63PM7434K	Plain Red Oak	Select	1 1/8	2 1/4	7.40


Write for prices on other sizes and grades.

Explanation of Grades

"Clear" or first grade is the best grade of flooring made. Practically free from all defects or blemishes.

"Select" is the second grade of flooring and permits minor defects only which do not affect the general appearance or wearing quality of the floor. It is ideally suited for use in medium and low priced homes, stores, offices, and apartments.

WEIGHTS: 3/4-inch flooring weighs 1 lb. and 1 1/8-inch flooring weighs 2 lbs. per square foot.



Quarter Sawed Oak Flooring

This is the most beautiful flooring obtainable.

Cat. No.	Kind	Grade	Thickness, In.	Size of Face, In.	Price per 100 Sq. Ft.
63PM7439K	1/4 Sawed Red Oak	Clear	3/4	2	\$7.90
63PM7431K	1/4 Sawed Red Oak	Clear	1 1/8	2 1/4	11.15

Write for prices on other sizes and grades.

HOW TO ORDER Hardwood Flooring

TO arrive at the number of square feet of flooring required, multiply the width of the room by the length to find the number of square feet to cover. Add to this one-third extra to allow for the tongue and groove when using 3/4 x 1 1/2-inch or 1 1/8 x 2 1/4-inch sizes of flooring.

ADD one-fourth to the number of square feet when using 3/4 x 2-inch size. Example: A room 10x10 contains 100 square feet plus one-third equals 134 square feet of flooring needed. If using 3/4 x 2-inch size, one quarter should be added making 125 square feet of flooring required. It is always well to order about 5% additional flooring to take care of waste and possible damage when laying.

HOW TO LAY FLOORING

Anyone using care can lay hardwood flooring. A subfloor should be used, preferably 1x6 air-seasoned boards surfaced four sides. The very best damp-proofed paper should be used between the hardwood flooring and the subflooring. Do not use ordinary building or rosin sized paper. We recommend for best results our heavy tarred felt. See page 38 for particulars.

Leave about one-half inch of space between the flooring and base board to allow for expansion. This space is covered by quarter round or base shoe molding. Hardwood flooring should be laid at right angles to the subflooring. Do not drive the flooring up excessively tight or you may break the tongue. All tongued and grooved hardwood flooring should be blind nailed. Use eight-penny steel cut flooring nails placed sixteen inches apart for 1 1/8-inch thickness, and four-penny bright wire casing nails placed eight inches apart for 3/4-inch thickness.

SHIPPING POINT (Flooring) Shipped from our own factory in Port Newark, N. J.

RED CEDAR SHINGLES

OUR PRICES PUT SHINGLES . . NOT PENNIES . . ON YOUR ROOF!

Why pay extra pennies for other shingles that do the job no better than *Sears* shingles? Keep these pennies in your pocket. Don't put them on your roof in needless extra cost. *Sears* shingles sold on Easy Payments! (See Inside Front Cover.)

Plain Red Cedar Shingles

Shipped in bundles as illustrated from factory in Newark, N. J. For other cheaper grades and styles write for price.



63 PM 740K—NO. 2 GRADE—16 IN. LONG—5/2 IN.—RED CEDAR SHINGLES.

These shingles are 12 in. clear or better. Do not contain in excess of 1 in. of sapwood for the first 10 inches. (5/2 in.) means 5 shingles measure 2 in. thick at butts. 1 bundle when laid 5 in. to the weather covers 25 square ft. Shipping weight per bundle, 36 lbs.

Price per bundle.....\$1.33

63 PM 731K—NO. 1 GRADE—16 IN. LONG—5/2 IN.—RED CEDAR SHINGLES.

These shingles are all edge grain, strictly clear and contain no sapwood. Size, coverage and weight the same as No. 2 grade specified above.

Price per bundle.....\$1.49

63 PM 732K—NO. 1 GRADE ROVAL—24 IN. LONG—4/2 IN.—RED CEDAR SHINGLES.

100% Edge Grain—100% Clear—100% Free from sap. Chiefly used for the side walls of a house.

(4/2 in.) means 4 shingles measure 2 in. thick at butts. 1 bundle when laid 10 in. to the weather covers 33 sq. ft. Shpg. wt., per bundle, 50 lbs.

Price per bundle.....\$1.98

Stained Red Cedar Shingles


Shipped in heavy dustproof kraft paper package as illustrated at right. Shipped from our own factory in Port Newark, N. J. Send for free color samples.

In addition to the sizes and colors shown here, we can furnish all colors and sizes from factory in Michigan. Write for prices and color sample PK63BM.

63 PM 735K—Perfection Red Cedar Shingles. 18 inches long. 100% Edge Grain—100% Clear—100% Free from Sap. (5/2 x 1/4) 5 Shingles measure 2 1/4 inches thick at butts. 1 package when laid 5 1/2 inches to the weather covers 25 square feet. Shipping weight, per package 40 lbs. Be sure to state color wanted.

Price Per Package

Brown	Green	Gray
\$2.58	\$2.58	\$2.75



63 PM 736K—No. 1 Royal Red Cedar Shingles 24 inches long. 100% Edge Grain—100% Clear—100% Free from Sap. (4/2) 4 Shingles measure 2 inches thick at butts. 1 package when laid 10 inches to the weather covers 33 square feet.

These shingles are chiefly used for the side walls of a home. Shipping weight per package 53 lbs. Furnished in Gray only.

Per package.....\$3.55

Freight Rates on Millwork

From Our Factories in OHIO, ILLINOIS or NEW JERSEY,
Whichever Is Nearest Your Station

Freight charges amount to very little compared with the substantial saving we make you on all millwork, lumber and building material of every description. We quote prices that just include the actual manufacturing cost with only one profit added. Shipped direct to you from our factories. Thus by cutting out all the profits to wholesale and retail dealers, we make you a substantial saving.

FREIGHT CLASSIFICATION

1 stands for First Class
2 stands for Second Class

3 stands for Third Class
4 stands for Fourth Class

1½ stands for 1½ times First Class

Letters I—O—S—W opposite destinations indicate the classification column to be used.

ARTICLES	Classification of Merchandise				ARTICLES	Classification of Merchandise			
	I	O	S	W		I	O	S	W
Balusters.....	3	3	4	3	Glass, window, other than plate, not framed nor leaded, plain, not bent.....	3	3	3	3
Blocks.....	4	4	4	4	Lumber, finishing, listed in this catalog.....	4	4	4	4
Brackets.....	3	3	3	3	Moldings, unfinished.....	3	3	4	3
Cabinets.....	1	1	1	1	Newels, built up or solid.....	3	3	3	3
Columns, built up or solid.....	3	3	4	3	Sash, glazed with common or plain glass.....	3	1	3	3
Doors and Window Frames, knocked down.....	3	3	4	3	Sash, glazed with leaded or plate glass.....	1	1	2	1
Doors, Glazed, plain, figured or stained glass (not plate).....	3	1	3	3	Sash, not glazed.....	2	3	4	3
Doors, paneled, also Sash Doors without glass.....	1	1	1	1	Sash Weights in bundles.....	4	4	4	4
Glass, window, colored, enameled or ground, leaded, curved line patterns.....	3	3	4	4	Screens—Door and Window.....	2	2	2	2
Glass, window, colored, enameled or ground, leaded, straight angle or line patterns.....	1	1	1	1	Shutters.....	3	2	4	3
	2	2	2	2	Spindles.....	3	3	2	2
					Stair Newels.....	3	3	3	3
					Stair Rails and Porch Rails.....	3	3	4	3

Limited space does not permit our listing the freight classifications, rates or the numerous shipping points for Roll Roofing, Building Paper, Asphalt Shingles, Guttering, Sheet Steel Ceiling and Siding, Wallboard, Walltile, Insulating and Building Board, Lumber, Lath, Siding, etc., however we will gladly send you the delivered price to your city without obligation on your part upon receipt of your list.

Our conveniently located factories and warehouses enable us to give you

much quicker delivery and the benefit of the Lowest Freight Rates.

● In case of damage or shortage of any part of your order, have the freight agent make a notation to this effect on your freight bill at time of receiving goods and furnish you with copy of his inspection report form, and send both the freight bill and inspection report to us. If damage or shortage is not discovered until unpacking the shipment at home, request the agent to call and make an inspection.

As an Example of How to Figure Freight Charges

We submit an order received from one of our customers living in Harrisburg, Pa., a distance of about 150 miles from the factory. We plainly show the items ordered and the weight of each item, which can be easily ascertained by referring to the approximate shipping weights shown opposite our prices on all doors, windows, etc. For weights of molding and articles not shown opposite

prices we submit a table of weights on miscellaneous millwork. After ascertaining this total weight, refer to the freight table on this page and it is an easy matter to find the proper classification which determines the rate per 100 pounds; when added up it gives you the total freight charge on the entire shipment.

Quantity	ARTICLES	Size	Weight, Each	Total Weight	Takes Class	Rate per 100 Pounds	Total Freight Charges
3	Panel Doors.....	2-8x6-8x1½	58 pounds	174 pounds	3d	50c	87c
6	Windows, 2-light, Check Rail, Glass S. S.....	24x28	22 pounds	132 pounds	1st	72c	95c
1,000 feet	Molding.....	1½ inches	6 lbs. per 100 feet	60 pounds	3d	50c	30c
1	Glazed Front Door.....	2-8x6-8x1½	77 pounds	77 pounds	1st	72c	55c
110	Spindles.....	1½ inches	24 pounds	24 pounds	3d	50c	12c
12	Brackets.....	10x12	12 pounds	12 pounds	3d	50c	6c
							\$2.85

The freight on the same bill of goods shipped from our factory to Indianapolis, Ind., would amount to only \$2.20.

FROM NEWARK, N. J.					FROM CHICAGO, ILL.					FROM NORWOOD, OHIO				
TO:	1st Class Freight, per 100 Lbs.	2nd Class Freight, per 100 Lbs.	3rd Class Freight, per 100 Lbs.	4th Class Freight, per 100 Lbs.	TO:	1st Class Freight, per 100 Lbs.	2nd Class Freight, per 100 Lbs.	3rd Class Freight, per 100 Lbs.	4th Class Freight, per 100 Lbs.	TO:	1st Class Freight, per 100 Lbs.	2nd Class Freight, per 100 Lbs.	3rd Class Freight, per 100 Lbs.	4th Class Freight, per 100 Lbs.
CONNECTICUT					ILLINOIS					ILLINOIS				
Hartford.....(O)...	\$0.69	\$0.59	\$0.48	\$0.35	Danville.....(I)...	\$0.62	\$0.53	\$0.43	\$0.31	Cairo.....(O)...	\$0.94	\$0.80	\$0.66	\$0.47
Waterbury.....(O)...	.63	.54	.44	.32	Mt. Sterling.....(I)...	.82	.70	.57	.41	INDIANA				
DELAWARE					Joliet.....(I)...	.40	.34	.28	.20	Evansville.....(O)...	.78	.66	.55	.39
Dover.....(O)...	.70	.60	.49	.35	Peoria.....(I)...	.66	.56	.46	.33	Indianapolis.....(O)...	.58	.49	.41	.29
Frankford.....(O)...	.82	.70	.57	.41	Rock Island.....(I)...	.69	.59	.48	.35	Richmond.....(O)...	.48	.41	.34	.24
DIST. OF COLUMBIA					Springfield.....(I)...	.72	.61	.50	.36	KENTUCKY				
Washington.....(O)...	.79	.67	.55	.40	INDIANA					Elkhorn City.....(O)...	.84	.71	.59	.42
MARYLAND					Fort Wayne.....(O)...	.66	.56	.46	.33	Frankfort.....(S)...	.89	.76	.62	.49
Baltimore.....(O)...	.75	.64	.53	.38	Michigan City.....(O)...	.45	.38	.32	.23	Hopkinsville.....(S)...	1.12	.95	.78	.62
Pocomoke.....(O)...	.89	.76	.62	.45	South Bend.....(O)...	.54	.46	.38	.27	Louisville.....(O)...	.62	.53	.43	.31
NEW JERSEY					IOWA					Morehead.....(O)...	.75	.64	.53	.38
Atlantic City.....(O)...	.66	.56	.46	.33	Cedar Rapids.....(W)...	.88	.75	.62	.48	MICHIGAN				
Trenton.....(O)...	.43	.37	.30	.22	Des Moines.....(W)...	1.15	.98	.81	.63	Detroit.....(O)...	.82	.70	.57	.41
NEW YORK					Mason City.....(W)...	1.11	.94	.78	.61	OHIO				
Albany.....(O)...	.66	.56	.46	.33	Sioux City.....(W)...	1.41	1.20	.99	.78	Cleveland.....(O)...	.79	.67	.55	.40
Buffalo.....(O)...	.99	.84	.69	.50	MICHIGAN					Columbus.....(O)...	.60	.51	.42	.30
New York.....(O)...	.40	.34	.28	.20	Bessemer.....(W)...	1.24	1.05	.87	.68	Steubenville.....(O)...	.84	.71	.59	.42
Syracuse.....(O)...	.84	.71	.59	.42	Escanaba.....(W)...	1.13	.96	.79	.62	Toledo.....(O)...	.73	.62	.51	.37
NORTH CAROLINA					Grand Rapids.....(O)...	.70	.60	.49	.35	PENNSYLVANIA				
Charlotte.....(S)...	1.44	1.23	1.08	.88	Marquette.....(W)...	1.21	1.03	.85	.67	Erie.....(O)...	.92	.78	.64	.46
Raleigh.....(S)...	1.33	1.14	1.00	.81	Sault Ste Marie.....(W)...	1.40	1.19	.98	.77	Pittsburgh.....(O)...	.87	.74	.61	.44
Wilmington.....(S)...	1.44	1.23	1.08	.88	Traverse City.....(O)...	.91	.77	.64	.46	TENNESSEE				
PENNSYLVANIA—(S)ee also "from Norw ood")					Hannibal.....(O)...	.87	.74	.61	.44	Clarksville.....(S)...	1.22	1.04	.85	.67
Harrisburg.....(O)...	.72	.61	.50	.36	St. Louis.....(O)...	.84	.51	.59	.42	Knoxville.....(S)...	1.18	1.00	.83	.65
Philadelphia.....(O)...	.56	.48	.39	.28	WISCONSIN					Nashville.....(S)...	1.22	1.04	.85	.67
Scranton.....(O)...	.66	.56	.46	.33	Ashland.....(W)...	1.29	1.10	.90	.71	WEST VIRGINIA				
VIRGINIA					LaCrosse.....(W)...	1.01	.86	.71	.56	Charleston.....(O)...	.75	.64	.53	.38
Luray.....(O)...	.92	.78	.64	.46	Madison.....(O)...	.62	.53	.43	.31	Elkins.....(O)...	.94	.80	.66	.47
Richmond.....(O)...	.94	.80	.66	.47	Marinette.....(O)...	.97	.82	.68	.53	Parkersburg.....(O)...	.73	.62	.51	.37
Rocky Mount.....(S)...	1.29	1.13	.97	.61	Milwaukee.....(O)...	.53	.45	.37	.27	Wheeling.....(O)...	.84	.71	.59	.42

These Rates Were in Effect When This Catalog Went to Press and Are Subject to Change Without Notice

You Can Buy \$20.00 Worth or More of Building Material on the Following Easy Payment Plan:

<i>If Cash Price of Your Order Amounts to:</i>	<i>Add for Easy Payment Plan</i>	<i>Deposit With Order</i>	<i>Monthly Payments</i>	<i>If Cash Price of Your Order Amounts to:</i>	<i>Add for Easy Payment Plan</i>	<i>Deposit With Order</i>	<i>Monthly Payments</i>
\$ 20.00 to \$25.00	\$ 2.50	\$ 3.00	\$ 4.00	\$175.01 to \$200.00	\$17.50	\$17.50	\$12.00
25.01 to 30.00	3.00	3.00	5.00	200.01 to 225.00	20.00	20.00	14.00
30.01 to 35.00	3.50	4.00	5.00	225.01 to 250.00	22.50	22.50	15.00
35.01 to 40.00	4.00	4.00	5.00	250.01 to 275.00	25.00	25.00	16.00
40.01 to 45.00	4.50	5.00	5.00	275.01 to 300.00	27.00	27.50	17.00
45.01 to 50.00	5.00	5.00	5.00	300.01 to 325.00	29.00	30.00	
50.01 to 60.00	5.50	5.00	6.00	325.01 to 350.00	32.00	32.50	Purchaser
60.01 to 70.00	6.50	6.00	7.00	350.01 to 375.00	34.00	35.00	Over
70.01 to 80.00	7.50	7.00	7.00	375.01 to 400.00	36.00	37.50	\$300.00
80.01 to 90.00	8.50	8.00	8.00	400.01 to 425.00	38.00	40.00	Payable
90.01 to 100.00	9.50	9.00	8.00	425.01 to 450.00	40.00	42.50	in 18 Equal
100.01 to 125.00	11.00	10.00	9.00	450.01 to 475.00	42.00	45.00	Monthly
125.01 to 150.00	13.00	12.50	10.00	475.01 to 500.00	44.00	47.50	Installments
150.01 to 175.00	15.00	15.00	11.00				

Write for Easy Terms on Purchases over \$500.00

FILL IN THIS INFORMATION BLANK FULLY TO SECURE EASY PAYMENT TERMS

Date _____ 193__

Name _____

Street Address _____ Rural Route _____ Box No. _____

(Please give both Route and Box No., if on a Rural Route.)

City _____ State _____

Sears, Roebuck and Co.

Agreement

You may ship me the Building Material described on opposite side.
I agree to make payments according to the following:

1. Deposit of \$ _____ paid with this order.
2. Monthly payments of \$ _____ each month, commencing one month after date material is shipped, and continuing until full balance is paid.
3. Title to and right of possession shall remain in you until I have paid in full.

4. I will protect this property, and in the case of transfer of the premises improved under this contract before settlement in full has been made, or upon default of any payments, the entire unpaid balance becomes forthwith due and payable without notice or demand.
5. All parties to this contract shall be jointly and severally liable.
6. Sears, Roebuck and Co. reserve the right to file a Mechanics' lien.

SIGN YOUR NAME HERE

(If you do not hold legal title to property, the party who does should sign this agreement with you.)

Sign wife's name in full if title is in husband's name or husband's name in full if title is in wife's name. _____

RENTERS:—If you are renting and want to put material on the property, show our proposition to your landlord and have him sign the order along with you, or if you want the landlord to do the job, show him our proposition.

KINDLY ANSWER FULLY THE FOLLOWING QUESTIONS—They will assist us in handling your order promptly

Do you own the property on which the material will be used? _____ Give description of property as it reads in your deed _____

Name of party holding legal title (the Title Holder) _____

Cost of property, including improvements, \$ _____ Is property mortgaged? _____ State amount, \$ _____ Balance unpaid, \$ _____

Terms of repayment? _____ Name and address of Holder of Mortgage _____

Describe buildings and other improvements on property _____

Explain briefly the nature of remodeling you will do and if you have cash to cover cost of labor _____

Do you own any other property? _____ If so, give value, \$ _____ Mortgaged? _____

Mention how long you have lived in town where now located _____ If less than five years, give former address _____ State your age _____ Are you married? _____

Your occupation or business _____ Are you steadily employed? _____ How long in present position? _____

Give name and address of employer _____ Weekly earnings, \$ _____

Give name and address of Bank you do business with _____

Do you have any income aside from your salary? _____ Did you ever have an installment account with us? _____ If so, give name of article and account number _____

Please write below the names and addresses of two stores with which you have had credit dealings or two business men whom you know. Or, if you prefer, you may send us a letter from your banker recommending this credit.

NAME

ADDRESS

BUSINESS OR OCCUPATION

BUILDING MATERIAL and LUMBER ESTIMATE OR ORDER BLANK

WHEN SHIPPING

Date _____ 193_

PACKAGES AS
FOLLOWS,

Shipping Point if different from your Postoffice

If there is no freight agent at your station you should send money to prepay freight charges.

AVERY LIBRARY
 COLUMBIA UNIVERSITY

QUALITY CONCRETE MIXERS at LOW PRICES

Triumph Concrete Mixers

Especially built for farm needs. An ideal mixer for countless large or small jobs. It thoroughly mixes concrete, mortar or plaster, wet or dry. The small size makes an especially good feed mixer. Save money on the job you do for yourself; make money on the many odd jobs that your neighbors need.

Here are a few jobs you can do with the Triumph: building foundations, floors, feed and water troughs, sidewalks, culverts, fence posts, roadways, fruit and vegetable cellars, porches, etc. We save you money by shipping direct from factory in Fredericktown, Ohio. We also sell on Easy Payment Terms.

Triumph Mixer is made in three sizes: the 1½ to 2 cubic foot capacity; the 3 to 4 cubic foot capacity; and the 4 to 5 cubic foot capacity. The Triumph is ruggedly built. The strong angle frame is solidly braced.

The drum is made of 16-gauge steel with a heavy cast iron bowl or head. The heavy paddles do a thorough mixing job. Equipped with a handle for manual operation also with a cast iron pulley with 3-inch face for belt driving if used with engine or motor. Belt not included. 12-inch pulley on 63 PM 972K. 16-inch on other two machines.

The 4 to 5 cubic foot machine (63PM974K)

can be equipped with chain drive sprocket instead of pulley if desired, at no extra charge. Chain not included. The mixer 63 PM 974K also has head ball bearings. All main bearings are fitted with babbitted bushings and grease cups. The pinion drive is enclosed—a feature which prevents wear and damage. The yoke has been designed for strength and compactness. Equipped with a dump locking device.

See below for these mixers on 4 wheel truck or 2 wheel trailers. See below for detailed measurements, weights and prices. Shipped from factory in Fredericktown, Ohio.

Triumph Mixer on Stand

Specifications	63 PM 972K	63 PM 973K	63 PM 974K
Capacity.....	1½ to 2 cu. ft.	3 to 4 cu. ft.	4 to 5 cu. ft.
Length.....	38 inches	40 inches	48 inches
Width.....	30 inches	38 inches	40 inches
Height.....	53 inches	54 inches	57 inches
Shoveling Height.....	35 inches	35 inches	40 inches
Size of Angle Frame.....	1½ x 2 inches	2 x 2 inches	2 x 3 inches
Weight.....	200 lbs.	245 lbs.	435 lbs.
Bowl or Hopper.....	Top Diameter..... 17 inches	17 inches	18 inches
	Bottom Diameter..... 21 inches	26 inches	31 inches
	Depth..... 23 inches	25 inches	25 inches
Cash Price.....	\$16.95	\$30.40	\$59.50
Easy Payment Price.....	Cash Only	\$3.90	\$6.00
	(See below)	4.00	5.00
Terms.....	Monthly.....	5.00	6.00

Our 1½ to 2 Horse Power Economy Engine 23 KM 7152 shown in our big general catalog is ideal for use with these three machines. Use Easy Payment Order Blank.

"TRIUMPH" MIXER



ONLY
\$16⁹⁵
CASH

1½ to 2 Cu. Ft.
63 PM 972K

Shipped from factory in Fredericktown, Ohio


(See below for approximate Freight Charges.)

For Cement Workers' Tools See Our Big General Catalog.

1½ to 2 Cu. Ft. Capacity

\$31⁹⁵
CASH

Without Engine



Shipped from factory in Fredericktown, Ohio.

TRIUMPH MIXERS on 4-Wheel Trucks

These mixers are the same as the above three mixers, except they are mounted on a heavy rugged four wheel truck or 2 wheel trailer for greater mobility. Whether the mixer is intended for contracting, rental, or whether it is just for greater convenience in general use—you will find the difference in cost is more than offset by the saving in time and labor and efficiency.

The 3 truck mounted mixers have steel wheels. The 2 wheel tilting trailer mixer has rubber cushion tires—All are equipped with 2 inch plank engine platforms—Engines not included. You can use your own engine if you have one or see our 23 KM 7152 listed in our Big General Catalog—which is the engine we recommend. Has handle for manual operation.

These mixers are of same dimensions and specifications as mixers of same capacities listed above. The number 63PM978K is mounted on 2 wheel tilting trailer (not illustrated). The other machines 63 PM 975K, 63 PM 976K, and 63 PM 977K are mounted on 4 wheel truck as illustrated. All shipped from factory in Fredericktown, Ohio.


Catalog Number	Cubic Feet Capacity	Shipping Weight	Without Engine			
			Cash Price	Easy Terms Price	Deposit	Monthly Payment
63 PM 975K	1½ to 2	360 lbs.	\$31.95	\$35.45	\$4.00	\$5.00
63 PM 976K	3 to 4	405 lbs.	45.95	50.95	5.00	6.00
63 PM 977K	4 to 5	640 lbs.	99.50	109.00	9.00	8.00
63 PM 978K	4 to 5	600 lbs.	108.50	119.50	10.00	9.00

Use Easy Payment Side of Order Blank Enclosed.

Estimated Freight Rates Per 100 Pounds on Concrete Machinery

100 Miles	200 Miles	300 Miles	400 Miles	500 Miles
59c	83c	\$1.05	\$1.21	\$1.50

TRIUMPH Block Machines



2-Core Block Machine
63 PM 5709K


Cash Price
\$23⁹⁵

Our Triumph Block Machines are of fine quality—and proven construction—proven by nearly 30 years of manufacturing and selling block machines. These machines are the popular type which make blocks face down, and for economy are planned to use wood pallets—a big saving in that respect alone. No costly investment for metal pallets. You can make cheaply as many pallets as necessary—and when necessary.

Both styles make 8x8x16 inch blocks—in medium Rock Face design. Both styles furnished on braced, heavy stands as shown or without stands for use on an ordinary work bench. With each machine we include Rock Design Face Plate for whole blocks, Rock Design Face Plate for making one-half and two quarter blocks; two Rock Design Endgates, two Core end gates, two dividing plates, one Gable Block dividing plate

for making gable blocks; two Joist block attachments, plugs for closing core holes to make solid blocks, one striker tool, one double end tamper, and one sample wood pallet for a pattern.

Both machines will prove entirely satisfactory—but of course each machine has its special use. The 2-core machine costs less and makes a heavier block favored in some localities. The 3-core machine makes a more economical block as it takes less material on account of greater core area. While the first cost is not as low—the cost of making blocks with the 3-core machine is less, and the greater hollow space provides greater insulation. The 3-core machine also is the heavier machine—with heavier construction and is adjustable on the rockers and also on the handles—making it easily adjustable should it be knocked out of square. Shipped from factory in Fredericktown, Ohio.



3-Core Block Machine
63 PM 5730K

Cash Price
\$27⁹⁵

	Shpg. Wt.	Cash Price	Easy Terms Price	Deposit	Monthly Payment
63 PM 5709K—2-Core Block Machine on Stand as illustrated	165 lbs.	\$23.95	\$26.45	\$3.00	\$4.00
63 PM 5704K—2-Core Block Machine Bench Type—(without stand) Not Illustrated.....	140 lbs.	18.75	Sold for cash	only	
63 PM 5730K—3-Core Block Machine on Stand as illustrated	185 lbs.	27.95	30.95	3.00	5.00
63 PM 5732K—3-Core Block Machine Bench Type (without stand) Not Illustrated.....	160 lbs.	22.75	25.25	3.00	4.00

Use Easy Payment Side of Enclosed Order Blank.

GAY, COLORFUL -


BUILT-IN

KITCHEN UNITS

*beautify
and modernize
your kitchen*



At new low prices!



Top Section
63PM9124K
24 inches wide

Bottom Section
63PM7224K
24 inches wide

Top Sections
63PM8236K
(36 inches wide) and
63PM7042K
(42 inches wide)
Bottom Sections
63PM7236K
(36 inches wide) and
63PM9042K
(42 inches wide)

Top Section
63PM8230K
(30 inches wide)
Bottom Section
63PM9230K
(30 inches wide)

Note: All top sections 49 3/4 inches high from top of counter to top of section. All bottom sections 35 inches high to top of counter from floor. When top sections and bottom sections are combined, the combined height is 84 3/4 inches.

All broom and storage units 84 3/4 in. high.

All bottom sections 21 1/2 in. deep not including projection of counter.

All top sections 13 in. deep overall.



Top Section
63PM9124K
(24 inches wide)
Bottom Section
63PM7124K
(24 in. wide)

Broom and Storage Closet
63PM8500K
(16 1/2 in. wide and 13 in. deep overall.)
63PM9600K
(16 1/2 in. wide and 21 1/2 in. deep)

Storage and Linen Closet
(6 shelves)

63PM1612K
(16 1/2 in. wide and 13 in. deep)
63PM1622K
(16 1/2 in. wide and 21 1/2 in. deep)

At the right is shown a suggested ideal layout for a long narrow kitchen, using standard units. If your kitchen needs other sizes or types or combinations of units, send sketch for price and indicate what type of units you want.

HERE IS A COMPLETE LINE OF STANDARD BUILT-IN KITCHEN CABINET UNITS from which you can select various types and sizes of bases, upper sections, wall cupboards, high side cupboards, etc. Equip your kitchen (old or new) now with attractive up-to-date kitchen cabinet equipment at these remarkably low prices.

THESE BUILT-IN KITCHEN CABINETS are made of carefully selected hardwood. Drawers are metal with wood fronts and are operated on metal slides. No sticking or warping. Bread drawers have snug-fitting covers. Exposed hardware is nickel and inner hardware is cadmium plated steel. Drawer pulls are crystal glass. Counter tops are extra heavy unfinished hardwood.

FURNISHED FULLY FINISHED if you so desire in beautiful glossy enamel in your choice of three colors—White, Ivory or Green that cannot be duplicated except in a well equipped modern factory. ALSO FURNISHED PRIMED in one White or Green under coat. State finish and color wanted. Inside of pot and pan compartments in lower units unfinished (not painted).

EASILY INSTALLED. The units fit closely together being attached to each other and to the walls with screws in a tight workmanlike manner. Units are shipped set up from factory in Indiana.

We illustrate complete kitchen cabinets at left, consisting of 1 top Section or Upper Cupboard and 1 Bottom Section or Counter Unit. To arrive at the price of the complete kitchen cabinet, add the price of the Top Section to the price of the Bottom Section. The prices for each section are given in table below.

Catalog Number	Name	Price Each Fully Enameled	Price Each Primed 1 Coat Only	Shpg. Wt. Lbs.
63 PM 9124K	Top Section Only	\$10.75	\$ 9.95	80
63 PM 7224K	Bottom Section Only	10.95	10.45	90
63 PM 8236K	Top Section Only	13.25	12.50	95
63 PM 7236K	Bottom Section Only	14.50	13.85	115
63 PM 7042K	Top Section Only	14.50	13.75	105
63 PM 9042K	Bottom Section Only	15.35	14.50	125
63 PM 8230K	Top Section Only	11.50	10.95	85
63 PM 9230K	Bottom Section Only	12.95	12.35	100
63 PM 9124K	Top Section Only	10.45	9.85	80
63 PM 7124K	Bottom Section Only	13.50	12.75	90
63 PM 8500K	Broom & Storage Closet	13.50	12.95	85
63 PM 9600K	Broom & Storage Closet	16.45	15.75	120
63 PM 1612K	Storage Closet	14.25	13.50	95
63 PM 1622K	Storage Closet	17.95	16.75	135

